



low_Egamma Tx_proton: max $C_{e\gamma}$ regions



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_0 $C_{e\gamma}=5.83787e-12$
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=2.35783 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.79454$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=0.5$, $\phi_\gamma=2.55254$
 $Q^2=16.063$, $x_B=0.939857$, $t=-12.4524$, $W^2=1.90775$, $y=0.828209$
 $\theta(l', \gamma)=135.094$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1136$ $p_x= 0.4157$ $p_y= -2.0723$ $p_z= 0.0000$
 P' $E= 2.0249$ $p_x= 0.0000$ $p_y= 1.7945$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4157$ $p_y= 0.2778$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=95.9%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_1 $C_{e\gamma}=5.76356e-12$
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=0.74617 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16913$
 $\theta_{in}=1.57079$, $\phi_l=5.30144$, $\phi_p=2.15984$
 $E_\gamma=0.5$, $\phi_\gamma=5.30144$
 $Q^2=2.0985$, $x_B=0.334939$, $t=-1.62681$, $W^2=5.04666$, $y=0.303611$
 $\theta(l', \gamma)=42.7524$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 l' $E= 1.7753$ $p_x= -0.2778$ $p_y= -1.7534$ $p_z= 0.0000$
 P' $E= 2.3633$ $p_x= 0.0000$ $p_y= 2.1691$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.2778$ $p_y= -0.4157$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.1%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




$c_{e\gamma_low_egamma_tx_proton_region_2}$ $C_{e\gamma}=3.05012e-12$
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=2.35783 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.79454$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=0.5$, $\phi_\gamma=0.589049$
 $Q^2=16.063$, $x_B=0.939857$, $t=-12.4524$, $W^2=1.90775$, $y=0.828209$
 $\theta(l', \gamma)=135.094$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1136$ $p_x= -0.4157$ $p_y= -2.0723$ $p_z= 0.0000$
 P' $E= 2.0249$ $p_x= 0.0000$ $p_y= 1.7945$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4157$ $p_y= 0.2778$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=95.9%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_3 $C_{e\gamma}=1.47851e-12$
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=1.09619 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.10758$
 $\theta_{in}=1.57079$, $\phi_i=3.82882$, $\phi_p=0.687223$
 $E_\gamma=0.5$, $\phi_\gamma=3.82882$
 $Q^2=4.42478$, $x_B=0.548388$, $t=-3.43019$, $W^2=4.52377$, $y=0.391001$
 $\theta(l', \gamma)=62.807$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.8316$ $p_x= 0.3865$ $p_y= -1.7904$ $p_z= 0.0000$
 P' $E= 2.3069$ $p_x= 0.0000$ $p_y= 2.1076$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3865$ $p_y= -0.3172$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron $h=+1$, proton Tx

Leading initial-ensemble/final-state components (N=8, retained=100.0%)

