



Ty aligned: representative high-C13 configs




Ty opposite: representative high-C13 configs



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_0 C13=0.928651
region: aligned $|\phi_{e,in} - \phi_{\gamma}|=0.19635$
kinematic point: low s low θ_{in} low E_{γ}
incoming state: $(A[h_{In}=+1, s_{In}=1] + i A[h_{In}=-1, s_{In}=1]) / \sqrt{2}$


 $s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=1.92864$
 $\theta_{in}=1.57079$, $\phi_{e,in}=4.71239$, $\phi_{p,in}=1.5708$
 $q_{Out}=0.75$, $\phi_{\gamma}=4.51604$
 $Q^2=0.0346994$, $x_B=0.00569867$, $t=-2.87478e-05$, $W_2=6.93417$, $y=0.382897$
 $\theta(e', \gamma)=18.242$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 1.9409 $p_x=-0.0000$ $p_y=-1.9409$ $p_z=-0.0000$
p E= 2.1557 $p_x=0.0000$ $p_y=1.9409$ $p_z=0.0000$
kp E= 1.2020 $p_x=0.1463$ $p_y=-1.1930$ $p_z=0.0000$
pp E= 2.1446 $p_x=0.0000$ $p_y=1.9286$ $p_z=0.0000$
qout E= 0.7500 $p_x=-0.1463$ $p_y=-0.7356$ $p_z=0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_1 C13=0.917461
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + i A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{In}=2.22442$, $p_{Out}=2.14466$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=4.31969$, $\phi_{p\text{ in}}=1.1781$
 $q_{Out}=1.75$, $\phi_{\gamma}=4.51604$
 $Q^2=1.25759$, $x_B=0.0748011$, $t=-0.727273$, $W^2=16.4347$, $y=0.814716$
 $\theta(e',\gamma)=49.8104$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 2.2244 $p_x=-0.8512$ $p_y=-2.0551$ $p_z=-0.0000$
p E= 2.4141 $p_x=0.8512$ $p_y=2.0551$ $p_z=0.0000$
kp E= 0.5477 $p_x=0.3414$ $p_y=-0.4283$ $p_z=0.0000$
pp E= 2.3408 $p_x=0.0000$ $p_y=2.1447$ $p_z=0.0000$
qout E= 1.7500 $p_x=-0.3414$ $p_y=-1.7164$ $p_z=0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_2 C13=0.852221
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: $(A[h_{In}=+1, s_{In}=1] + i A[h_{In}=-1, s_{In}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{In}=2.22442$, $p_{Out}=1.649$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=5.49779$, $\phi_{p\text{ in}}=2.35619$
 $q_{Out}=1.75$, $\phi_{\gamma}=5.30144$
 $Q^2=6.85901$, $x_B=0.374855$, $t=-2.21254$, $W^2=12.3186$, $y=0.886691$
 $\theta(e', \gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 2.2244 $p_x= 1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
p E= 2.4141 $p_x= -1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
kp E= 0.9914 $p_x= -0.9722$ $p_y= -0.1939$ $p_z= 0.0000$
pp E= 1.8971 $p_x= 0.0000$ $p_y= 1.6490$ $p_z= 0.0000$
qout E= 1.7500 $p_x= 0.9722$ $p_y= -1.4551$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_0 C13=0.0633214
 region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
 kinematic point: mid s_{low} θ_{in} high E_{γ}
 incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + i A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{\text{In}}=2.22442$, $p_{\text{Out}}=1.649$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=0.785398$, $\phi_{p\text{ in}}=3.92699$
 $q_{\text{Out}}=1.75$, $\phi_{\gamma}=4.12334$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e', \gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
 k E= 2.2244 $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 p E= 2.4141 $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 kp E= 0.9914 $p_x= 0.9722$ $p_y= -0.1939$ $p_z= 0.0000$
 pp E= 1.8971 $p_x= 0.0000$ $p_y= 1.6490$ $p_z= 0.0000$
 qout E= 1.7500 $p_x= -0.9722$ $p_y= -1.4551$ $p_z= 0.0000$


Transverse plane



Final-state amplitude decomposition



Ty characteristic high-C13 configuration




Ty_opposite_cluster_1 C13=0.0633214
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: mid s_{low} θ_{in} high E_{γ}
incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + i A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{\text{In}}=2.22442$, $p_{\text{Out}}=1.649$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=2.35619$, $\phi_{p\text{ in}}=5.49779$
 $q_{\text{Out}}=1.75$, $\phi_{\gamma}=5.30144$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e', \gamma)=112.469$ deg

four-momenta [E, px, py, pz] GeV:

	E	px	py	pz
k	2.2244	-1.5729	1.5729	-0.0000
p	2.4141	1.5729	-1.5729	0.0000
kp	0.9914	-0.9722	-0.1939	0.0000
pp	1.8971	0.0000	1.6490	0.0000
qout	1.7500	0.9722	-1.4551	0.0000




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_2 C13=0.0492278
region: opposite |phi_e_in - phi_gamma|=2.94524
kinematic point: low_s_low_theta_in_mid_Egamma
incoming state: (A[hIn=+1,sIn=1] + i A[hIn=-1,sIn=1]) / sqrt(2)


s=16.7824, sqrt(s)=4.09663, pIn=1.94093, pOut=0.802794
theta_in=1.57079, phi_e_in=0, phi_p_in=3.14159
qOut=1.25, phi_gamma=2.94524
Q2=1.49844, xB=0.357326, t=-3.56332, W2=3.57489, y=0.263699
theta(e',gamma)=150.762 deg

four-momenta [E, px, py, pz] GeV:
k E= 1.9409 px= 1.9409 py= -0.0000 pz= -0.0000
p E= 2.1557 px= -1.9409 py= 0.0000 pz= 0.0000
kp E= 1.6120 px= 1.2260 py= -1.0467 pz= 0.0000
pp E= 1.2346 px= 0.0000 py= 0.8028 pz= 0.0000
qout E= 1.2500 px= -1.2260 py= 0.2439 pz= 0.0000

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_3 C13=0.0492278
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: low_s_low_theta_in_mid_Egamma
incoming state: $(A[h_{In}=+1, s_{In}=1] + i A[h_{In}=-1, s_{In}=1]) / \sqrt{2}$

$s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=0.802794$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=3.14159$, $\phi_{p\text{ in}}=0$
 $q_{Out}=1.25$, $\phi_{\gamma}=0.19635$
 $Q^2=1.49844$, $x_B=0.357326$, $t=-3.56332$, $W^2=3.57489$, $y=0.263699$
 $\theta(e', \gamma)=150.762$ deg

four-momenta [E, px, py, pz] GeV:							
k	E=	1.9409	px=	-1.9409	py=	-0.0000	pz= -0.0000
p	E=	2.1557	px=	1.9409	py=	0.0000	pz= 0.0000
kp	E=	1.6120	px=	-1.2260	py=	-1.0467	pz= 0.0000
pp	E=	1.2346	px=	0.0000	py=	0.8028	pz= 0.0000
qout	E=	1.2500	px=	1.2260	py=	0.2439	pz= 0.0000

Transverse plane



Final-state amplitude decomposition

