




Tx aligned: representative high-C13 configs




Tx opposite: representative high-C13 configs



Ty aligned: representative high-C13 configs




Ty opposite: representative high-C13 configs



Tx characteristic high-C13 configuration

3D momenta




Tx_aligned_cluster_0 C13=0.928651
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: low_s_low_theta_in_low_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$


 $s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=1.92864$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=4.71239$, $\phi_{p\text{ in}}=1.5708$
 $q_{Out}=0.75$, $\phi_{\gamma}=4.51604$
 $Q^2=0.0346994$, $x_B=0.00569867$, $t=-2.87478e-05$, $W_2=6.93417$, $y=0.382897$
 $\theta(e',\gamma)=18.242$ deg

four-momenta [E, px, py, pz] GeV:
k E= 1.9409 px= -0.0000 py= -1.9409 pz= -0.0000
p E= 2.1557 px= 0.0000 py= 1.9409 pz= 0.0000
kp E= 1.2020 px= 0.1463 py= -1.1930 pz= 0.0000
pp E= 2.1446 px= 0.0000 py= 1.9286 pz= 0.0000
qout E= 0.7500 px= -0.1463 py= -0.7356 pz= 0.0000

Transverse plane




Final-state amplitude decomposition



Tx characteristic high-C13 configuration

3D momenta




Tx_aligned_cluster_1 C13=0.917461
region: aligned |phi_e_in - phi_gamma|=0.19635
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: (A[hIn=+1,sIn=1] + A[hIn=-1,sIn=1]) / sqrt(2)


s=21.5158, sqrt(s)=4.63852, pIn=2.22442, pOut=2.14466
theta_in=1.57079, phi_e_in=5.10509, phi_p_in=1.9635
qOut=1.75, phi_gamma=4.90874
Q2=1.25759, xB=0.0748011, t=-0.727273, W2=16.4347, y=0.814716
theta(e',gamma)=49.8104 deg

four-momenta [E, px, py, pz] GeV:
k E= 2.2244 px= 0.8512 py= -2.0551 pz= -0.0000
p E= 2.4141 px= -0.8512 py= 2.0551 pz= 0.0000
kp E= 0.5477 px= -0.3414 py= -0.4283 pz= 0.0000
pp E= 2.3408 px= 0.0000 py= 2.1447 pz= 0.0000
qout E= 1.7500 px= 0.3414 py= -1.7164 pz= 0.0000

Transverse plane




Final-state amplitude decomposition



Tx characteristic high-C13 configuration

3D momenta




Tx_aligned_cluster_2 C13=0.852221
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$

$s=21.5158$, $\sqrt{s}=4.63852$, $p_{In}=2.22442$, $p_{Out}=1.649$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=3.92699$, $\phi_{p\text{ in}}=0.785398$
 $q_{Out}=1.75$, $\phi_{\gamma}=4.12334$
 $Q^2=6.85901$, $x_B=0.374855$, $t=-2.21254$, $W^2=12.3186$, $y=0.886691$
 $\theta(e',\gamma)=112.469$ deg


four-momenta [E, p_x , p_y , p_z] GeV:

k	E=	2.2244	$p_x=-1.5729$	$p_y=-1.5729$	$p_z=-0.0000$
p	E=	2.4141	$p_x=1.5729$	$p_y=1.5729$	$p_z=0.0000$
kp	E=	0.9914	$p_x=0.9722$	$p_y=-0.1939$	$p_z=0.0000$
pp	E=	1.8971	$p_x=0.0000$	$p_y=1.6490$	$p_z=0.0000$
qout	E=	1.7500	$p_x=-0.9722$	$p_y=-1.4551$	$p_z=0.0000$


Transverse plane



Final-state amplitude decomposition



Tx characteristic high-C13 configuration




Tx_opposite_cluster_0 C13=0.0633214
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: mid s_{low} θ_{in} high E_{γ}
incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{\text{In}}=2.22442$, $p_{\text{Out}}=1.649$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=2.35619$, $\phi_{p\text{ in}}=5.49779$
 $q_{\text{Out}}=1.75$, $\phi_{\gamma}=5.30144$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e', \gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:

	E	p_x	p_y	p_z
k	2.2244	-1.5729	1.5729	-0.0000
p	2.4141	1.5729	-1.5729	0.0000
kp	0.9914	-0.9722	-0.1939	0.0000
pp	1.8971	0.0000	1.6490	0.0000
qout	1.7500	0.9722	-1.4551	0.0000




Final-state amplitude decomposition



Tx characteristic high-C13 configuration

3D momenta




Tx_opposite_cluster_1 C13=0.0633214
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: mid $s_{\text{low}} \theta_{\text{in}} \text{ high } E_{\gamma}$
incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{\text{In}}=2.22442$, $p_{\text{Out}}=1.649$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=0.785398$, $\phi_{p\text{ in}}=3.92699$
 $q_{\text{Out}}=1.75$, $\phi_{\gamma}=4.12334$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e', \gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 2.2244 $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
p E= 2.4141 $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
kp E= 0.9914 $p_x= 0.9722$ $p_y= -0.1939$ $p_z= 0.0000$
pp E= 1.8971 $p_x= 0.0000$ $p_y= 1.6490$ $p_z= 0.0000$
qout E= 1.7500 $p_x= -0.9722$ $p_y= -1.4551$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Tx characteristic high-C13 configuration

3D momenta




Tx_opposite_cluster_2 C13=0.0492278
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: low_s_low_theta_in_mid_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$

 $s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=0.802794$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=0$, $\phi_{p\text{ in}}=3.14159$
 $q_{Out}=1.25$, $\phi_{\gamma}=2.94524$
 $Q^2=1.49844$, $x_B=0.357326$, $t=-3.56332$, $W^2=3.57489$, $y=0.263699$
 $\theta(e',\gamma)=150.762$ deg


four-momenta [E, p_x , p_y , p_z] GeV:

k	E=	1.9409	$p_x=$	1.9409	$p_y=$	-0.0000	$p_z=$	-0.0000
p	E=	2.1557	$p_x=$	-1.9409	$p_y=$	0.0000	$p_z=$	0.0000
kp	E=	1.6120	$p_x=$	1.2260	$p_y=$	-1.0467	$p_z=$	0.0000
pp	E=	1.2346	$p_x=$	0.0000	$p_y=$	0.8028	$p_z=$	0.0000
qout	E=	1.2500	$p_x=$	-1.2260	$p_y=$	0.2439	$p_z=$	0.0000

Transverse plane




Final-state amplitude decomposition



Tx characteristic high-C13 configuration

3D momenta




Tx_opposite_cluster_3 C13=0.0492278
 region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
 kinematic point: low_s_low_theta_in_mid_Egamma
 incoming state: $(A[h_{in}=+1, s_{in}=1] + A[h_{in}=-1, s_{in}=1]) / \sqrt{2}$


$s=16.7824$, $\sqrt{s}=4.09663$, $p_{in}=1.94093$, $p_{out}=0.802794$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=3.14159$, $\phi_{p\text{ in}}=0$
 $q_{out}=1.25$, $\phi_{\gamma}=0.19635$
 $Q^2=1.49844$, $x_B=0.357326$, $t=-3.56332$, $W^2=3.57489$, $y=0.263699$
 $\theta(e', \gamma)=150.762$ deg

four-momenta	[E, px, py, pz] GeV:
k	E= 1.9409 px= -1.9409 py= -0.0000 pz= -0.0000
p	E= 2.1557 px= 1.9409 py= 0.0000 pz= 0.0000
kp	E= 1.6120 px= -1.2260 py= -1.0467 pz= 0.0000
pp	E= 1.2346 px= 0.0000 py= 0.8028 pz= 0.0000
qout	E= 1.2500 px= 1.2260 py= 0.2439 pz= 0.0000

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_0 C13=0.928651
region: aligned $|\phi_{e,in} - \phi_{\gamma}|=0.19635$
kinematic point: low s low θ_{in} low E_{γ}
incoming state: $(A[h_{In}=+1,s_{In}=1] + i A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$


 $s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=1.92864$
 $\theta_{in}=1.57079$, $\phi_{e,in}=4.71239$, $\phi_{p,in}=1.5708$
 $q_{Out}=0.75$, $\phi_{\gamma}=4.51604$
 $Q^2=0.0346994$, $x_B=0.00569867$, $t=-2.87478e-05$, $W_2=6.93417$, $y=0.382897$
 $\theta(e',\gamma)=18.242$ deg

four-momenta [E, px, py, pz] GeV:
k E= 1.9409 px= -0.0000 py= -1.9409 pz= -0.0000
p E= 2.1557 px= 0.0000 py= 1.9409 pz= 0.0000
kp E= 1.2020 px= 0.1463 py= -1.1930 pz= 0.0000
pp E= 2.1446 px= 0.0000 py= 1.9286 pz= 0.0000
qout E= 0.7500 px= -0.1463 py= -0.7356 pz= 0.0000

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_1 C13=0.917461
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + i A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$

$s=21.5158$, $\sqrt{s}=4.63852$, $p_{In}=2.22442$, $p_{Out}=2.14466$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=4.31969$, $\phi_{p\text{ in}}=1.1781$
 $q_{Out}=1.75$, $\phi_{\gamma}=4.51604$
 $Q^2=1.25759$, $x_B=0.0748011$, $t=-0.727273$, $W^2=16.4347$, $y=0.814716$
 $\theta(e',\gamma)=49.8104$ deg


four-momenta [E, px, py, pz] GeV:

k	E=	2.2244	px=	-0.8512	py=	-2.0551	pz=	-0.0000
p	E=	2.4141	px=	0.8512	py=	2.0551	pz=	0.0000
kp	E=	0.5477	px=	0.3414	py=	-0.4283	pz=	0.0000
pp	E=	2.3408	px=	0.0000	py=	2.1447	pz=	0.0000
qout	E=	1.7500	px=	-0.3414	py=	-1.7164	pz=	0.0000

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_aligned_cluster_2 C13=0.852221
region: aligned $|\phi_{e\text{ in}} - \phi_{\gamma}|=0.19635$
kinematic point: mid_s_low_theta_in_high_Egamma
incoming state: $(A[h_{In}=+1,s_{In}=1] + i A[h_{In}=-1,s_{In}=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{In}=2.22442$, $p_{Out}=1.649$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=5.49779$, $\phi_{p\text{ in}}=2.35619$
 $q_{Out}=1.75$, $\phi_{\gamma}=5.30144$
 $Q^2=6.85901$, $x_B=0.374855$, $t=-2.21254$, $W^2=12.3186$, $y=0.886691$
 $\theta(e',\gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 2.2244 $p_x= 1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
p E= 2.4141 $p_x= -1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
kp E= 0.9914 $p_x= -0.9722$ $p_y= -0.1939$ $p_z= 0.0000$
pp E= 1.8971 $p_x= 0.0000$ $p_y= 1.6490$ $p_z= 0.0000$
qout E= 1.7500 $p_x= 0.9722$ $p_y= -1.4551$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_0 C13=0.0633214
 region: opposite $|\phi_{e\ in} - \phi_{\gamma}|=2.94524$
 kinematic point: mid s_{low} θ_{in} high E_{γ}
 incoming state: $(A[hIn=+1,sIn=1] + i A[hIn=-1,sIn=1]) / \sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $p_{in}=2.22442$, $p_{out}=1.649$
 $\theta_{in}=1.57079$, $\phi_{e\ in}=0.785398$, $\phi_{p\ in}=3.92699$
 $q_{out}=1.75$, $\phi_{\gamma}=4.12334$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e',\gamma)=112.469$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
 k E= 2.2244 $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 p E= 2.4141 $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 kp E= 0.9914 $p_x= 0.9722$ $p_y= -0.1939$ $p_z= 0.0000$
 pp E= 1.8971 $p_x= 0.0000$ $p_y= 1.6490$ $p_z= 0.0000$
 qout E= 1.7500 $p_x= -0.9722$ $p_y= -1.4551$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_1 C13=0.0633214
 region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
 kinematic point: mid s_{low} θ_{in} high E_{γ}
 incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + i A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$

$s=21.5158$, $\sqrt{s}=4.63852$, $p_{\text{In}}=2.22442$, $p_{\text{Out}}=1.649$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=2.35619$, $\phi_{p\text{ in}}=5.49779$
 $q_{\text{Out}}=1.75$, $\phi_{\gamma}=5.30144$
 $Q^2=1.96215$, $x_B=0.146419$, $t=-12.5874$, $W^2=12.3186$, $y=0.649394$
 $\theta(e', \gamma)=112.469$ deg


four-momenta [E, px, py, pz] GeV:

	E	px	py	pz
k	2.2244	-1.5729	1.5729	-0.0000
p	2.4141	1.5729	-1.5729	0.0000
kp	0.9914	-0.9722	-0.1939	0.0000
pp	1.8971	0.0000	1.6490	0.0000
qout	1.7500	0.9722	-1.4551	0.0000

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_2 C13=0.0492278
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: low_s_low_theta_in_mid_Egamma
incoming state: $(A[h_{\text{In}}=+1, s_{\text{In}}=1] + i A[h_{\text{In}}=-1, s_{\text{In}}=1]) / \sqrt{2}$


$s=16.7824$, $\sqrt{s}=4.09663$, $p_{\text{In}}=1.94093$, $p_{\text{Out}}=0.802794$
 $\theta_{\text{in}}=1.57079$, $\phi_{e\text{ in}}=0$, $\phi_{p\text{ in}}=3.14159$
 $q_{\text{Out}}=1.25$, $\phi_{\gamma}=2.94524$
 $Q^2=1.49844$, $x_B=0.357326$, $t=-3.56332$, $W^2=3.57489$, $y=0.263699$
 $\theta(e', \gamma)=150.762$ deg

four-momenta [E, p_x , p_y , p_z] GeV:
k E= 1.9409 $p_x= 1.9409$ $p_y= -0.0000$ $p_z= -0.0000$
p E= 2.1557 $p_x= -1.9409$ $p_y= 0.0000$ $p_z= 0.0000$
kp E= 1.6120 $p_x= 1.2260$ $p_y= -1.0467$ $p_z= 0.0000$
pp E= 1.2346 $p_x= 0.0000$ $p_y= 0.8028$ $p_z= 0.0000$
qout E= 1.2500 $p_x= -1.2260$ $p_y= 0.2439$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Ty characteristic high-C13 configuration

3D momenta




Ty_opposite_cluster_3 C13=0.0492278
region: opposite $|\phi_{e\text{ in}} - \phi_{\gamma}|=2.94524$
kinematic point: low_s_low_theta_in_mid_Egamma
incoming state: $(A[h_{In}=+1, s_{In}=1] + i A[h_{In}=-1, s_{In}=1]) / \sqrt{2}$

 $s=16.7824$, $\sqrt{s}=4.09663$, $p_{In}=1.94093$, $p_{Out}=0.802794$
 $\theta_{in}=1.57079$, $\phi_{e\text{ in}}=3.14159$, $\phi_{p\text{ in}}=0$
 $q_{Out}=1.25$, $\phi_{\gamma}=0.19635$
 $Q^2=1.49844$, $x_B=0.357326$, $t=-3.56332$, $W^2=3.57489$, $y=0.263699$
 $\theta(e', \gamma)=150.762$ deg

four-momenta [E, px, py, pz] GeV:							
k	E=	1.9409	px=	-1.9409	py=	-0.0000	pz= -0.0000
p	E=	2.1557	px=	1.9409	py=	0.0000	pz= 0.0000
kp	E=	1.6120	px=	-1.2260	py=	-1.0467	pz= 0.0000
pp	E=	1.2346	px=	0.0000	py=	0.8028	pz= 0.0000
qout	E=	1.2500	px=	1.2260	py=	0.2439	pz= 0.0000

Transverse plane



Final-state amplitude decomposition

