

Mid-circuit measurement and reset using *omg* architecture in trapped-ion quantum computing systems

Yichao Yu

Keqin Yan, Vivian Zhang, Debopriyo Biswas, Bahaa Harraz,
Crystal Noel, Christopher R Monroe and Alexander Kozhanov

Duke Quantum Center, Duke University





June 19, 2025



arXiv:2504.12544



Quantum computers with individual Raman addressing at DQC





Quantum computers with individual Raman addressing at DQC




Current status



- SPAM: 99.7%
- 1q gate: $\geq 99\%$
- 2q gate: $\geq 98\%$




Mid-circuit measurement and reset (MCMR)



Mid-circuit measurement and reset (MCMR)



Mid-circuit measurement and reset (MCMR)



Mid-circuit measurement and reset (MCMR)



Aux Data Aux Data

- **Shuttling**

Nature Physics 19, 1 (2023)

- **Multi-species**

Science 309, 749 (2005)


- **Metastable states**

omg-architecture

APL 119, 214002 (2021)

PRX 13, 041035 (2023)


Mid-circuit measurement and reset (MCMR)




- Shuttling
Nature Physics 19, 1 (2023)
- Multi-species
Science 309, 749 (2005)
- Metastable states
omg-architecture
APL 119, 214002 (2021)
PRX 13, 041035 (2023)

- Yb⁺: D_{3/2} (50 ms), D_{5/2} (7 ms), F_{7/2} (>1 yr)
- Ba⁺: D_{3/2} (20 s), D_{5/2} (30 s)
- Sr⁺: D_{3/2} (0.4 s), D_{5/2} (0.4 s)
- ...

MCMR with metastable state — shelving method




Individual Shelf



Aux Data Aux Data

MCMR with metastable state — hands-off method




Individual Drive




Aux Data Aux Data



Individual control of metastable state — dressing



Individual control of metastable state — dressing




Individual control of metastable state — dressing




Individual control of metastable state

Individual qudit control




Individual control of metastable state — qubit rotation

Individual qudit control




Example Sequence




Individual control of metastable state

Individual qudit control




| MCMR methods | Individual metastable control | |
|--------------|-------------------------------|----------------|
| | Dressing | Qubit rotation |
| Shelving | ✓ | ✓ |
| Hands-off | ✓ | ✗ |

Example Sequence





$^{171}\text{Yb}^+$ levels



$$t_2^{|D\rangle} \approx 10 \text{ ms}$$



Mid-circuit measurement

$^{171}\text{Yb}^+$ levels





Mid-circuit measurement

Aux Detection




Mid-circuit measurement

Aux Detection




Data Coherence




Dressing: 91.7(4)%

Qubit rotation: 98.5(5)%


Mid-circuit reset




Mid-circuit reset



Aux Reset Error



Data Error






Christopher R Monroe



Alexander Kozhanov



Crystal Noel



Keqin Yan



Vivian Zhang



Debopriyo Biswas



Bahaa Harraz

Yb result
arXiv:2504.12544



Ba result
arXiv:2504.12538



