Project Title

Milestone: Conceptual Models: (E)ER and UML

Group 7
Giastina Morano
YI-FAN LIU

Percentage of Effort Contributed by Student1: 50%


Percentage of Effort Contributed by Student2: 50%

Signature of Student 1:


Signature of Student 2:

Submission Date: February 15, 2026

EER Diagram


Status name
StatusID
Status
1...1
has status
0...N
table number
departed time
party size
assignmentID
Seated time
special requests
party size
reservationID
res datetime
reservation
Status
0...1
results in
0...N
0...N
Table
1...1
Used for
0...N
Seating assignment
0...N
1...N
tableID
capacity
Contains
0...N
Serves
makes
1...1
recieves
guestID
email
Guest
1...N
serverID
1...1
phone
section
1...1
assigned to
1...N
Server
1...N
name
phone #
has notes
0...N
guest_note
NoteID
Note Date
Note content
StaffID
sectionID
section name
name
has metrics
Works
0...N
Shift
Starttime
date
endtime
ShiftID
0...N
Performance metrics
tips earned
tables served
metricID

UML Diagram


Status
– statusID: string {frozen}
– statusName: string
+ getStatusID
+ setStatusID (newTitle)
...
1
has status
*
Table
– tableID: integer {frozen}
– table number: integer
– capacity: integer
+ getTableID
+ setTableID (newTitle)
...
1...*
contains
1
Section
– sectionID: integer {frozen}
– section name: string
+ getSectionID
+ setSectionID (newTitle)
...
1
used for
*
Seating Assignment
– AssignmentID: integer {frozen}
– party size: integer
– daparted time: time
– seated time: time
+ getAssignmentID
+ setAssignmentID (newTitle)
...
0...1
results in
0...1
Reservation
– reservationID: integer {frozen}
– party size: integer
– special requests: string
– datetime: datetime
– status: string
+ getReservationID
+ setReservationID (newTitle)
...
*
makes
1
*
recieves
1
Guest
– guestID: integer {frozen}
– name: string
– phone#: integer
– email: string
+ getGuestID
+ setGuestID (newTitle)
...
1...*
has notes
*
Guest Note
– noteID: integer {frozen}
– staffID: integer
– note date: date
– note content: string
+ getNoteID
+ setNoteID (newTitle)
...
1
serves
1
1
assigned to
1...*
Server
– serverID: integer {frozen}
– name: string
– phone: integer
...
1...*
works
*
1
has matrics
*
Performance Metrics
– metricID: integer {frozen}
– tips earned: integer
– tables served: integer
...
Shift
– shiftID: integer {frozen}
– date: date
– start time: time
– end time: time
...