Project Title

Milestone: Implementation in MySQL

Group 7
Giastina Morano
YI-FAN LIU

Percentage of Effort Contributed by Student1: 50%

Percentage of Effort Contributed by Student2: 50%

Signature of Student 1:

Signature of Student 2:

Submission Date: March 22, 2026

SQL DDL

```
DROP DATABASE IF EXISTS restaurant_db;
CREATE DATABASE restaurant_db;
USE restaurant_db;

CREATE TABLE STATUS (
   statusID   INT AUTO_INCREMENT PRIMARY KEY,
   statusName VARCHAR(50) NOT NULL
);

CREATE TABLE SECTION (
   sectionID   INT AUTO_INCREMENT PRIMARY KEY,
   sectionName VARCHAR(50) NOT NULL
);

CREATE TABLE SHIFT (
   shiftID   INT AUTO_INCREMENT PRIMARY KEY,
   date      DATE NOT NULL,
   startTime TIME NOT NULL,
   endTime   TIME NOT NULL
);

CREATE TABLE GUEST (
   guestID  INT AUTO_INCREMENT PRIMARY KEY,
   guestName VARCHAR(100) NOT NULL,
   phone    VARCHAR(20),
   email    VARCHAR(100)
);

CREATE TABLE GUEST_NOTE (
   noteID      INT AUTO_INCREMENT PRIMARY KEY,
   note_date   DATE NOT NULL,
   note_content TEXT,
   staffID     INT
);

CREATE TABLE SERVER (
   serverID  INT AUTO_INCREMENT PRIMARY KEY,
   name      VARCHAR(50) NOT NULL,
   phone     VARCHAR(20),
   sectionID INT NOT NULL,
   FOREIGN KEY (sectionID) REFERENCES SECTION(sectionID)
);
```

```
CREATE TABLE TABLEINFO (
   tableID   INT AUTO_INCREMENT PRIMARY KEY,
   tableName VARCHAR(50) NOT NULL,
   capacity  INT NOT NULL,
   statusID  INT NOT NULL,
   sectionID INT NOT NULL,
   FOREIGN KEY (statusID)  REFERENCES STATUS(statusID),
   FOREIGN KEY (sectionID) REFERENCES SECTION(sectionID)
);

CREATE TABLE RESERVATION (
   reservationID    INT AUTO_INCREMENT PRIMARY KEY,
   special_requests TEXT,
   party_size       INT NOT NULL,
   date_time        DATETIME NOT NULL,
   status           VARCHAR(50) NOT NULL,
   guestID          INT NOT NULL,
   FOREIGN KEY (guestID) REFERENCES GUEST(guestID)
);

CREATE TABLE SEATING_ASSIGNMENT (
   assignmentID  INT AUTO_INCREMENT PRIMARY KEY,
   party_size    INT NOT NULL,
   seated_time   DATETIME NOT NULL,
   departed_time DATETIME,
   serverID      INT NOT NULL,
   tableID       INT NOT NULL,
   guestID       INT NOT NULL,
   reservationID INT,
   FOREIGN KEY (serverID)      REFERENCES SERVER(serverID),
   FOREIGN KEY (tableID)       REFERENCES TABLEINFO(tableID),
   FOREIGN KEY (guestID)       REFERENCES GUEST(guestID),
   FOREIGN KEY (reservationID) REFERENCES RESERVATION(reservationID)
);

CREATE TABLE PERFORMANCE_METRICS (
   metricID      INT AUTO_INCREMENT PRIMARY KEY,
   tables_served INT NOT NULL,
   tips_earned   DECIMAL(10,2),
   serverID      INT NOT NULL,
   FOREIGN KEY (serverID) REFERENCES SERVER(serverID)
);
```

```
CREATE TABLE WORKS (
   serverID INT NOT NULL,
   shiftID  INT NOT NULL,
   PRIMARY KEY (serverID, shiftID),
   FOREIGN KEY (serverID) REFERENCES SERVER(serverID),
   FOREIGN KEY (shiftID)  REFERENCES SHIFT(shiftID)
);

CREATE TABLE HAS_NOTES (
   guestID INT NOT NULL,
   noteID  INT NOT NULL,
   PRIMARY KEY (guestID, noteID),
   FOREIGN KEY (guestID) REFERENCES GUEST(guestID),
   FOREIGN KEY (noteID)  REFERENCES GUEST_NOTE(noteID)
);
```

SQL DML

```
insert into GUEST values('1','yvonne','6170000001','yvonne@email.com');
insert into GUEST values('2','giastina','6170000002','giastina@email.com');
insert into GUEST values('3','erica','6170000003','erica@email.com');
insert into GUEST values('4','angeline','6170000004','angeline@email.com');
insert into GUEST values('5','zoe','6170000005','zoe@email.com');
insert into GUEST values('6','sherry','6170000006','sherry@email.com');
insert into GUEST values('7','jack','6170000007','jack@email.com');
insert into GUEST values('8','evan','6170000008','evan@email.com');
insert into GUEST values('9','sara','6170000009','sara@email.com');
insert into GUEST values('10','anna','6170000010','anna@email.com');
insert into GUEST values('11','anne','6170000011','anne@email.com');
insert into GUEST values('12','sue','6170000012','sue@email.com');
insert into GUEST values('13','andrew','6170000013','andrew@email.com');
insert into GUEST values('14','max','6170000014','max@email.com');
insert into GUEST values('15','katie','6170000015','katie@email.com');
insert into GUEST values('16','ellen','6170000016','ellen@email.com');
insert into GUEST values('17','randy','6170000017','randy@email.com');
insert into GUEST values('18','jannie','6170000018','jannie@email.com');
insert into GUEST values('19','jen','6170000019','jen@email.com');
insert into GUEST values('20','will','6170000020','will@email.com');
insert into GUEST values('21','henry','6170000021','henry@email.com');

insert into GUEST_NOTE values('1','2026-03-20','Regular customer','105');
insert into GUEST_NOTE values('2','2026-03-20','Allergic to peanuts','102');
```

```
insert into GUEST_NOTE values('3','2026-03-20','Allergic to peanuts','101');
insert into GUEST_NOTE values('4','2026-03-20','Regular customer','105');
insert into GUEST_NOTE values('5','2026-03-20','Birthday celebration','104');

insert into HAS_NOTES values('14','1');
insert into HAS_NOTES values('20','2');
insert into HAS_NOTES values('19','3');
insert into HAS_NOTES values('16','4');
insert into HAS_NOTES values('5','5');

insert into SECTION values('1','Main Dining');
insert into SECTION values('2','Patio');
insert into SECTION values('3','Bar Area');

insert into SERVER values('101','Alice','8570000001','1');
insert into SERVER values('102','Bob','8570000002','1');
insert into SERVER values('103','Charlie','8570000003','2');
insert into SERVER values('104','David','8570000004','2');
insert into SERVER values('105','Eve','8570000005','3');
insert into SERVER values('106','Sam','8570000006','3');

insert into STATUS values('0','not available');
insert into STATUS values('1','available');

insert into SHIFT values('260321014','2026/03/21','14:00','15:00');
insert into SHIFT values('260321015','2026/03/21','15:00','16:00');
insert into SHIFT values('260321016','2026/03/21','16:00','17:00');
insert into SHIFT values('260321017','2026/03/21','17:00','18:00');
insert into SHIFT values('260321018','2026/03/21','18:00','19:00');
insert into SHIFT values('260321019','2026/03/21','19:00','20:00');
insert into SHIFT values('260321020','2026/03/21','20:00','21:00');
insert into SHIFT values('260321021','2026/03/21','21:00','22:00');
insert into SHIFT values('260321022','2026/03/21','22:00','23:00');
insert into SHIFT values('260322014','2026/03/22','14:00','15:00');
insert into SHIFT values('260322015','2026/03/22','15:00','16:00');
insert into SHIFT values('260322016','2026/03/22','16:00','17:00');
insert into SHIFT values('260322017','2026/03/22','17:00','18:00');
insert into SHIFT values('260322018','2026/03/22','18:00','19:00');
insert into SHIFT values('260322019','2026/03/22','19:00','20:00');
insert into SHIFT values('260322020','2026/03/22','20:00','21:00');
insert into SHIFT values('260322021','2026/03/22','21:00','22:00');
insert into SHIFT values('260322022','2026/03/22','22:00','23:00');
insert into SHIFT values('260323014','2026/03/23','14:00','15:00');
insert into SHIFT values('260323015','2026/03/23','15:00','16:00');
```

```
insert into SHIFT values('260323016','2026/03/23','16:00','17:00');
insert into SHIFT values('260323017','2026/03/23','17:00','18:00');
insert into SHIFT values('260323018','2026/03/23','18:00','19:00');
insert into SHIFT values('260323019','2026/03/23','19:00','20:00');
insert into SHIFT values('260323020','2026/03/23','20:00','21:00');
insert into SHIFT values('260323021','2026/03/23','21:00','22:00');
insert into SHIFT values('260323022','2026/03/23','22:00','23:00');

insert into TABLEINFO values ('1','table1','6','1','1');
insert into TABLEINFO values ('2','table2','2','1','1');
insert into TABLEINFO values ('3','table3','8','1','1');
insert into TABLEINFO values ('4','table4','2','1','1');
insert into TABLEINFO values ('5','table5','2','1','1');
insert into TABLEINFO values ('6','table6','2','1','2');
insert into TABLEINFO values ('7','table7','4','1','2');
insert into TABLEINFO values ('8','table8','6','1','2');
insert into TABLEINFO values ('9','table9','6','1','2');
insert into TABLEINFO values ('10','table10','4','1','2');
insert into TABLEINFO values ('11','table11','4','1','3');
insert into TABLEINFO values ('12','table12','4','1','3');
insert into TABLEINFO values ('13','table13','4','1','3');
insert into TABLEINFO values ('14','table14','2','1','3');
insert into TABLEINFO values ('15','table15','8','0','3');

insert into RESERVATION values('1','','5','2026/3/21 17:00','1','7');
insert into RESERVATION values('2','','1','2026/3/21 19:00','1','18');
insert into RESERVATION values('3','with wheel chair','1','2026/3/21 18:00','1','5');
insert into RESERVATION values('4','','3','2026/3/21 19:00','1','7');
insert into RESERVATION values('5','','3','2026/3/21 15:00','1','4');
insert into RESERVATION values('6','','6','2026/3/22 19:00','1','12');
insert into RESERVATION values('7','','2','2026/3/22 19:00','1','9');
insert into RESERVATION values('8','','6','2026/3/22 15:00','1','18');
insert into RESERVATION values('9','','6','2026/3/23 17:00','1','18');
insert into RESERVATION values('10','','5','2026/3/23 15:00','1','4');

insert into SEATING_ASSIGNMENT values('1','4',STR_TO_DATE('17:00',
'%H:%i'),STR_TO_DATE('19:00', '%H:%i'),'101','1','7','1');
insert into SEATING_ASSIGNMENT values('2','2',STR_TO_DATE('18:00',
'%H:%i'),STR_TO_DATE('20:00', '%H:%i'),'101','2','18','2');
insert into SEATING_ASSIGNMENT values('3','2',STR_TO_DATE('18:00',
'%H:%i'),STR_TO_DATE('20:00', '%H:%i'),'101','3','5','3');
insert into SEATING_ASSIGNMENT values('4','2',STR_TO_DATE('17:00',
'%H:%i'),STR_TO_DATE('19:00', '%H:%i'),'102','4','7','4');
```

```
insert into SEATING_ASSIGNMENT values('5','2',STR_TO_DATE('18:00',
'%H:%i'),STR_TO_DATE('20:00', '%H:%i'),'102','5','4','5');
insert into SEATING_ASSIGNMENT values('6','2',STR_TO_DATE('17:00',
'%H:%i'),STR_TO_DATE('19:00', '%H:%i'),'103','6','12','6');
insert into SEATING_ASSIGNMENT values('7','2',STR_TO_DATE('18:00',
'%H:%i'),STR_TO_DATE('20:00', '%H:%i'),'103','7','9','7');
insert into SEATING_ASSIGNMENT values('8','4',STR_TO_DATE('19:00',
'%H:%i'),STR_TO_DATE('21:00', '%H:%i'),'103','8','1','8');
insert into SEATING_ASSIGNMENT values('9','6',STR_TO_DATE('17:00',
'%H:%i'),STR_TO_DATE('19:00', '%H:%i'),'104','9','2','9');
insert into SEATING_ASSIGNMENT values('10','2',STR_TO_DATE('19:00',
'%H:%i'),STR_TO_DATE('21:00', '%H:%i'),'104','10','3','10');

insert into PERFORMANCE_METRICS values ('1','1','7','101');
insert into PERFORMANCE_METRICS values ('2','2','10','102');
insert into PERFORMANCE_METRICS values ('3','6','11','103');
insert into PERFORMANCE_METRICS values ('4','7','8','104');
insert into PERFORMANCE_METRICS values ('5','11','10','105');
insert into PERFORMANCE_METRICS values ('6','3','20','101');
insert into PERFORMANCE_METRICS values ('7','4','18','102');
insert into PERFORMANCE_METRICS values ('8','8','13','103');
insert into PERFORMANCE_METRICS values ('9','9','14','104');
insert into PERFORMANCE_METRICS values ('10','12','8','105');
insert into PERFORMANCE_METRICS values ('11','5','9','101');
insert into PERFORMANCE_METRICS values ('12','1','17','102');
insert into PERFORMANCE_METRICS values ('13','10','3','103');
insert into PERFORMANCE_METRICS values ('14','6','5','104');
insert into PERFORMANCE_METRICS values ('15','11','20','105');

insert into WORKS values ('101','260321014');
insert into WORKS values ('103','260321014');
insert into WORKS values ('105','260321014');
insert into WORKS values ('101','260321015');
insert into WORKS values ('103','260321015');
insert into WORKS values ('105','260321015');
insert into WORKS values ('101','260321016');
insert into WORKS values ('103','260321016');
insert into WORKS values ('105','260321016');
insert into WORKS values ('101','260321017');
insert into WORKS values ('103','260321017');
insert into WORKS values ('105','260321017');
insert into WORKS values ('101','260321018');
insert into WORKS values ('103','260321018');
insert into WORKS values ('105','260321018');
```

```
insert into WORKS values ('101','260321019');
insert into WORKS values ('103','260321019');
insert into WORKS values ('105','260321019');
insert into WORKS values ('101','260321020');
insert into WORKS values ('103','260321020');
insert into WORKS values ('105','260321020');
insert into WORKS values ('101','260321021');
insert into WORKS values ('103','260321021');
insert into WORKS values ('105','260321021');
insert into WORKS values ('101','260321022');
insert into WORKS values ('103','260321022');
insert into WORKS values ('105','260321022');
insert into WORKS values ('102','260322014');
insert into WORKS values ('104','260322014');
insert into WORKS values ('106','260322014');
insert into WORKS values ('102','260322015');
insert into WORKS values ('104','260322015');
insert into WORKS values ('106','260322015');
insert into WORKS values ('102','260322016');
insert into WORKS values ('104','260322016');
insert into WORKS values ('106','260322016');
insert into WORKS values ('102','260322017');
insert into WORKS values ('104','260322017');
insert into WORKS values ('106','260322017');
insert into WORKS values ('102','260322018');
insert into WORKS values ('104','260322018');
insert into WORKS values ('106','260322018');
insert into WORKS values ('102','260322019');
insert into WORKS values ('104','260322019');
insert into WORKS values ('106','260322019');
insert into WORKS values ('102','260322020');
insert into WORKS values ('104','260322020');
insert into WORKS values ('106','260322020');
insert into WORKS values ('102','260322021');
insert into WORKS values ('104','260322021');
insert into WORKS values ('106','260322021');
insert into WORKS values ('102','260322022');
insert into WORKS values ('104','260322022');
insert into WORKS values ('106','260322022');
insert into WORKS values ('101','260323014');
insert into WORKS values ('103','260323014');
insert into WORKS values ('105','260323014');
insert into WORKS values ('101','260323015');
insert into WORKS values ('103','260323015');
```

```
insert into WORKS values ('105','260323015');
insert into WORKS values ('101','260323016');
insert into WORKS values ('103','260323016');
insert into WORKS values ('105','260323016');
insert into WORKS values ('101','260323017');
insert into WORKS values ('103','260323017');
insert into WORKS values ('105','260323017');
insert into WORKS values ('101','260323018');
insert into WORKS values ('103','260323018');
insert into WORKS values ('105','260323018');
insert into WORKS values ('101','260323019');
insert into WORKS values ('103','260323019');
insert into WORKS values ('105','260323019');
insert into WORKS values ('101','260323020');
insert into WORKS values ('103','260323020');
insert into WORKS values ('105','260323020');
insert into WORKS values ('101','260323021');
insert into WORKS values ('103','260323021');
insert into WORKS values ('105','260323021');
insert into WORKS values ('101','260323022');
insert into WORKS values ('103','260323022');
insert into WORKS values ('105','260323022');
```

SQL Query

(provided by files and output here)

```
/* Query */

-- select all the tables
```

```
5 •  select * from GUEST;
```

100% 1:3

Result Grid Filter Rows: Search Edit:

guestID	guestName	phone	email
1	yvonne	6170000001	yvonne@email.com
2	giastina	6170000002	giastina@email.com
3	erica	6170000003	erica@email.com
4	angeline	6170000004	angeline@email.com
5	zoe	6170000005	zoe@email.com
6	sherry	6170000006	sherry@email.com
7	jack	6170000007	jack@email.com
8	evan	6170000008	evan@email.com
9	sara	6170000009	sara@email.com
10	anna	6170000010	anna@email.com
11	anne	6170000011	anne@email.com
12	sue	6170000012	sue@email.com
13	andrew	6170000013	andrew@email.com
14	max	6170000014	max@email.com
15	katie	6170000015	katie@email.com
16	ellen	6170000016	ellen@email.com
17	randy	6170000017	randy@email.com
18	jannie	6170000018	jannie@email.com
19	jen	6170000019	jen@email.com
20	will	6170000020	will@email.com
21	henry	6170000021	henry@email.com
NULL	NULL	NULL	NULL

```
6 •  select * from GUEST_NOTE;
```

Result Grid Filter Rows: Search

noteID	note_date	note_content	staffID
1	2026-03-20	Regular customer	105
2	2026-03-20	Allergic to peanuts	102
3	2026-03-20	Allergic to peanuts	101
4	2026-03-20	Regular customer	105
5	2026-03-20	Birthday celebration	104
NULL	NULL	NULL	NULL

```
7 •  select * from HAS_NOTES;
```

Result Grid Filter Rows: Searc

guestID	noteID
14	1
20	2
19	3
16	4
5	5
NULL	NULL

```
8 •   select * from PERFORMANCE_METRICS;
```

0% 1:3

Result Grid Filter Rows: Search Ed

metricID	tables_served	tips_earned	serverID
1	1	7.00	101
2	2	10.00	102
3	6	11.00	103
4	7	8.00	104
5	11	10.00	105
6	3	20.00	101
7	4	18.00	102
8	8	13.00	103
9	9	14.00	104
10	12	8.00	105
11	5	9.00	101
12	1	17.00	102
13	10	3.00	103
14	6	5.00	104
15	11	20.00	105
NULL	NULL	NULL	NULL

```
9 •  select * from RESERVATION;
```

00% 1:3

Result Grid Filter Rows: Search Edit: Exp

reservationID	special_requests	party_size	date_time	status	guestID
1		5	2026-03-21 17:00:00	1	7
2		1	2026-03-21 19:00:00	1	18
3	with wheel chair	1	2026-03-21 18:00:00	1	5
4		3	2026-03-21 19:00:00	1	7
5		3	2026-03-21 15:00:00	1	4
6		6	2026-03-22 19:00:00	1	12
7		2	2026-03-22 19:00:00	1	9
8		6	2026-03-22 15:00:00	1	18
9		6	2026-03-23 17:00:00	1	18
10		5	2026-03-23 15:00:00	1	4
NULL	NULL	NULL	NULL	NULL	NULL

```
10 •  select * from SEATING_ASSIGNMENT;
```

00% 1:3

Result Grid Filter Rows: Search Edit: Export/Import:

assignmentID	party_size	seated_time	departed_time	serverID	tableID	guestID	reservationID
1	4	2026-03-22 17:00:00	2026-03-22 19:00:00	101	1	7	1
2	2	2026-03-22 18:00:00	2026-03-22 20:00:00	101	2	18	2
3	2	2026-03-22 18:00:00	2026-03-22 20:00:00	101	3	5	3
4	2	2026-03-22 17:00:00	2026-03-22 19:00:00	102	4	7	4
5	2	2026-03-22 18:00:00	2026-03-22 20:00:00	102	5	4	5
6	2	2026-03-22 17:00:00	2026-03-22 19:00:00	103	6	12	6
7	2	2026-03-22 18:00:00	2026-03-22 20:00:00	103	7	9	7
8	4	2026-03-22 19:00:00	2026-03-22 21:00:00	103	8	1	8
9	6	2026-03-22 17:00:00	2026-03-22 19:00:00	104	9	2	9
10	2	2026-03-22 19:00:00	2026-03-22 21:00:00	104	10	3	10
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

```
11 •  select * from SECTION;
```

00% 1:3

Result Grid Filter Rows: Searc

sectionID	sectionName
1	Main Dining
2	Patio
3	Bar Area
NULL	NULL

```
12 •  select * from SERVER;
```

100% 1:3

Result Grid Filter Rows: Search

serverID	name	phone	sectionID
101	Alice	8570000001	1
102	Bob	8570000002	1
103	Charlie	8570000003	2
104	David	8570000004	2
105	Eve	8570000005	3
106	Sam	8570000006	3
NULL	NULL	NULL	NULL

260321014	2026-03-21	14:00:00	15:00:00
260321015	2026-03-21	15:00:00	16:00:00
260321016	2026-03-21	16:00:00	17:00:00
260321017	2026-03-21	17:00:00	18:00:00
260321018	2026-03-21	18:00:00	19:00:00
260321019	2026-03-21	19:00:00	20:00:00
260321020	2026-03-21	20:00:00	21:00:00
260321021	2026-03-21	21:00:00	22:00:00
260321022	2026-03-21	22:00:00	23:00:00
260322014	2026-03-22	14:00:00	15:00:00
260322015	2026-03-22	15:00:00	16:00:00
260322016	2026-03-22	16:00:00	17:00:00
260322017	2026-03-22	17:00:00	18:00:00
260322018	2026-03-22	18:00:00	19:00:00
260322019	2026-03-22	19:00:00	20:00:00
260322020	2026-03-22	20:00:00	21:00:00
260322021	2026-03-22	21:00:00	22:00:00
260322022	2026-03-22	22:00:00	23:00:00

```
14 •  select * from STATUS;
```

100% 1:3

Result Grid Filter Rows: Sea

statusID	statusName
0	not available
1	available
NULL	NULL

```
15 •  select * from TABLEINFO;
```

100% 1:3

Result Grid Filter Rows: Search

tableID	tableName	capacity	statusID	sectionID
1	table1	6	1	1
2	table2	2	1	1
3	table3	8	1	1
4	table4	2	1	1
5	table5	2	1	1
6	table6	2	1	2
7	table7	4	1	2
8	table8	6	1	2
9	table9	6	1	2
10	table10	4	1	2
11	table11	4	1	3
12	table12	4	1	3
13	table13	4	1	3
14	table14	2	1	3
15	table15	8	0	3
NULL	NULL	NULL	NULL	NULL

```
16 •  select * from WORKS;
```

100% 1:3

Result Grid Filter Rows: Sea

serverID	shiftID
105	260321014
101	260321015
103	260321015
105	260321015
101	260321016
103	260321016
105	260321016
101	260321017
103	260321017
105	260321017
101	260321018
103	260321018
105	260321018
101	260321019
103	260321019

-- select by scenario

-- 1. Retrieve all reservations' information on March 21 where the party size is greater than 3.

```
19    -- 1. Retrieve all reservations' information on March 21 where the party size is greater than 3.
20 •  select * from reservation a
21      join guest b on a.guestid = b.guestid
22     where a.status = 1
23       and a.party_size > 3;
24
```

00% 1:17

Result Grid Filter Rows: Search Export:

reservationID	special_requests	party_size	date_time	status	guestID	guestID	guestName	phone	email
1		5	2026-03-21 17:00:00	1	7	7	jack	6170000007	jack@email.com
6		6	2026-03-22 19:00:00	1	12	12	sue	6170000012	sue@email.com
8		6	2026-03-22 15:00:00	1	18	18	jannie	6170000018	jannie@email.com
9		6	2026-03-23 17:00:00	1	18	18	jannie	6170000018	jannie@email.com
10		5	2026-03-23 15:00:00	1	4	4	angeline	6170000004	angeline@email.com

-- 2. Retrieve total tips of the server and their information.

```
25    -- 2. Retrieve total tips of the server and their information
26 •  select a.name, a.phone, sum(b.tips_earned) total_tips from server a
27      join PERFORMANCE_METRICS b on a.serverid = b.serverid
28     group by a.name, a.phone
29     order by sum(b.tips_earned) desc;
30
```

100% 4:24

Result Grid Filter Rows: Search Export:

name	phone	total_tips
Bob	8570000002	45.00
Eve	8570000005	38.00
Alice	8570000001	36.00
Charlie	8570000003	27.00
David	8570000004	27.00