# Metathesis: A LATEX template to Typeset Your Thesis for Submission to the School of Graduate Studies

(Changed the title by modifying the file thesis.tex)

by

(c) my-name (change this in thesis.tex)

A thesis submitted to the

School of Graduate Studies

in partial fulfilment of the

requirements for the degree of

Master of faculty or Doctor of Philosophy (change this in thesis.tex)

Department of dept-name (change this in thesis.tex)

Memorial University of Newfoundland

Month Year (change this in thesis.tex, too)

St. John's Newfoundland

#### Abstract

This document provides information on how to write your thesis using the LATEX document preparation system. You can use these files as a template for your own thesis, just replace the content, as necessary. You should put your real abstract here, of course.

"The purpose of the abstract, which should not exceed 150 words for a Masters' thesis or 350 words for a Doctoral thesis, is to provide sufficient information to allow potential readers to decide on relevance of the thesis. Abstracts listed in Dissertation Abstracts International or Masters' Abstracts International should contain appropriate key words and phrases designed to assist electronic searches."

— MUN School of Graduate Studies

#### Acknowledgements

Put your acknowledgements here...

"Intellectual and practical assistance, advice, encouragement and sources of monetary support should be acknowledged. It is appropriate to acknowledge the prior publication of any material included in the thesis either in this section or in the introductory chapter of the thesis."

— MUN School of Graduate Studies

# Contents

A	bstra	ct	ii		
Acknowledgements					
Li	st of	Tables	vi		
Li	st of	Figures	vii		
1	Intr	oduction	1		
	1.1	Getting started	1		
	1.2	Cross References	2		
	1.3	Some Suggestions	2		
	1.4	The Makefile	3		
	1.5	Changing Fonts	4		
	1.6	Accents and Ligatures	5		
	1.7	Some Lists	5		
		1.7.1 Subsection	6		
		1.7.1.1 Subsubsection	6		
		1.7.1.2 Subsubsection	6		

2	Figures and Tables	7
	2.1 Figures	7
	2.2 Tables	11
3	Dealing with Errors	14
4	Lorem Ipsum	15
5	Handling Citations	18
6	Conclusions	19
Bi	ibliography	20
$\mathbf{A}$	Appendix title	21

# List of Tables

2.1	Fall Semester Enrollment	12
2.2	Masters Degrees Conferred by Convocation Session — 1950 to 2009 .	13

# List of Figures

2.1	This is MUN's logo	,
2.2	MUN Fall Enrollment 2005 – 2009	8
2.3	MUN Fall Enrollment 2005 – 2009 (landscape)	(
2.4	MUN Fall Enrollment 2005 – 2009 (rotated)	1(
2.5	A deadlocked Petri net	10
2.6	Hello World	1

### Introduction

#### 1.1 Getting started

This is the introductory chapter. This will give you some ideas on how to use LATEX [1] to typeset your document. Here is a sample quote using the \munquote environment:

"FTEX is a system for typesetting documents. Its first widely available version, mysteriously numbered 2.09, appeared in 1985. FTEX is now extremely popular in the scientific and academic communities, and it is used extensively in industry. It has become a lingua franca of the scientific world; scientists send their papers electronically to colleagues around the world in the form of FTEX input." [1]

The citation at the end is optional — if you don't need it, then use \munquote without any arguments:

"Here is a quote that does not have an associated citation after it. You can specify the citation before or after the quote manually."

By default, all text is double spaced, however, quotes and footnotes must be

singled spaced.<sup>1</sup> The left margin is slightly wider than the right margin. This is to compensate for binding.

An example mathematical formulae is show in Equation 1.1.

$$\sum_{i=0}^{n} i^2 \tag{1.1}$$

A slightly more complicated equation is given in Equation 1.2: <sup>2</sup>

$$i\hbar \frac{\partial}{\partial t} \Psi(x, t) = -\frac{\hbar^2}{2m} \nabla^2 \Psi(x, t) + V(x) \Psi(x, t)$$
 (1.2)

#### 1.2 Cross References

In addition to using \ref to refer to equations, you can also use it (in conjunction with the \label command) to refer to sections and chapters without hard coding the numbers themselves. For example, this is Section 1.2 of Chapter 1. You can also refer to Appendix A, Subsection 1.7.1.1 below or any other place that has a \label. You can also use labels to refer to a page. For example, Chapter 2 starts on page 7.

#### 1.3 Some Suggestions

Here are a few recommendations:

 $<sup>^1</sup>$ This is a single spaced footnote. SGS requires that footnotes be singled spaced and this can be done with the \munfootnote command.

<sup>&</sup>lt;sup>2</sup>Equation taken from the Schrödinger equation entry on Wikipedia

- Before using this template, make sure you check with your supervisor.
- MUN's library provides electronic access to some LATEX related textbooks which can be read online. Use the search term latex (computer file) on the Library's web page.
- If you run into a problem, Google may be a helpful resource.
- Concentrate on content, let LATEX handle the typesetting.
- Don't worry about warnings related to:
  - overfull hboxes/boxes
  - underfull hboxes/vboxes

These can be corrected with modest rewording of your text prior to submission of your final copy.

#### 1.4 The Makefile

You can use make to "build" your thesis on the Linux command line<sup>3</sup> This will automatically run the bibtex program to create your bibliography and will also re-run latex as necessary to ensure that all references are resolved. A device independent file (thesis.dvi) will be created, by default. If you are using this template in another environment other than the Linux command line, then the Makefile will probably not be useful to you.

 $<sup>^3</sup>$ Linux is available on all machines running LabNet in *The Commons* and in other computer labs on campus.

• To make a PostScript copy of your thesis, type the following at the command line:

make thesis.ps

• To generate a PDF copy of your thesis, run:

make thesis.pdf

• To generate a PDF/A-1b copy of your thesis (which should satisfy the SGS's ethesis submission requirements):

make ethesis.pdf

• To remove all the files generated by bibtex and latex, use the command:

make clean

• To remove the intermediate files, but leave the PostScript and DVI/PDF files intact, use the command:

make neat

As you add or remove figures, chapters, or appendices to your thesis, make sure you keep the Makefile upto date, too (see the FIGURES and FILES macros in the Makefile).

#### 1.5 Changing Fonts

Change fonts: Large, verbatim ~@#\$%^&\*(){}[], SMALL CAPS, slanted text, emphasized text, typewriter text.

#### 1.6 Accents and Ligatures

Some accents: é è ô ü ç ï í ñ ā ă ă

Some ligatures: flæffi

#### 1.7 Some Lists

Here is a nested enumeration:

- 1. An enumerated list of items.
  - (a) which can
  - (b) nest
    - i. to arbitrary
    - ii. levels
- 2. More items
- 3. in the top
- 4. level list.

Another enumeration:

- 1. (a) Main 1 part 1
  - (b) Main 1 part 2
- 2. (a) Main 2 part 1
  - (b) Main 2 part 2

#### 1.7.1 Subsection

#### 1.7.1.1 Subsubsection

This section is referred to by Section 1.2.

#### 1.7.1.2 Subsubsection

 $<\!$ Empty subsection>

# Figures and Tables

#### 2.1 Figures

We can include encapsulated PostScript<sup>TM</sup> figures (.eps) in the document and refer to it using a label. For example, MUN's logo can be seen in Figure 2.1.

Figure 2.1: This is MUN's logo

Figure 2.2 shows a chart of MUN's Fall enrollment from 2005 - 2009. The figure

<sup>&</sup>lt;sup>1</sup>From Memorial University of Newfoundland — Fact Book 2009.

Figure 2.2: MUN Fall Enrollment 2005 – 2009

was created using the Calc spreadsheet application of the office suite OpenOffice.org.<sup>2</sup> This figure was reduced by 50%.

For larger figures, we can use landscape mode to rotate the page and display the figure using the \munlepsfig command, as shown in Figure 2.3. The figure will be the only thing on the page when typeset in landscape mode. (The figure is reduced to 85% of its original size.)

Alternatively, if we just want to rotate the figure, but not the entire page, we can specify an angle attribute in the default argument of the \munepsfig command. The result is shown in Figure 2.4. If the figure is too large or if there isn't sufficient text, then the figure may appear on its own page.

Note that all three of the enrollment figures are basically the same file, but with different names — on Linux, they are symbolic links to the same file. The filenames

<sup>&</sup>lt;sup>2</sup>This office suite can be downloaded at no cost from http://openoffice.org/. Unlike other commercial office suites, OpenOffice.org may be legally shared with colleagues and fellow students. There are versions for Linux, Microsoft Windows, Mac OS X and Solaris. Also, unlike commercial offerings, OpenOffice.org does not require activation using registration keys.

Figure 2.4: MUN Fall Enrollment 2005 – 2009 (rotated)

have to be different because the reference labels need to be unique.

Figure 2.5 shows a Petri net created using the xfig program (http://www.xfig.org/) which has very good support for LaTeX. This figure has been reduced to 40% of its original size.

Figure 2.5: A deadlocked Petri net

We can also create figures of text (such as short code snippets) using the \muntxtfig command, as show in Figure 2.6.

```
#include <stdio.h>
int main(int argc, char **argv)
{
   printf("Hello world!\n");
   exit(0);
}
```

Figure 2.6: Hello World

#### 2.2 Tables

We can also create tables, as seen by Table 2.1. Note that, as required by SGS guidelines, the caption for a table appears above the table whereas figure captions appear below the figures. Tables and figures can "float" — they may not appear on the page on which they are mentioned. LaTeX tries to handle figure and table placement intelligently, but if if you have a lot of them without a reasonable amount of surrounding textual content, the figures and tables can accumulate towards the end of the chapter. Generally speaking, if there is sufficient text explaining the tables and figures or if the tables/figures are relatively small, this may not be a problem. However, if you have a lot of tables or figures, it may be a good idea to put them in an appendix and refer to them as the need arises.

Table 2.2 shows a different table in landscape mode.<sup>3</sup> This is useful if your table

<sup>&</sup>lt;sup>3</sup>This data was also taken from the Memorial University of Newfoundland — Fact Book 2009.

Table 2.1: Fall Semester Enrollment

	Undergraduate			Graduate		
	F/T	P/T	Total	F/T	P/T	Total
2004	13,191	2,223	15,414	1,308	879	2,187
2005	13,184	2,143	15,327	1,375	920	2,295
2006	12,809	2,224	15,033	1,373	899	2,272
2007	12,634	2,155	14,789	1,403	899	2,302
2008	12,269	2,208	14,477	1,410	1,005	2,415
2009	12,382	2,323	14,705	1,567	1,106	2,673

is too wide for the page. Tables are double-spaced by default. To single-space a table, change the **\baselinestretch** before beginning the table environment. Remember to restore it after the environment has ended.

Table 2.2: Masters Degrees Conferre

	0			
	2009			
	May	Oct	Ma	
Degrees				
Master of Applied Science	14	2	1	
Master of Applied Social Psychology	1	5		
Master of Applied Statistics	0	0		
Master of Arts	37	49	2	
Master of Business Administration	14	16	2	
Master of Education	107	87	12	
Master of Employment Relations	8	9		
Master of Engineering	20	19	2	
Master of Environmental Science	3	3		
Master of Marine Studies	2	0		
Master of Music	4	1		
<sup>13</sup> Master of Nursing	7	8	1	
Master of Oil and Gas Studies	0	0		
Master of Philosophy	5	4		
Master of Physical Education	0	2		
Master of Public Health	0	Q		

# Dealing with Errors

LATEX can produce cryptic error messages at times. However, with some experience, it is usually not too difficult to determine what the problem is and how to fix it.

As mentioned earlier, appropriate search terms in Google may help you fix these error messages.

### Lorem Ipsum

Now, for your reading pleasure, some Lorem ipsum, courtesy of:

<http://www.lipsum.com/>

This gives a good view of the margins — note that the left margin is a bit wider than the right margin to accommodate binding.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam odio elit, viverra eu tempor non, pulvinar ac nisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Sed adipiscing, dui quis viverra facilisis, quam libero adipiscing justo, vitae dictum libero mauris ac magna. Aenean sem ligula, vulputate at vestibulum eu, pellentesque in justo. Sed et eros mauris, sed placerat nulla. Maecenas nulla velit, facilisis et rutrum nec, volutpat id lorem. Duis vestibulum odio velit, id elementum tortor. Sed pellentesque leo ac nibh iaculis at fermentum orci lobortis. Suspendisse arcu magna, porta nec pretium non, feugiat vitae orci. Vivamus at enim arcu, at sagittis nisl. Vestibulum at mi enim, vel malesuada justo. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos.

Nullam sed nunc at enim posuere sagittis. Vivamus augue turpis, mattis a blandit non, sollicitudin non nisl. Integer vestibulum, est vitae cursus adipiscing, elit libero pretium leo, in scelerisque augue felis volutpat nisl. Donec commodo posuere arcu, eget feugiat dui ornare nec. Nullam eros mi, condimentum ac ultricies ac, euismod lobortis nibh. Cras ac ligula pharetra risus elementum pharetra vel in quam. Fusce ac augue vulputate nibh imperdiet convallis sit amet et quam. Integer porttitor dictum fermentum.

Nullam id ante arcu. Nulla facilisi. Vestibulum sodales, mi sodales ultricies pulvinar, orci leo dictum diam, quis imperdiet turpis lacus ut sem. Nulla rutrum odio sit amet elit aliquam blandit gravida nunc placerat. Aenean et neque ut leo condimentum vehicula. Fusce quis orci vitae enim dapibus tincidunt in vel ipsum. Phasellus auctor neque ac eros egestas sit amet ultricies erat vestibulum. Ut erat ligula, pharetra vel hendrerit vitae, mattis ac turpis. Ut malesuada diam vitae lacus vestibulum a tempus nisl posuere. Ut nisi sem, dictum eu laoreet sed, commodo eget enim. Morbi vel lacus neque, tempus fringilla tellus. Nunc id egestas felis. Nullam eu mollis neque. Ut non mauris malesuada eros sagittis congue. Cras vitae felis ut nisl mollis semper ut quis risus. Sed eu arcu urna, et commodo sapien. Donec vestibulum, libero sit amet ultrices blandit, erat lorem volutpat lectus, sed feugiat leo elit in orci. Aliquam vitae leo tellus, placerat pulvinar massa. Nulla at sapien hendrerit diam varius vehicula.

Curabitur et orci nulla. Phasellus euismod, massa non hendrerit dictum, dolor enim imperdiet sapien, vitae commodo lorem tellus eu quam. Duis egestas felis velit. Sed in orci nec nulla rutrum posuere. Suspendisse potenti. Nunc vel quam nisi. In at molestie libero. Aenean hendrerit vestibulum orci, ut hendrerit nulla volutpat lacinia. Vestibulum sit amet sapien vitae lectus gravida vehicula. Suspendisse ac purus sit

amet est congue auctor.

Morbi pellentesque, quam vel mattis molestie, augue purus vestibulum lorem, nec consequat enim eros eu augue. In odio dolor, scelerisque a lobortis porttitor, commodo ut lacus. Maecenas sit amet diam nec tellus accumsan bibendum. Praesent in turpis velit, malesuada commodo sapien. Nunc ornare urna enim. Sed at diam non metus porttitor suscipit. Aliquam erat volutpat. Duis aliquet magna in mauris semper placerat. Ut eget quam orci. Ut egestas, dolor at dapibus accumsan, leo nibh egestas urna, ac consectetur dui odio quis eros. Nam libero dolor, lacinia eget imperdiet non, malesuada vehicula diam. Etiam id ipsum eget turpis consectetur tristique id at ante. Vivamus blandit nunc eu nisl varius sed accumsan odio molestie.

### **Handling Citations**

BibTeX can be used to handle all your bibliographic needs. Simply add references to the file ref.bib and BibTeX will take care of the rest. An example of a BibTeX book, conference paper and journal article are given in the sample ref.bib file. Many online journals have links to BibTeX citations that you can download and incorporate into the ref.bib file.

The order of the fields is unimportant. BibTEX will display them in the correct order when constructing your bibliography. Also note that you can specify information about a reference that may not even be included in the actual bibliography. For example, the ISBN field is not required by the bibliography, but you can, if you want, put the ISBN to the BibTEX entry.

We can cite a journal article [3] and a conference paper [2] in the same way as a book citation. More information can be found in [1].

# Conclusions

That's all folks!

# **Bibliography**

- [1] L. Lamport. Lambert. A Document Preparation System. Addison-Wesley Publishing Company, second edition, 1994.
- [2] F. LastName, F. I. LastName, and F. LastName Jr. Conference paper MUN title. In *Proceedings of the Conference of Sample Conferences*, pages 100–110, Apr. 1996.
- [3] F. name Last-name and S. Guy. Journal article SWGC title. *Journal of Sample Journals*, 1(12):1000–1024, 2002.

# Appendix A

# Appendix title

This is Appendix A.

You can have additional appendices too (e.g., apdxb.tex, apdxc.tex, etc.). If you don't need any appendices, delete the appendix related lines from thesis.tex and the file names from Makefile.