# Elisp Test Report

## ywatanabe

2025-05-0603:13:48 Created by  $\verb|https://github.com/ywatanabe1989/emacs-test|$ 

## Contents

1	Tes	t Results Summary	1
2	Pas 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8	test-emacs-claude-code-copy-repository.el (10 tests)	1 1 2 3 3 4 4 6 6 6 6
3	Fail 3.1 3.2 3.3 3.4	ed Tests (7)  test-emacs-claude-code-copy-repository.el (2 tests)  test-emacs-claude-code-detect-prompt.el (1 tests)  test-emacs-claude-code-send.el (1 tests)	7 7 8 8
1	<ul><li>Po</li><li>Fo</li><li>Sl</li></ul>	est Results Summary assed: 67 ailed: 7 kipped: 0 imeout (= 10 s): 0	

• Duplicates: 0

• Total: 74

• Total Time: 2.59 seconds

• Success Rate: 90.5%

### 2 Passed Tests (74)

#### 2.1 test-emacs-claude-code-copy-repository.el (10 tests)

- test-emacs-claude-code-copy-repository-loadable
- test-emacs-claude-repository-dir-defined
- test-emacs-claude-repository-output-file-defined
- test-emacs-claude-file-blacklist-defined
- test-emacs-claude-max-file-size-defined
- test-emacs-claude-blacklisted-p-functionality
- test-emacs-claude-get-file-type-functionality
- test-emacs-claude-get-file-content
- test-emacs-claude-get-repository-files-with-mock-dir
  - Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

F

F test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed ((should (member elisp-file files)) :form (member "/tmp/emacs-claude-test-dir-66V9Rj/test.el" nil) :value nil))

• test-emacs-claude-copy-repository-creates-output-file

– Error details: Selector: test-emacs-claude-copy-repository-creates-output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:43+1000

F

F test-emacs-claude-copy-repository-creates-output-file (ert-test-failed ((should (string-match-p (regexp-quote "(defun test () (message \"test\"))") kill-content)) :form (string-match-p "(defun test () (message \"test\"))" "# Repository Structure") :value nil))

#### 2.2 test-emacs-claude-code-detect-prompt.el (10 tests)

- ullet test-emacs-claude-code-detect-prompt-loadable
- test-emacs-claude-detect-prompt-waiting-defined
- test-emacs-claude-detect-prompt-initial-waiting-defined
- test-emacs-claude-detect-prompt-y/n-defined
- $\bullet$  test-emacs-claude-detect-prompt-y/y/n-defined
- test-emacs-claude-detect-prompt-defined
- $\bullet \ \ test-emacs-claude-detect-prompt-with-mock-buffer$
- test-emacs-claude-detect-prompt-handles-nil-buffer
  - Error details: Selector: test-emacs-claude-detect-prompt-handles-nil-buffer Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:44+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

F

F test-emacs-claude-detect-prompt-handles-nil-buffer (wrong-type-argument stringp nil)

- $\bullet \ \ test-emacs-claude-detect-prompt-returns-nil-when-not-found$
- test-emacs-claude-y/n-prompt-detection

#### 2.3 test-emacs-claude-code-run.el (11 tests)

- test-emacs-claude-code-run-loadable
- test-emacs-claude-prompt-template-defined
- test-emacs-claude-default-instructions-defined
- test-emacs-claude-ensure-buffer-defined
- test-emacs-claude-run-defined
- test-emacs-claude-run-on-region-defined
- test-emacs-claude-run-on-buffer-defined
- test-emacs-claude-run-quick-defined
- test-emacs-claude-run-formats-prompt-correctly
- test-emacs-claude-run-on-region-extracts-region-content
- test-emacs-claude-run-on-buffer-extracts-buffer-content

#### 2.4 test-emacs-claude-code-send.el (9 tests)

- test-emacs-claude-code-send-loadable
- test-emacs-claude-code-send-defined
- test-emacs-claude-auto-send-y-defined
- test-emacs-claude-auto-send-yy-defined
- test-emacs-claude-auto-send-continue-defined
- test-emacs-claude-auto-send-y-sends-correct-response
- test-emacs-claude-auto-send-yy-sends-correct-response
- test-emacs-claude-auto-send-continue-sends-correct-response
  - Error details: Selector: test-emacs-claude-auto-send-continue-sends-correct-response Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-auto-send-continue-sends-correct-response (ert-test-failed ((should (string= string-sent "continue")) :form (string= "Based on the documents, find room for improvement and refine the codebase" "continue") :value nil :explanation (arrays-of-different-length 74 9 "Based on the documents, find room for improvement and refine the codebase" "continue" first-mismatch-at 0)))

• test-emacs-claude-code-send-routes-to-correct-handler

#### 2.5 test-emacs-claude-code-start-stop.el (11 tests)

- test-emacs-claude-code-start-stop-loadable
- test-emacs-claude-code-toggle-defined
- test-emacs-claude-code-toggle-starts-when-inactive
- test-emacs-claude-code-toggle-stops-when-active
  - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000 F
     F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed)
    - F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))
- test-emacs-claude-code-rename-buffer-when-enabled
  - Error details: Selector: test-emacs-claude-code-rename-buffer-whenenabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffer-name)) :form (string= "CLAUDE-CODE\*<2>" "\*CLAUDE-CODE") :value nil :explanation (arrays-of-different-length 16 13 "CLAUDE-CODE\*<2>" "\*CLAUDE-CODE" first-mismatchat 13)))

- test-emacs-claude-code-rename-buffer-when-disabled
- test-emacs-claude-code-start-uses-current-buffer-when-no-buffer-exists
- test-emacs-claude-code-start-adds-hook-and-starts-timer
- test-emacs-claude-code-stop-removes-hook-and-cancels-timer
- test-emacs-claude-code-check-and-restart-adds-hook-when-missing
- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed
  - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-whenneeded (ert-test-failed ((should (eq emacs-claude-buffer 'mockvterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

#### 2.6 test-emacs-claude-code-update-mode-line.el (8 tests)

- test-emacs-claude-code-update-mode-line-loadable
- test-emacs-claude-code-mode-line-indicator-defined
- $\bullet$  test-emacs-claude-code-update-mode-line-defined
- test-emacs-claude-code-update-mode-line-adds-indicator
- test-emacs-claude-code-update-mode-line-removes-indicator
- test-emacs-claude-code-update-mode-line-adds-overlay
- test-emacs-claude-code-update-mode-line-removes-overlay
- test-emacs-claude-code-update-mode-line-force-updates

#### 2.7 test-emacs-claude-code-variables.el (7 tests)

- test-emacs-claude-code-variables-loadable
- test-emacs-claude-code-variables-customization-group
- test-emacs-claude-buffer-name-defined
- test-emacs-claude-buffer-defined
- test-emacs-claude-code-timer-defined
- test-emacs-claude-prompt-patterns-defined
- test-emacs-claude-code-interval-sec-defined

#### 2.8 test-emacs-claude-code.el (8 tests)

- test-emacs-claude-code-loadable
- test-emacs-claude-code-variables-required
- test-emacs-claude-code-detect-prompt-required
- test-emacs-claude-code-send-required
- test-emacs-claude-code-update-mode-line-required
- test-emacs-claude-code-start-stop-required
- test-emacs-claude-code-run-required
- test-emacs-claude-code-copy-repository-required

## 3 Failed Tests (7)

#### 3.1 test-emacs-claude-code-copy-repository.el (2 tests)

- test-emacs-claude-get-repository-files-with-mock-dir
  - Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

F

F test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed ((should (member elisp-file files)) :form (member "/tmp/emacs-claude-test-dir-66V9Rj/test.el" nil) :value nil))

- test-emacs-claude-copy-repository-creates-output-file
  - Error details: Selector: test-emacs-claude-copy-repository-creates-output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:43+1000

 $\mathbf{F}$ 

F test-emacs-claude-copy-repository-creates-output-file (ert-test-failed ((should (string-match-p (regexp-quote "(defun test () (message \"test\"))") kill-content)) :form (string-match-p "(defun test () (message \"test\"))" "# Repository Structure") :value nil))

#### 3.2 test-emacs-claude-code-detect-prompt.el (1 tests)

- test-emacs-claude-detect-prompt-handles-nil-buffer
  - Error details: Selector: test-emacs-claude-detect-prompt-handles-nil-buffer Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:44+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

F

F test-emacs-claude-detect-prompt-handles-nil-buffer (wrong-type-argument stringp nil)

#### 3.3 test-emacs-claude-code-send.el (1 tests)

- test-emacs-claude-auto-send-continue-sends-correct-response
  - Error details: Selector: test-emacs-claude-auto-send-continue-sends-correct-response Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-auto-send-continue-sends-correct-response (ert-test-failed ((should (string= string-sent "continue")) :form (string= "Based on the documents, find room for improvement and refine the codebase" "continue") :value nil :explanation (arrays-of-different-length 74 9 "Based on the documents, find room for improvement and refine the codebase" "continue" first-mismatch-at 0)))

#### 3.4 test-emacs-claude-code-start-stop.el (3 tests)

- test-emacs-claude-code-toggle-stops-when-active
  - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))

- test-emacs-claude-code-rename-buffer-when-enabled
  - Error details: Selector: test-emacs-claude-code-rename-buffer-whenenabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

 $\mathbf{F}$ 

F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffer-name)) :form (string= "CLAUDE-CODE\*<2>" "\*CLAUDE-CODE") :value nil :explanation (arrays-of-different-length 16 13 "CLAUDE-CODE\*<2>" "\*CLAUDE-CODE" first-mismatch-at 13)))

- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed
  - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq emacs-claude-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))