Elisp Test Report

ywatanabe

2025-05-07 13:35:27 Created by https://github.com/ywatanabe1989/emacs-test

Contents

1	Test	Results Summary	1
2	Passed Tests (86)		1
	2.1	test-ecc-buffer-navigation.el (6 tests)	1
	2.2	test-ecc-buffer-registry.el (6 tests)	2
	2.3	test-emacs-claude-code-copy-repository.el (10 tests)	2
	2.4	test-emacs-claude-code-detect-prompt.el (10 tests)	3
	2.5	test-emacs-claude-code-run.el (11 tests)	3
	2.6	test-emacs-claude-code-send.el (9 tests)	4
	2.7	test-emacs-claude-code-start-stop.el (11 tests)	4
	2.8	test-emacs-claude-code-update-mode-line.el (8 tests)	5
	2.9	test-emacs-claude-code-variables.el (7 tests)	5
	2.10	test-emacs-claude-code.el (8 tests)	6
3	Failed Tests (2)		6
	3.1	test-emacs-claude-code-start-stop.el (2 tests)	6
1	Test Results Summary		
	• Passed: 84		
	• Failed: 2		
	• Skipped: 0		
	• Timeout (= 10 s): 0		
	• D	uplicates: 0	

• Total: 86

• Total Time: 5.11 seconds

• Success Rate: 97.7%

2 Passed Tests (86)

2.1 test-ecc-buffer-navigation.el (6 tests)

- test-ecc-buffer-navigation-loadable
- test-ecc-buffer-create-function-exists
- test-ecc-buffer-next-function-exists
- test-ecc-buffer-prev-function-exists
- test-ecc-buffer-next-prev-with-empty-buffers
- test-ecc-buffer-next-prev-navigation

2.2 test-ecc-buffer-registry.el (6 tests)

- test-ecc-buffer-registry-loadable
- test-ecc-buffer-timestamps-defined
- test-ecc-buffer-registry-cleanup-buffers
- test-ecc-buffer-unregister-buffer
- test-ecc-buffer-switch-to-active-buffer
- test-ecc-buffer-list-buffers

2.3 test-emacs-claude-code-copy-repository.el (10 tests)

- test-ecc-repository-copy-contents-loadable
- test-ecc-repository-dir-defined
- test-ecc-repository-output-file-defined
- ullet test-ecc-repository-file-blacklist-defined

- test-ecc-repository-max-file-size-defined
- test-ecc-repository-blacklisted-p-functionality
- test-ecc-get-file-type-functionality
- test-ecc-repository-get-file-content
- test-ecc-get-repository-files-with-mock-dir
- test-ecc-repository-copy-contents-creates-output-file

2.4 test-emacs-claude-code-detect-prompt.el (10 tests)

- test-ecc-detect-prompt-loadable
- test-ecc-detect-prompt-waiting-defined
- test-ecc-detect-prompt-initial-waiting-defined
- test-ecc-detect-prompt-y/n-defined
- test-ecc-detect-prompt-y/y/n-defined
- test-ecc-detect-prompt-defined
- test-ecc-detect-prompt-with-mock-buffer
- test-ecc-detect-prompt-handles-nil-buffer
- test-ecc-detect-prompt-returns-nil-when-not-found
- test-ecc-y/n-prompt-detection

2.5 test-emacs-claude-code-run.el (11 tests)

- test-ecc-run-loadable
- test-ecc-prompt-template-defined
- test-ecc-default-instructions-defined
- test-ecc-buffer-ensure-active-exists-defined
- test-ecc-run-defined
- test-ecc-run-on-region-defined

- test-ecc-run-on-buffer-defined
- test-ecc-run-quick-defined
- test-ecc-run-formats-prompt-correctly
- test-ecc-run-on-region-extracts-region-content
- ullet test-ecc-run-on-buffer-extracts-buffer-content

2.6 test-emacs-claude-code-send.el (9 tests)

- test-ecc-send-loadable
- test-ecc-send-defined
- test-ecc-auto-send-y-defined
- test-ecc-auto-send-yy-defined
- test-ecc-auto-send-continue-defined
- test-ecc-auto-send-y-sends-correct-response
- test-ecc-auto-send-yy-sends-correct-response
- test-ecc-auto-send-continue-sends-correct-response
- test-ecc-send-routes-to-correct-handler

2.7 test-emacs-claude-code-start-stop.el (11 tests)

- test-ecc-auto-loadable
- test-ecc-auto-toggle-defined
- test-ecc-auto-toggle-starts-when-inactive
- test-ecc-auto-toggle-stops-when-active
- test-ecc-buffer-rename-buffer-when-enabled
- test-ecc-buffer-rename-buffer-when-disabled
- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists

Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 13:35:26+1000 Finished. Finished at:

Started at: 2025-05-07 13:35:26+1000 Finished. Finished at: 2025-05-07 13:35:26+1000

F

F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #
buffer *CLAUDE-CODE-05*> current-buffer) :value nil))

- test-ecc-auto-enable-adds-hook-and-starts-timer
- test-ecc-auto-disable-removes-hook-and-cancels-timer
- test-ecc-auto-check-and-restart-adds-hook-when-missing
- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed
 - Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-07 13:35:25+1000 Finished. Finished at: 2025-05-07 13:35:25+1000

 \mathbf{F}

F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.8 test-emacs-claude-code-update-mode-line.el (8 tests)

- test-ecc-update-mode-line-loadable
- test-ecc-mode-line-indicator-defined
- test-ecc-update-mode-line-defined
- test-ecc-update-mode-line-adds-indicator
- test-ecc-update-mode-line-removes-indicator
- test-ecc-update-mode-line-adds-overlay
- test-ecc-update-mode-line-removes-overlay
- test-ecc-update-mode-line-force-updates

2.9 test-emacs-claude-code-variables.el (7 tests)

- test-ecc-variables-loadable
- test-ecc-variables-customization-group
- test-ecc-buffer-name-defined
- test-ecc-buffer-defined
- test-ecc-timer-defined
- test-ecc-prompt-patterns-defined
- test-ecc-interval-sec-defined

2.10 test-emacs-claude-code.el (8 tests)

- test-ecc-loadable
- test-ecc-variables-required
- test-ecc-detect-prompt-required
- test-ecc-send-required
- test-ecc-update-mode-line-required
- test-ecc-auto-enable-stop-required
- test-ecc-run-required
- test-ecc-repository-copy-contents-required

3 Failed Tests (2)

3.1 test-emacs-claude-code-start-stop.el (2 tests)

- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists
 - Error details: Selector: test-ecc-auto-enable-uses-current-bufferwhen-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-07 13:35:26+1000 Finished. Finished at: 2025-05-07 13:35:26+1000

F

F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #
buffer *CLAUDE-CODE-05*> current-buffer) :value nil))

- ullet test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed
 - Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-07 13:35:25+1000 Finished. Finished at: 2025-05-07 13:35:25+1000

F

F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))