

Elisp Test Report

ywatanabe

2025-05-07 14:02:52 Created by
<https://github.com/ywatanabe1989/emacs-test>

Contents

1	Test Results Summary	1
2	Passed Tests (130)	1
2.1	test-ecc-buffer-navigation.el (6 tests)	1
2.2	test-ecc-buffer-registry.el (6 tests)	2
2.3	test-ecc-copy-repository.el (10 tests)	2
2.4	test-ecc-detect-prompt.el (10 tests)	3
2.5	test-ecc-run.el (11 tests)	3
2.6	test-ecc-send.el (9 tests)	4
2.7	test-ecc-start-stop.el (11 tests)	4
2.8	test-ecc-update-mode-line.el (8 tests)	5
2.9	test-ecc-variables.el (7 tests)	5
2.10	test-ecc.el (8 tests)	6
2.11	test-emacs-claude-code-detect-prompt.el (10 tests)	6
2.12	test-emacs-claude-code-start-stop.el (11 tests)	7
2.13	test-emacs-claude-code-update-mode-line.el (8 tests)	8
2.14	test-emacs-claude-code-variables.el (7 tests)	8
2.15	test-emacs-claude-code.el (8 tests)	8
3	Failed Tests (4)	9
3.1	test-ecc-start-stop.el (2 tests)	9
3.2	test-emacs-claude-code-start-stop.el (2 tests)	9

1 Test Results Summary

- Passed: 126

- Failed: 4
- Skipped: 0
- Timeout (= 10 s): 0
- Duplicates: 44
- Total: 130
- Total Time: 4.19 seconds
- Success Rate: 96.9%

2 Passed Tests (130)

2.1 test-ecc-buffer-navigation.el (6 tests)

- test-ecc-buffer-navigation-loadable
- test-ecc-buffer-create-function-exists
- test-ecc-buffer-next-function-exists
- test-ecc-buffer-prev-function-exists
- test-ecc-buffer-next-prev-with-empty-buffers
- test-ecc-buffer-next-prev-navigation

2.2 test-ecc-buffer-registry.el (6 tests)

- test-ecc-buffer-registry-loadable
- test-ecc-buffer-timestamps-defined
- test-ecc-buffer-registry-cleanup-buffers
- test-ecc-buffer-unregister-buffer
- test-ecc-buffer-switch-to-active-buffer
- test-ecc-buffer-list-buffers

2.3 test-ecc-copy-repository.el (10 tests)

- test-ecc-repository-copy-contents-loadable
- test-ecc-repository-dir-defined
- test-ecc-repository-output-file-defined
- test-ecc-repository-file-blacklist-defined
- test-ecc-repository-max-file-size-defined
- test-ecc-repository-blacklisted-p-functionality
- test-ecc-get-file-type-functionality
- test-ecc-repository-get-file-content
- test-ecc-get-repository-files-with-mock-dir
- test-ecc-repository-copy-contents-creates-output-file

2.4 test-ecc-detect-prompt.el (10 tests)

- test-ecc-detect-prompt-loadable [DUPLICATE]
- test-ecc-detect-prompt-waiting-defined [DUPLICATE]
- test-ecc-detect-prompt-initial-waiting-defined [DUPLICATE]
- test-ecc-detect-prompt-y/n-defined [DUPLICATE]
- test-ecc-detect-prompt-y/y/n-defined [DUPLICATE]
- test-ecc-detect-prompt-defined [DUPLICATE]
- test-ecc-detect-prompt-with-mock-buffer [DUPLICATE]
- test-ecc-detect-prompt-handles-nil-buffer [DUPLICATE]
- test-ecc-detect-prompt-returns-nil-when-not-found [DUPLICATE]
- test-ecc-y/n-prompt-detection [DUPLICATE]

2.5 test-ecc-run.el (11 tests)

- test-ecc-run-loadable
- test-ecc-prompt-template-defined
- test-ecc-default-instructions-defined
- test-ecc-buffer-ensure-active-exists-defined
- test-ecc-run-defined
- test-ecc-run-on-region-defined
- test-ecc-run-on-buffer-defined
- test-ecc-run-quick-defined
- test-ecc-run-formats-prompt-correctly
- test-ecc-run-on-region-extracts-region-content
- test-ecc-run-on-buffer-extracts-buffer-content

2.6 test-ecc-send.el (9 tests)

- test-ecc-send-loadable
- test-ecc-send-defined
- test-ecc-auto-send-y-defined
- test-ecc-auto-send-yy-defined
- test-ecc-auto-send-continue-defined
- test-ecc-auto-send-y-sends-correct-response
- test-ecc-auto-send-yy-sends-correct-response
- test-ecc-auto-send-continue-sends-correct-response
- test-ecc-send-routes-to-correct-handler

2.7 test-ecc-start-stop.el (11 tests)

- test-ecc-auto-loadable [DUPLICATE]
- test-ecc-auto-toggle-defined [DUPLICATE]
- test-ecc-auto-toggle-starts-when-inactive [DUPLICATE]
- test-ecc-auto-toggle-stops-when-active [DUPLICATE]
- test-ecc-buffer-rename-buffer-when-enabled [DUPLICATE]
- test-ecc-buffer-rename-buffer-when-disabled [DUPLICATE]
- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists [DUPLICATE]
 - Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:48+1000 Finished. Finished at: 2025-05-07 14:02:48+1000
F
F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-04*> current-buffer) :value nil))
- test-ecc-auto-enable-adds-hook-and-starts-timer [DUPLICATE]
- test-ecc-auto-disable-removes-hook-and-cancels-timer [DUPLICATE]
- test-ecc-auto-check-and-restart-adds-hook-when-missing [DUPLICATE]
- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed [DUPLICATE]
 - Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:48+1000 Finished. Finished at: 2025-05-07 14:02:48+1000
F
F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.8 test-ecc-update-mode-line.el (8 tests)

- test-ecc-update-mode-line-loadable [DUPLICATE]
- test-ecc-mode-line-indicator-defined [DUPLICATE]
- test-ecc-update-mode-line-defined [DUPLICATE]
- test-ecc-update-mode-line-adds-indicator [DUPLICATE]
- test-ecc-update-mode-line-removes-indicator [DUPLICATE]
- test-ecc-update-mode-line-adds-overlay [DUPLICATE]
- test-ecc-update-mode-line-removes-overlay [DUPLICATE]
- test-ecc-update-mode-line-force-updates [DUPLICATE]

2.9 test-ecc-variables.el (7 tests)

- test-ecc-variables-loadable [DUPLICATE]
- test-ecc-variables-customization-group [DUPLICATE]
- test-ecc-buffer-name-defined [DUPLICATE]
- test-ecc-buffer-defined [DUPLICATE]
- test-ecc-timer-defined [DUPLICATE]
- test-ecc-prompt-patterns-defined [DUPLICATE]
- test-ecc-interval-sec-defined [DUPLICATE]

2.10 test-ecc.el (8 tests)

- test-ecc-loadable [DUPLICATE]
- test-ecc-variables-required [DUPLICATE]
- test-ecc-detect-prompt-required [DUPLICATE]
- test-ecc-send-required [DUPLICATE]
- test-ecc-update-mode-line-required [DUPLICATE]
- test-ecc-auto-enable-stop-required [DUPLICATE]

- test-ecc-run-required [DUPLICATE]
- test-ecc-repository-copy-contents-required [DUPLICATE]

2.11 test-emacs-claude-code-detect-prompt.el (10 tests)

- test-ecc-detect-prompt-loadable [DUPLICATE]
- test-ecc-detect-prompt-waiting-defined [DUPLICATE]
- test-ecc-detect-prompt-initial-waiting-defined [DUPLICATE]
- test-ecc-detect-prompt-y/n-defined [DUPLICATE]
- test-ecc-detect-prompt-y/y/n-defined [DUPLICATE]
- test-ecc-detect-prompt-defined [DUPLICATE]
- test-ecc-detect-prompt-with-mock-buffer [DUPLICATE]
- test-ecc-detect-prompt-handles-nil-buffer [DUPLICATE]
- test-ecc-detect-prompt-returns-nil-when-not-found [DUPLICATE]
- test-ecc-y/n-prompt-detection [DUPLICATE]

2.12 test-emacs-claude-code-start-stop.el (11 tests)

- test-ecc-auto-loadable [DUPLICATE]
- test-ecc-auto-toggle-defined [DUPLICATE]
- test-ecc-auto-toggle-starts-when-inactive [DUPLICATE]
- test-ecc-auto-toggle-stops-when-active [DUPLICATE]
- test-ecc-buffer-rename-buffer-when-enabled [DUPLICATE]
- test-ecc-buffer-rename-buffer-when-disabled [DUPLICATE]
- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists [DUPLICATE]

- Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-07 14:02:50+1000 Finished. Finished at: 2025-05-07 14:02:50+1000
 F
 F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-04*> current-buffer) :value nil))

- test-ecc-auto-enable-adds-hook-and-starts-timer [DUPLICATE]
- test-ecc-auto-disable-removes-hook-and-cancels-timer [DUPLICATE]
- test-ecc-auto-check-and-restart-adds-hook-when-missing [DUPLICATE]
- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed [DUPLICATE]

- Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-07 14:02:49+1000 Finished. Finished at: 2025-05-07 14:02:49+1000
 F
 F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.13 test-emacs-claude-code-update-mode-line.el (8 tests)

- test-ecc-update-mode-line-loadable [DUPLICATE]
- test-ecc-mode-line-indicator-defined [DUPLICATE]
- test-ecc-update-mode-line-defined [DUPLICATE]
- test-ecc-update-mode-line-adds-indicator [DUPLICATE]
- test-ecc-update-mode-line-removes-indicator [DUPLICATE]
- test-ecc-update-mode-line-adds-overlay [DUPLICATE]

- test-ecc-update-mode-line-removes-overlay [DUPLICATE]
- test-ecc-update-mode-line-force-updates [DUPLICATE]

2.14 test-emacs-claude-code-variables.el (7 tests)

- test-ecc-variables-loadable [DUPLICATE]
- test-ecc-variables-customization-group [DUPLICATE]
- test-ecc-buffer-name-defined [DUPLICATE]
- test-ecc-buffer-defined [DUPLICATE]
- test-ecc-timer-defined [DUPLICATE]
- test-ecc-prompt-patterns-defined [DUPLICATE]
- test-ecc-interval-sec-defined [DUPLICATE]

2.15 test-emacs-claude-code.el (8 tests)

- test-ecc-loadable [DUPLICATE]
- test-ecc-variables-required [DUPLICATE]
- test-ecc-detect-prompt-required [DUPLICATE]
- test-ecc-send-required [DUPLICATE]
- test-ecc-update-mode-line-required [DUPLICATE]
- test-ecc-auto-enable-stop-required [DUPLICATE]
- test-ecc-run-required [DUPLICATE]
- test-ecc-repository-copy-contents-required [DUPLICATE]

3 Failed Tests (4)

3.1 test-ecc-start-stop.el (2 tests)

- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists [DUPLICATE]

- Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:48+1000 Finished. Finished at: 2025-05-07 14:02:48+1000
F
F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-04*> current-buffer) :value nil))
- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed [DUPLICATE]
 - Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:48+1000 Finished. Finished at: 2025-05-07 14:02:48+1000
F
F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

3.2 test-emacs-claude-code-start-stop.el (2 tests)

- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists [DUPLICATE]
 - Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:50+1000 Finished. Finished at: 2025-05-07 14:02:50+1000
F
F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-04*> current-buffer) :value nil))
- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed [DUPLICATE]

– Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 14:02:49+1000 Finished. Finished at: 2025-05-07 14:02:49+1000
F
F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed
(ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer))
:form (eq nil mock-vterm-buffer) :value nil))