Elisp Test Report

ywatanabe

2025-05-06 03:13:46 Created by
`https://github.com/ywatanabe1989/emacs-test`

Contents

1   Test Results Summary

- Passed: 67

- Failed: 7

- Skipped: 0

- Timeout (= 10 s): 0

- Duplicates: 0

- Total: 74

- Total Time: 2.59 seconds

- Success Rate: 90.5%

2   Passed Tests (74)

2.1   test-emacs-claude-code-copy-repository.el (10 tests)

- test-emacs-claude-code-copy-repository-loadable

- test-emacs-claude-repository-dir-defined

- test-emacs-claude-repository-output-file-defined

- test-emacs-claude-file-blacklist-defined

- test-emacs-claude-max-file-size-defined

- test-emacs-claude-blacklisted-p-functionality

- test-emacs-claude-get-file-type-functionality

- test-emacs-claude-get-file-content

- test-emacs-claude-get-repository-files-with-mock-dir

    - Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
    Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:44+1000
    F
    F test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed ((should (member elisp-file files)) :form (member "/tmp/emacs-claude-test-dir-66V9Rj/test.el" nil) :value nil))

- test-emacs-claude-copy-repository-creates-output-file

- Error details: Selector: test-emacs-claude-copy-repository-creates-output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

  Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:43+1000

  F

  F test-emacs-claude-copy-repository-creates-output-file (ert-test-failed ((should (string-match-p (regexp-quote "(defun test () (message \"test\"))") kill-content)) :form (string-match-p "(defun test () (message \"test\"))" "# Repository Structure") :value nil))

2.2 test-emacs-claude-code-detect-prompt.el (10 tests)

- test-emacs-claude-code-detect-prompt-loadable

- test-emacs-claude-detect-prompt-waiting-defined

- test-emacs-claude-detect-prompt-initial-waiting-defined

- test-emacs-claude-detect-prompt-y/n-defined

- test-emacs-claude-detect-prompt-y/y/n-defined

- test-emacs-claude-detect-prompt-defined

- test-emacs-claude-detect-prompt-with-mock-buffer

- test-emacs-claude-detect-prompt-handles-nil-buffer

  - Error details: Selector: test-emacs-claude-detect-prompt-handles-nil-buffer Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

    Started at: 2025-05-06 03:13:44+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

    F

    F test-emacs-claude-detect-prompt-handles-nil-buffer (wrong-type-argument stringp nil)

- test-emacs-claude-detect-prompt-returns-nil-when-not-found

- test-emacs-claude-y/n-prompt-detection

2.3 test-emacs-claude-code-run.el (11 tests)

- test-emacs-claude-code-run-loadable
- test-emacs-claude-prompt-template-defined
- test-emacs-claude-default-instructions-defined
- test-emacs-claude-ensure-buffer-defined
- test-emacs-claude-run-defined
- test-emacs-claude-run-on-region-defined
- test-emacs-claude-run-on-buffer-defined
- test-emacs-claude-run-quick-defined
- test-emacs-claude-run-formats-prompt-correctly
- test-emacs-claude-run-on-region-extracts-region-content
- test-emacs-claude-run-on-buffer-extracts-buffer-content

2.4 test-emacs-claude-code-send.el (9 tests)

- test-emacs-claude-code-send-loadable
- test-emacs-claude-code-send-defined
- test-emacs-claude-auto-send-y-defined
- test-emacs-claude-auto-send-yy-defined
- test-emacs-claude-auto-send-continue-defined
- test-emacs-claude-auto-send-y-sends-correct-response
- test-emacs-claude-auto-send-yy-sends-correct-response
- test-emacs-claude-auto-send-continue-sends-correct-response
  - Error details: Selector: test-emacs-claude-auto-send-continue-sends-correct-response Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
    Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-auto-send-continue-sends-correct-response (ert-test-failed ((should (string= string-sent "continue")) :form (string= "Based on the documents, find room for improvement and refine the codebase" "continue") :value nil :explanation (arrays-of-different-length 74 9 "Based on the documents, find room for improvement and refine the codebase" "continue" first-mismatch-at 0)))

- test-emacs-claude-code-send-routes-to-correct-handler

2.5   test-emacs-claude-code-start-stop.el (11 tests)

- test-emacs-claude-code-start-stop-loadable

- test-emacs-claude-code-toggle-defined

- test-emacs-claude-code-toggle-starts-when-inactive

- test-emacs-claude-code-toggle-stops-when-active

  - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000
    F
    F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))

- test-emacs-claude-code-rename-buffer-when-enabled

  - Error details: Selector: test-emacs-claude-code-rename-buffer-when-enabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000
    F
    F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffer-name)) :form (string= **"CLAUDE-CODE*<2>"** **"*CLAUDE-CODE"**) :value nil :explanation (arrays-of-different-length 16 13 **"CLAUDE-CODE*<2>"** **"*CLAUDE-CODE"** first-mismatch-at 13)))

- test-emacs-claude-code-rename-buffer-when-disabled

- test-emacs-claude-code-start-uses-current-buffer-when-no-buffer-exists

- test-emacs-claude-code-start-adds-hook-and-starts-timer

- test-emacs-claude-code-stop-removes-hook-and-cancels-timer

- test-emacs-claude-code-check-and-restart-adds-hook-when-missing

- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed

    - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

      Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

      F

      F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq emacs-claude-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.6   test-emacs-claude-code-update-mode-line.el (8 tests)

- test-emacs-claude-code-update-mode-line-loadable

- test-emacs-claude-code-mode-line-indicator-defined

- test-emacs-claude-code-update-mode-line-defined

- test-emacs-claude-code-update-mode-line-adds-indicator

- test-emacs-claude-code-update-mode-line-removes-indicator

- test-emacs-claude-code-update-mode-line-adds-overlay

- test-emacs-claude-code-update-mode-line-removes-overlay

- test-emacs-claude-code-update-mode-line-force-updates

2.7   test-emacs-claude-code-variables.el (7 tests)

- test-emacs-claude-code-variables-loadable

- test-emacs-claude-code-variables-customization-group

- test-emacs-claude-buffer-name-defined

- test-emacs-claude-buffer-defined

- test-emacs-claude-code-timer-defined

- test-emacs-claude-prompt-patterns-defined

- test-emacs-claude-code-interval-sec-defined

2.8   test-emacs-claude-code.el (8 tests)

- test-emacs-claude-code-loadable

- test-emacs-claude-code-variables-required

- test-emacs-claude-code-detect-prompt-required

- test-emacs-claude-code-send-required

- test-emacs-claude-code-update-mode-line-required

- test-emacs-claude-code-start-stop-required

- test-emacs-claude-code-run-required

- test-emacs-claude-code-copy-repository-required

3   Failed Tests (7)

3.1   test-emacs-claude-code-copy-repository.el (2 tests)

- test-emacs-claude-get-repository-files-with-mock-dir

  – Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
    Started at: 2025-05-06 03:13:43+1000 Finished. Finished at: 2025-05-06 03:13:44+1000

F

F test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed
((should (member elisp-file files)) :form (member "/tmp/emacs-
claude-test-dir-66V9Rj/test.el" nil) :value nil))

- test-emacs-claude-copy-repository-creates-output-file

  – Error details: Selector: test-emacs-claude-copy-repository-creates-
    output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total:
    1/1
    Started at: 2025-05-06 03:13:43+1000 Finished. Finished at:
    2025-05-06 03:13:43+1000
    F

    F test-emacs-claude-copy-repository-creates-output-file (ert-test-
    failed ((should (string-match-p (regexp-quote "(defun test () (mes-
    sage \"test\"))") kill-content)) :form (string-match-p "(defun test
    () (message \"test\"))" "# Repository Structure") :value nil))

3.2 test-emacs-claude-code-detect-prompt.el (1 tests)

- test-emacs-claude-detect-prompt-handles-nil-buffer

  – Error details: Selector: test-emacs-claude-detect-prompt-handles-
    nil-buffer Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total:
    1/1
    Started at: 2025-05-06 03:13:44+1000 Finished. Finished at:
    2025-05-06 03:13:44+1000
    F

    F test-emacs-claude-detect-prompt-handles-nil-buffer (wrong-type-
    argument stringp nil)

3.3 test-emacs-claude-code-send.el (1 tests)

- test-emacs-claude-auto-send-continue-sends-correct-response

  – Error details: Selector: test-emacs-claude-auto-send-continue-sends-
    correct-response Passed: 0 Failed: 1 (1 unexpected) Skipped: 0
    Total: 1/1
    Started at: 2025-05-06 03:13:45+1000 Finished. Finished at:
    2025-05-06 03:13:45+1000

F

F test-emacs-claude-auto-send-continue-sends-correct-response (ert-test-failed ((should (string= string-sent "continue")) :form (string= "Based on the documents, find room for improvement and refine the codebase" "continue") :value nil :explanation (arrays-of-different-length 74 9 "Based on the documents, find room for improvement and refine the codebase" "continue" first-mismatch-at 0)))

3.4   test-emacs-claude-code-start-stop.el (3 tests)

- test-emacs-claude-code-toggle-stops-when-active

  - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000
    F

    F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))

- test-emacs-claude-code-rename-buffer-when-enabled

  - Error details: Selector: test-emacs-claude-code-rename-buffer-when-enabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000
    F

    F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffer-name)) :form (string= **"CLAUDE-CODE*<2>" "*CLAUDE-CODE"**) :value nil :explanation (arrays-of-different-length 16 13 **"CLAUDE-CODE*<2>" "*CLAUDE-CODE"** first-mismatch-at 13)))

- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed

  - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 03:13:45+1000 Finished. Finished at: 2025-05-06 03:13:45+1000

F

F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq emacs-claude-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))