# Elisp Test Report

## ywatanabe

## 2025-05-08 20:19:47 Created by ECC-ELISP-TEST

## Contents

Test	Results Summary	2
Pass	sed Tests (224)	<b>2</b>
2.1	test-emacs-claude-code.el (8 tests)	2
2.2	test-emacs-claude-code-variables.el (7 tests)	3
2.3	test-emacs-claude-code-update-mode-line.el (8 tests)	3
2.4	test-emacs-claude-code-start-stop.el (11 tests)	3
2.5	test-emacs-claude-code-detect-prompt.el (10 tests)	4
2.6	test-ecc.el (8 tests)	4
2.7	test-ecc-variables.el (7 tests)	5
2.8	test-ecc-update-mode-line.el (8 tests)	5
2.9	test-ecc-template-cache.el (7 tests)	5
2.10	test-ecc-start-stop.el (11 tests)	6
2.11	test-ecc-send.el (9 tests)	6
2.12	test-ecc-run.el (8 tests)	7
2.13	test-ecc-repository-view.el (3 tests)	7
2.14	test-ecc-large-buffer.el (6 tests)	7
2.15	test-ecc-history.el (6 tests)	8
2.16	test-ecc-elisp-test.el (6 tests)	8
2.17	test-ecc-detect-prompt.el (10 tests)	8
2.18	test-ecc-copy-repository.el (10 tests)	9
2.19	test-ecc-buffer.el (9 tests)	9
2.20	test-ecc-buffer-verification.el (4 tests)	10
2.21	test-ecc-buffer-variables.el (9 tests)	10
2.22	test-ecc-buffer-timestamp.el (5 tests)	10
2.23	test-ecc-buffer-state.el (7 tests)	11
2.24	test-ecc-buffer-stale.el (9 tests)	11
	Pass 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 2.10 2.11 2.12 2.13 2.14 2.15 2.16 2.17 2.18 2.19 2.20 2.21 2.22 2.23	2.2 test-emacs-claude-code-variables.el (7 tests)

2.25	test-ecc-buffer-registry.el (6 tests)	. 1
2.26	test-ecc-buffer-navigation.el (7 tests)	2
2.27	test-ecc-buffer-current.el (8 tests)	2
2.28	test-ecc-buffer-auto-switch.el (11 tests)	2
2.29	test-ecc-auto.el (6 tests)	.3

## 1 Test Results Summary

• Passed: 224

• Failed: 0

• Skipped: 0

• Timeout (= 10 s): 0

• Duplicates: 0

• Total: 224

• Total Time: 0.05 seconds

• Success Rate: 100.0%

## 2 Passed Tests (224)

### 2.1 test-emacs-claude-code.el (8 tests)

- $\bullet \ \ test-ecc\mbox{-repository-copy-contents-required}$
- test-ecc-run-required
- ullet test-ecc-auto-enable-stop-required
- ullet test-ecc-update-mode-line-required
- test-ecc-send-required
- test-ecc-detect-prompt-required
- test-ecc-variables-required
- test-ecc-loadable

#### 2.2 test-emacs-claude-code-variables.el (7 tests)

- test-ecc-auto-interval-sec-defined
- test-ecc-prompt-patterns-defined
- test-ecc-auto-timer-defined
- test-ecc-buffer-defined
- test-ecc-buffer-name-defined
- test-ecc-variables-customization-group
- test-ecc-variables-loadable

#### 2.3 test-emacs-claude-code-update-mode-line.el (8 tests)

- ullet test-ecc-update-mode-line-force-updates
- test-ecc-update-mode-line-removes-overlay
- test-ecc-update-mode-line-adds-overlay
- ullet test-ecc-update-mode-line-removes-indicator
- test-ecc-update-mode-line-adds-indicator
- test-ecc-update-mode-line-defined
- test-ecc-mode-line-indicator-defined
- test-ecc-update-mode-line-loadable

#### 2.4 test-emacs-claude-code-start-stop.el (11 tests)

- $\bullet$  test—ecc-auto-check-and-restart-finds-vterm-buffer-when-needed
- test—ecc-auto-check-and-restart-adds-hook-when-missing
- $\bullet \ \ test-ecc-auto-disable-removes-hook-and-cancels-timer$
- ullet test-ecc-auto-enable-adds-hook-and-starts-timer
- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists
- test-ecc-buffer-rename-buffer-when-disabled

- test-ecc-buffer-rename-buffer-when-enabled
- test-ecc-auto-toggle-stops-when-active
- test-ecc-auto-toggle-starts-when-inactive
- test-ecc-auto-toggle-defined
- test-ecc-auto-loadable

#### 2.5 test-emacs-claude-code-detect-prompt.el (10 tests)

- test-ecc-y/n-prompt-detection
- ullet test-ecc-detect-prompt-returns-nil-when-not-found
- test-ecc-detect-prompt-handles-nil-buffer
- test-ecc-detect-prompt-with-mock-buffer
- test-ecc-detect-prompt-defined
- test-ecc-detect-prompt-y/y/n-defined
- test-ecc-detect-prompt-y/n-defined
- test-ecc-detect-prompt-initial-waiting-defined
- test-ecc-detect-prompt-waiting-defined
- test-ecc-detect-prompt-loadable

#### 2.6 test-ecc.el (8 tests)

- test-ecc-repository-copy-contents-required
- test-ecc-run-required
- test-ecc-auto-enable-stop-required
- test-ecc-update-mode-line-required
- test-ecc-send-required
- test-ecc-detect-prompt-required
- test-ecc-variables-required
- test-ecc-loadable

#### 2.7 test-ecc-variables.el (7 tests)

- test-ecc-auto-interval-sec-defined
- test-ecc-prompt-patterns-defined
- test-ecc-auto-timer-defined
- test-ecc-buffer-defined
- test-ecc-buffer-name-defined
- test-ecc-variables-customization-group
- test-ecc-variables-loadable

#### 2.8 test-ecc-update-mode-line.el (8 tests)

- ullet test-ecc-update-mode-line-force-updates
- test-ecc-update-mode-line-removes-overlay
- test-ecc-update-mode-line-adds-overlay
- test-ecc-update-mode-line-removes-indicator
- ullet test-ecc-update-mode-line-adds-indicator
- test-ecc-update-mode-line-defined
- test-ecc-mode-line-indicator-defined
- test-ecc-update-mode-line-loadable

#### 2.9 test-ecc-template-cache.el (7 tests)

- $\bullet$  test-ecc-template-cache-stats
- test-ecc-template-cache-purge-outdated
- ullet test-ecc-template-cache-clear
- test-ecc-template-cache-put-get
- test-ecc-template-cache-file-hash
- test-ecc-template-cache-init
- test-ecc-template-cache-loadable

#### 2.10 test-ecc-start-stop.el (11 tests)

- test—ecc-auto-check-and-restart-finds-vterm-buffer-when-needed
- test—ecc-auto-check-and-restart-adds-hook-when-missing
- test-ecc-auto-disable-removes-hook-and-cancels-timer
- test-ecc-auto-enable-adds-hook-and-starts-timer
- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists
- test-ecc-buffer-rename-buffer-when-disabled
- test-ecc-buffer-rename-buffer-when-enabled
- test-ecc-auto-toggle-stops-when-active
- test-ecc-auto-toggle-starts-when-inactive
- test-ecc-auto-toggle-defined
- test-ecc-auto-loadable

#### 2.11 test-ecc-send.el (9 tests)

- test-ecc-send-routes-to-correct-handler
- test-ecc-auto-send-continue-sends-correct-response
- $\bullet \ \ test-ecc-auto-send-yy-sends-correct-response$
- test-ecc-auto-send-y-sends-correct-response
- test-ecc-auto-send-continue-defined
- test-ecc-auto-send-yy-defined
- test-ecc-auto-send-y-defined
- test-ecc-send-defined
- test-ecc-send-loadable

#### 2.12 test-ecc-run.el (8 tests)

- test-ecc-run-quick
- test-ecc-run-on-buffer
- test-ecc-run-on-region-passes-parameters
- test-ecc-run-on-region-combines-prompt-and-content
- test-ecc-run-on-region-extracts-region-content
- test-ecc-run-with-no-display
- ullet test-ecc-run-with-template
- test-ecc-run-sends-prompt

#### 2.13 test-ecc-repository-view.el (3 tests)

- $\bullet \ \ test-ecc-repo-view-script-exists$
- test-ecc-repo-view-path
- test-ecc-repository-view-loadable

#### 2.14 test-ecc-large-buffer.el (6 tests)

- ullet test-ecc-large-buffer-send-chunked
- ullet test-ecc-large-buffer-process-region
- ullet test-ecc-large-buffer-process-file
- $\bullet \ \ {\rm test\text{-}ecc\text{-}large\text{-}buffer\text{-}get\text{-}optimal\text{-}chunk\text{-}size}$
- test-ecc-large-buffer-chunk-string
- test-ecc-large-buffer-loadable

#### 2.15 test-ecc-history.el (6 tests)

- test-ecc-history-reuse-prompt
- test-ecc-history-browser-buffer
- test-ecc-history-get-entries
- test-ecc-history-record-entry
- test-ecc-history-variables-defined
- test-ecc-history-loadable

#### 2.16 test-ecc-elisp-test.el (6 tests)

- test-ecc-elisp-test-generate-shell-script
- $\bullet$  test-ecc-elisp-test-generate-report
- $\bullet$  test-ecc-elisp-test-run-single-file
- test-ecc-elisp-test-find-test-files
- test-ecc-elisp-test-run-function-exists
- test-ecc-elisp-test-loadable

#### 2.17 test-ecc-detect-prompt.el (10 tests)

- test-ecc-y/n-prompt-detection
- $\bullet \ \ test-ecc-detect-prompt-returns-nil-when-not-found$
- ullet test-ecc-detect-prompt-handles-nil-buffer
- test-ecc-detect-prompt-with-mock-buffer
- test-ecc-detect-prompt-defined
- test-ecc-detect-prompt-y/y/n-defined
- test-ecc-detect-prompt-y/n-defined
- $\bullet \ \ test-ecc-detect-prompt-initial-waiting-defined$
- test-ecc-detect-prompt-waiting-defined
- test-ecc-detect-prompt-loadable

#### 2.18 test-ecc-copy-repository.el (10 tests)

- test-ecc-repository-copy-contents-creates-output-file
- test-ecc-get-repository-files-with-mock-dir
- test-ecc-repository-get-file-content
- test-ecc-get-file-type-functionality
- test-ecc-repository-blacklisted-p-functionality
- test-ecc-repository-max-file-size-defined
- test-ecc-repository-file-blacklist-defined
- test-ecc-repository-output-file-defined
- test-ecc-repository-dir-defined
- test-ecc-repository-copy-contents-loadable

#### 2.19 test-ecc-buffer.el (9 tests)

- $\bullet$  test-ecc-buffer-timestamp-required
- test-ecc-buffer-navigation-required
- test-ecc-buffer-stale-required
- $\bullet$  test-ecc-buffer-state-required
- test-ecc-buffer-current-required
- test-ecc-buffer-registry-required
- test-ecc-buffer-verification-required
- test-ecc-buffer-variables-required
- test-ecc-buffer-loadable

#### 2.20 test-ecc-buffer-verification.el (4 tests)

- test-ecc-buffer-verify-buffer-with-buffer-name
- test-ecc-buffer-verify-buffer-with-various-inputs
- test-ecc-buffer-verify-buffer-exists
- test-ecc-buffer-verification-loadable

#### 2.21 test-ecc-buffer-variables.el (9 tests)

- test-ecc-buffer-property-defaults-structure
- test-ecc-buffer-current-buffer-initialization
- test-ecc-state-available-states-values
- test-ecc-buffer-registered-buffers-alist-initialization
- test-ecc-buffer-property-defaults-exists
- test-ecc-buffer-current-buffer-exists
- test-ecc-state-available-states-exists
- test-ecc-buffer-registered-buffers-alist-exists
- test-ecc-buffer-variables-loadable

#### 2.22 test-ecc-buffer-timestamp.el (5 tests)

- $\bullet \ \ {\rm test\text{-}ecc\text{-}buffer\text{-}timestamp\text{-}for\text{-}sorting}$
- $\bullet \ \ test-ecc-buffer-time stamp-storage-and-retrieval$
- test-ecc-buffer-get-timestamp-function-exists
- test-ecc-buffer-record-timestamp-function-exists
- $\bullet \ \ test-ecc-buffer-time stamp-vars-exists$

#### 2.23 test-ecc-buffer-state.el (7 tests)

- test-ecc-state-get-detection
- test-ecc-state-detect-prompt
- test-ecc-state-buffer-exists-p
- test-ecc-state-get-exists
- test-ecc-state-buffer-exists-p-exists
- test-ecc-state-initialize-exists
- test-ecc-buffer-state-loadable

#### 2.24 test-ecc-buffer-stale.el (9 tests)

- ullet test-ecc-buffer-unregister-stale-buffers
- test-ecc-buffer-unregister-stale-buffer
- ullet test-ecc-buffer-get-and-set-buffer-state
- test-ecc-buffer-cleanup-buffer-registry-exists
- test-ecc-buffer-unregister-stale-buffers-exists
- test-ecc-buffer-unregister-stale-buffer-exists
- test-ecc-buffer-set-buffer-state-exists
- test-ecc-buffer-get-buffer-state-exists
- test-ecc-buffer-stale-loadable

#### 2.25 test-ecc-buffer-registry.el (6 tests)

- test-ecc-buffer-list-buffers
- ullet test-ecc-buffer-register-as-active
- ullet test-ecc-buffer-unregister-buffer
- ullet test-ecc-buffer-cleanup-buffer-registry
- test-ecc-buffer-timestamps-defined
- test-ecc-buffer-registry-loadable

#### 2.26 test-ecc-buffer-navigation.el (7 tests)

- test-ecc-buffer-navigation-basic
- test-ecc-buffer-navigation-with-dead-buffer-as-current
- test-ecc-buffer-navigation-handles-stale-buffers
- test-ecc-buffer-next-prev-with-empty-buffers
- test-ecc-buffer-prev-function-exists
- test-ecc-buffer-next-function-exists
- test-ecc-buffer-navigation-loadable

#### 2.27 test-ecc-buffer-current.el (8 tests)

- test-ecc-buffer-current-buffer-state-functions
- test-ecc-buffer-set-and-get-current-buffer
- test-ecc-buffer-set-current-buffer-state-function-exists
- test-ecc-buffer-get-current-buffer-state-function-exists
- test-ecc-buffer-get-current-buffer-function-exists
- test-ecc-buffer-set-current-buffer-function-exists
- test-ecc-buffer-current-buffer-variable-exists
- test-ecc-buffer-current-loadable

#### 2.28 test-ecc-buffer-auto-switch.el (11 tests)

- test-ecc-buffer-auto-switch-with-non-existent-buffers
- test-ecc-buffer-auto-switch-previous-buffer
- test-ecc-buffer-auto-switch-next-buffer
- test-ecc-buffer-auto-switch-toggle
- test-ecc-buffer-auto-switch-mode-initialization
- test-ecc-buffer-auto-switch-toggle-function-exists

- ullet test-ecc-buffer-auto-switch-previous-buffer-function-exists
- $\bullet \ \ test-ecc-buffer-auto-switch-next-buffer-function-exists$
- test-ecc-buffer-auto-switch-mode-function-exists
- test-ecc-buffer-auto-switch-mode-variable-exists
- test-ecc-buffer-auto-switch-loadable

#### 2.29 test-ecc-auto.el (6 tests)

- test-ecc-auto-send-notification-functions
- test-ecc-auto-check-and-restart-function
- test-ecc-auto-toggle-function
- ullet test-ecc-auto-mode-sends-notifications
- test-ecc-auto-mode-enables-auto-accept
- ullet test-ecc-auto-mode-module-loadable