Elisp Test Report

ywatanabe

2025-05-0602:07:11 Created by https://github.com/ywatanabe1989/emacs-test

Contents

1	Tes	t Results Summary	1
2		sed Tests (74) test-emacs-claude-code-copy-repository.el (10 tests) test-emacs-claude-code-detect-prompt.el (10 tests) test-emacs-claude-code-run.el (11 tests) test-emacs-claude-code-send.el (9 tests)	1 1 2 3 3 4 5
	2.7 2.8	test-emacs-claude-code-variables.el (7 tests)	5
3	Fail 3.1 3.2	test-emacs-claude-code-copy-repository.el (2 tests)	6
1	T_{0}	est Results Summary	
	• Passed: 69		
	Failed: 5Skipped: 0		
	• T	imeout (= 10 s): 0	
	• D	uplicates: 0	

• Total: 74

• Total Time: 2.34 seconds

• Success Rate: 93.2%

2 Passed Tests (74)

2.1 test-emacs-claude-code-copy-repository.el (10 tests)

- test-emacs-claude-code-copy-repository-loadable
- test-emacs-claude-repository-dir-defined
- test-emacs-claude-repository-output-file-defined
- test-emacs-claude-file-blacklist-defined
- test-emacs-claude-max-file-size-defined
- test-emacs-claude-blacklisted-p-functionality
- test-emacs-claude-get-file-type-functionality
- test-emacs-claude-get-file-content
- test-emacs-claude-get-repository-files-with-mock-dir
 - Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 02:07:09+1000 Finished. Finished at: 2025-05-06 02:07:09+1000

 \mathbf{F}

 $\label{test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed ((should (member elisp-file files)) :form (member "/tmp/emacs-claude-test-dir-2Kg8np/test.el" nil) :value nil))}$

- test-emacs-claude-copy-repository-creates-output-file
 - Error details: Selector: test-emacs-claude-copy-repository-creates-output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 02:07:09+1000 Finished. Finished at: 2025-05-06 02:07:09+1000

F

F test-emacs-claude-copy-repository-creates-output-file (ert-test-failed ((should (string-match-p (regexp-quote "(defun test () (message \"test\"))") kill-content)) :form (string-match-p "(defun test () (message \"test\"))" "# Repository Structure") :value nil))

2.2 test-emacs-claude-code-detect-prompt.el (10 tests)

- $\bullet \ \ test-emacs-claude-code-detect-prompt-loadable$
- test-emacs-claude-detect-prompt-waiting-defined
- $\bullet \ \ test-emacs-claude-detect-prompt-initial-waiting-defined$
- test-emacs-claude-detect-prompt-y/n-defined
- test-emacs-claude-detect-prompt-y/y/n-defined
- test-emacs-claude-detect-prompt-defined
- test-emacs-claude-detect-prompt-with-mock-buffer
- test-emacs-claude-detect-prompt-handles-nil-buffer
- test-emacs-claude-detect-prompt-returns-nil-when-not-found
- test-emacs-claude-y/n-prompt-detection

2.3 test-emacs-claude-code-run.el (11 tests)

- test-emacs-claude-code-run-loadable
- test-emacs-claude-prompt-template-defined
- test-emacs-claude-default-instructions-defined
- test-emacs-claude-ensure-buffer-defined
- test-emacs-claude-run-defined
- test-emacs-claude-run-on-region-defined
- test-emacs-claude-run-on-buffer-defined

- test-emacs-claude-run-quick-defined
- test-emacs-claude-run-formats-prompt-correctly
- ullet test-emacs-claude-run-on-region-extracts-region-content
- test-emacs-claude-run-on-buffer-extracts-buffer-content

2.4 test-emacs-claude-code-send.el (9 tests)

- test-emacs-claude-code-send-loadable
- test-emacs-claude-code-send-defined
- test-emacs-claude-auto-send-y-defined
- test-emacs-claude-auto-send-yy-defined
- test-emacs-claude-auto-send-continue-defined
- test-emacs-claude-auto-send-y-sends-correct-response
- test-emacs-claude-auto-send-yy-sends-correct-response
- test-emacs-claude-auto-send-continue-sends-correct-response
- test-emacs-claude-code-send-routes-to-correct-handler

2.5 test-emacs-claude-code-start-stop.el (11 tests)

- $\bullet \ \ test-emacs-claude-code-start-stop-loadable$
- test-emacs-claude-code-toggle-defined
- test-emacs-claude-code-toggle-starts-when-inactive
- $\bullet \ \ test-emacs-claude-code-toggle-stops-when-active$
 - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000

F

F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))

- test-emacs-claude-code-rename-buffer-when-enabled
 - Error details: Selector: test-emacs-claude-code-rename-buffer-whenenabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000

F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffer-name)) :form (string= "CLAUDE-CODE*<2>" "*CLAUDE-CODE") :value nil :explanation (arrays-of-different-length 16 13 "CLAUDE-CODE*<2>" "*CLAUDE-CODE" first-mismatchat 13)))

- test-emacs-claude-code-rename-buffer-when-disabled
- test-emacs-claude-code-start-uses-current-buffer-when-no-buffer-exists
- test-emacs-claude-code-start-adds-hook-and-starts-timer
- test-emacs-claude-code-stop-removes-hook-and-cancels-timer
- test-emacs-claude-code-check-and-restart-adds-hook-when-missing
- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed
 - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000

F

F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-whenneeded (ert-test-failed ((should (eq emacs-claude-buffer 'mockvterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.6 test-emacs-claude-code-update-mode-line.el (8 tests)

- test-emacs-claude-code-update-mode-line-loadable
- test-emacs-claude-code-mode-line-indicator-defined
- test-emacs-claude-code-update-mode-line-defined

- test-emacs-claude-code-update-mode-line-adds-indicator
- test-emacs-claude-code-update-mode-line-removes-indicator
- test-emacs-claude-code-update-mode-line-adds-overlay
- test-emacs-claude-code-update-mode-line-removes-overlay
- test-emacs-claude-code-update-mode-line-force-updates

2.7 test-emacs-claude-code-variables.el (7 tests)

- test-emacs-claude-code-variables-loadable
- test-emacs-claude-code-variables-customization-group
- test-emacs-claude-buffer-name-defined
- test-emacs-claude-buffer-defined
- test-emacs-claude-code-timer-defined
- test-emacs-claude-prompt-patterns-defined
- test-emacs-claude-code-interval-sec-defined

2.8 test-emacs-claude-code.el (8 tests)

- test-emacs-claude-code-loadable
- test-emacs-claude-code-variables-required
- test-emacs-claude-code-detect-prompt-required
- test-emacs-claude-code-send-required
- test-emacs-claude-code-update-mode-line-required
- test-emacs-claude-code-start-stop-required
- test-emacs-claude-code-run-required
- test-emacs-claude-code-copy-repository-required

3 Failed Tests (5)

3.1 test-emacs-claude-code-copy-repository.el (2 tests)

- test-emacs-claude-get-repository-files-with-mock-dir
 - Error details: Selector: test-emacs-claude-get-repository-files-with-mock-dir Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 02:07:09+1000 Finished. Finished at: 2025-05-06 02:07:09+1000

F

F test-emacs-claude-get-repository-files-with-mock-dir (ert-test-failed ((should (member elisp-file files)) :form (member "/tmp/emacs-claude-test-dir-2Kg8np/test.el" nil) :value nil))

- test-emacs-claude-copy-repository-creates-output-file
 - Error details: Selector: test-emacs-claude-copy-repository-creates-output-file Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-06 02:07:09+1000 Finished. Finished at: 2025-05-06 02:07:09+1000

F

F test-emacs-claude-copy-repository-creates-output-file (ert-test-failed ((should (string-match-p (regexp-quote "(defun test () (message \"test\"))") kill-content)) :form (string-match-p "(defun test () (message \"test\"))" "# Repository Structure") :value nil))

3.2 test-emacs-claude-code-start-stop.el (3 tests)

- test-emacs-claude-code-toggle-stops-when-active
 - Error details: Selector: test-emacs-claude-code-toggle-stops-when-active Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000

F

F test-emacs-claude-code-toggle-stops-when-active (ert-test-failed ((should-not started) :form started :value t))

• test-emacs-claude-code-rename-buffer-when-enabled

at 13)))

- Error details: Selector: test-emacs-claude-code-rename-buffer-whenenabled Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000
 F
 F test-emacs-claude-code-rename-buffer-when-enabled (ert-test-failed ((should (string= (buffer-name mock-buffer) emacs-claude-buffername)):form (string= "CLAUDE-CODE*<2>" "*CLAUDE-CODE"):value nil:explanation (arrays-of-different-length 16 13 "CLAUDE-CODE*<2>" "*CLAUDE-CODE" first-mismatch-
- test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed
 - Error details: Selector: test-emacs-claude-code-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-06 02:07:10+1000 Finished. Finished at: 2025-05-06 02:07:10+1000 F

F test-emacs-claude-code-check-and-restart-finds-vterm-buffer-whenneeded (ert-test-failed ((should (eq emacs-claude-buffer 'mockvterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))