Elisp Test Report

ywatanabe

2025-05-07 13:35:29 Created by
`https://github.com/ywatanabe1989/emacs-test`

Contents

1   Test Results Summary

- Passed: 84

- Failed: 2

- Skipped: 0

- Timeout (= 10 s): 0

- Duplicates: 0

- Total: 86

- Total Time: 5.11 seconds

- Success Rate: 97.7%

2 Passed Tests (86)

2.1 test-ecc-buffer-navigation.el (6 tests)

- test-ecc-buffer-navigation-loadable

- test-ecc-buffer-create-function-exists

- test-ecc-buffer-next-function-exists

- test-ecc-buffer-prev-function-exists

- test-ecc-buffer-next-prev-with-empty-buffers

- test-ecc-buffer-next-prev-navigation

2.2 test-ecc-buffer-registry.el (6 tests)

- test-ecc-buffer-registry-loadable

- test-ecc-buffer-timestamps-defined

- test-ecc-buffer-registry-cleanup-buffers

- test-ecc-buffer-unregister-buffer

- test-ecc-buffer-switch-to-active-buffer

- test-ecc-buffer-list-buffers

2.3 test-emacs-claude-code-copy-repository.el (10 tests)

- test-ecc-repository-copy-contents-loadable

- test-ecc-repository-dir-defined

- test-ecc-repository-output-file-defined

- test-ecc-repository-file-blacklist-defined

- test-ecc-repository-max-file-size-defined

- test-ecc-repository-blacklisted-p-functionality

- test-ecc-get-file-type-functionality

- test-ecc-repository-get-file-content

- test-ecc-get-repository-files-with-mock-dir

- test-ecc-repository-copy-contents-creates-output-file

2.4   test-emacs-claude-code-detect-prompt.el (10 tests)

- test-ecc-detect-prompt-loadable

- test-ecc-detect-prompt-waiting-defined

- test-ecc-detect-prompt-initial-waiting-defined

- test-ecc-detect-prompt-y/n-defined

- test-ecc-detect-prompt-y/y/n-defined

- test-ecc-detect-prompt-defined

- test-ecc-detect-prompt-with-mock-buffer

- test-ecc-detect-prompt-handles-nil-buffer

- test-ecc-detect-prompt-returns-nil-when-not-found

- test-ecc-y/n-prompt-detection

2.5   test-emacs-claude-code-run.el (11 tests)

- test-ecc-run-loadable

- test-ecc-prompt-template-defined

- test-ecc-default-instructions-defined

- test-ecc-buffer-ensure-active-exists-defined

- test-ecc-run-defined

- test-ecc-run-on-region-defined

- test-ecc-run-on-buffer-defined

- test-ecc-run-quick-defined

- test-ecc-run-formats-prompt-correctly

- test-ecc-run-on-region-extracts-region-content

- test-ecc-run-on-buffer-extracts-buffer-content

2.6 test-emacs-claude-code-send.el (9 tests)

- test-ecc-send-loadable

- test-ecc-send-defined

- test-ecc-auto-send-y-defined

- test-ecc-auto-send-yy-defined

- test-ecc-auto-send-continue-defined

- test-ecc-auto-send-y-sends-correct-response

- test-ecc-auto-send-yy-sends-correct-response

- test-ecc-auto-send-continue-sends-correct-response

- test-ecc-send-routes-to-correct-handler

2.7 test-emacs-claude-code-start-stop.el (11 tests)

- test-ecc-auto-loadable

- test-ecc-auto-toggle-defined

- test-ecc-auto-toggle-starts-when-inactive

- test-ecc-auto-toggle-stops-when-active

- test-ecc-buffer-rename-buffer-when-enabled

- test-ecc-buffer-rename-buffer-when-disabled

- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists

– Error details: Selector: test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
Started at: 2025-05-07 13:35:26+1000 Finished. Finished at: 2025-05-07 13:35:26+1000
F
F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-05*> current-buffer) :value nil))

- test-ecc-auto-enable-adds-hook-and-starts-timer

- test-ecc-auto-disable-removes-hook-and-cancels-timer

- test-ecc-auto-check-and-restart-adds-hook-when-missing

- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed

  – Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
  Started at: 2025-05-07 13:35:25+1000 Finished. Finished at: 2025-05-07 13:35:25+1000
  F
  F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))

2.8 test-emacs-claude-code-update-mode-line.el (8 tests)

- test-ecc-update-mode-line-loadable

- test-ecc-mode-line-indicator-defined

- test-ecc-update-mode-line-defined

- test-ecc-update-mode-line-adds-indicator

- test-ecc-update-mode-line-removes-indicator

- test-ecc-update-mode-line-adds-overlay

- test-ecc-update-mode-line-removes-overlay

- test-ecc-update-mode-line-force-updates

2.9   test-emacs-claude-code-variables.el (7 tests)

- test-ecc-variables-loadable

- test-ecc-variables-customization-group

- test-ecc-buffer-name-defined

- test-ecc-buffer-defined

- test-ecc-timer-defined

- test-ecc-prompt-patterns-defined

- test-ecc-interval-sec-defined

2.10   test-emacs-claude-code.el (8 tests)

- test-ecc-loadable

- test-ecc-variables-required

- test-ecc-detect-prompt-required

- test-ecc-send-required

- test-ecc-update-mode-line-required

- test-ecc-auto-enable-stop-required

- test-ecc-run-required

- test-ecc-repository-copy-contents-required

3   Failed Tests (2)

3.1   test-emacs-claude-code-start-stop.el (2 tests)

- test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists

  – Error details: Selector: test-ecc-auto-enable-uses-current-buffer-
    when-no-buffer-exists Passed: 0 Failed: 1 (1 unexpected) Skipped:
    0 Total: 1/1

    Started at: 2025-05-07 13:35:26+1000 Finished. Finished at:
    2025-05-07 13:35:26+1000

F

F test-ecc-auto-enable-uses-current-buffer-when-no-buffer-exists (ert-test-failed ((should (eq ecc-active-buffer 'current-buffer)) :form (eq #<buffer *CLAUDE-CODE-05*> current-buffer) :value nil))

- test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed

  – Error details: Selector: test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

  Started at: 2025-05-07 13:35:25+1000 Finished. Finished at: 2025-05-07 13:35:25+1000

  F

  F test-ecc-auto-check-and-restart-finds-vterm-buffer-when-needed (ert-test-failed ((should (eq ecc-active-buffer 'mock-vterm-buffer)) :form (eq nil mock-vterm-buffer) :value nil))