Elisp Test Report

ywatanabe

2025-05-09 19:23:58 Created by https://github.com/ywatanabe1989/emacs-test

Contents

1	Test	Results Summary	2		
2	Passed Tests (55)				
	2.1	test-etm-buffer-checkers.el (4 tests)	2		
	2.2	test-etm-buffer-getters.el (3 tests)	2		
	2.3	test-etm-buffer-jumpers.el (4 tests)	3		
	2.4	test-etm-buffer-kill-or-bury.el (3 tests)	3		
	2.5	test-etm-buffer-setters.el (4 tests)	3		
	2.6	test-etm-close-core.el (3 tests)	3		
	2.7	test-etm-close-utils.el (3 tests)	3		
	2.8	test-etm-init.el (2 tests)	4		
	2.9	test-etm-keys-command-map.el (2 tests)	4		
	2.10	test-etm-keys-layout.el (2 tests)	4		
		test-etm-keys-navigation.el (10 tests)	5		
	2.12	test-etm-layout-core.el (3 tests)	5		
		test-etm-layout-load.el (2 tests)	6		
		test-etm-layout-save.el (2 tests)	6		
		test-etm-layout-window.el (2 tests)	7		
		test-etm-navigation.el (2 tests)	7		
		test-etm-new-and-rename.el (2 tests)	7		
		test-etm-variables.el (2 tests)	8		
3	Failed Tests (11)				
	3.1	test-etm-init.el (2 tests)	8		
	3.2	test-etm-keys-layout.el (1 tests)	8		
	3.3	test-etm-layout-core.el (3 tests)	9		
	3.4	test-etm-layout-load.el (1 tests)	9		

	3.5 3.6 3.7	test-etm-layout-save.el (1 tests)	10 10 11		
1	Te	est Results Summary			
	• Pa	assed: 44			
	• Failed: 11				
	• Sk	kipped: 0			
	• Ti	imeout (= 10 s): 0			
	• D	uplicates: 0			
	• To	otal: 55			
	• To	otal Time: 0.75 seconds			
	• Su	access Rate: 80.0%			
2	Pa	assed Tests (55)			
2.1	l t	est-etm-buffer-checkers.el (4 tests)			
	• te	st-etm-buffer-registered-p-with-name-only			
	• te	st-etm-buffer-registered-p-with-type			
	• te	st-etm-buffer-registered-p-with-tab			
	• te	st-etm-buffer-protected-p			
2.2	2 t	est-etm-buffer-getters.el (3 tests)			
	• te	st-etm-buffer-get-basic			
	• te	st-etm-buffer-get-nonexistent			

 $\bullet \ \ test-etm-buffer-get-wrong-tab$

2.3 test-etm-buffer-jumpers.el (4 tests)

- test-etm-navigation-jump-by-buffer-type-existing
- test-etm-navigation-jump-by-buffer-type-nonexistent
- test-etm-buffer-define-buffer-type-jumper-function
- test-etm-buffer-define-buffer-type-jumper-functions

2.4 test-etm-buffer-kill-or-bury.el (3 tests)

- test-etm-buffer-kill-or-bury-registered
- test-etm-buffer-kill-or-bury-protected
- test-etm-buffer-kill-or-bury-unregistered

2.5 test-etm-buffer-setters.el (4 tests)

- \bullet test-etm-buffer-set-basic
- test-etm-buffer-set-invalid-type
- test-etm-buffer-define-buffer-type-setter-function
- ullet test-etm-buffer-define-buffer-type-setter-functions

2.6 test-etm-close-core.el (3 tests)

- test-etm-close-by-name
- test-etm-close-by-name-last-tab
- test-etm-close-all

2.7 test-etm-close-utils.el (3 tests)

- test-etm-close-by-id
- test-etm-close-and-next
- test-etm-close-by-name-and-prev

2.8 test-etm-init.el (2 tests)

- test-etm-init-loads
 - Error details: Selector: test-etm-init-loads Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-init-loads (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")

- test-etm-init-function
 - Error details: Selector: test-etm-init-function Passed: 0 Failed: 1
 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-init-function (void-function etm-init)

2.9 test-etm-keys-command-map.el (2 tests)

- test-etm-keys-command-map-loads
- test-etm-command-map-binding

2.10 test-etm-keys-layout.el (2 tests)

- \bullet test-etm-keys-layout-loadable
- test-etm-keys-layout-bindings
 - Error details: Selector: test-etm-keys-layout-bindings Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-keys-layout-bindings (ert-test-failed ((should (eq (lookup-key etm-command-map (kbd "1")) 'etm-close-others)) :form (eq nil etm-close-others) :value nil))

2.11 test-etm-keys-navigation.el (10 tests)

- test-etm-keys-navigation-loadable
- test-etm-keys-navigation-m1-bound
- test-etm-keys-navigation-m2-bound
- test-etm-keys-navigation-m3-bound
- test-etm-keys-navigation-m4-bound
- test-etm-keys-navigation-m5-bound
- test-etm-keys-navigation-m6-bound
- \bullet test-etm-keys-navigation-m7-bound
- test-etm-keys-navigation-m8-bound
- test-etm-keys-navigation-m9-bound

2.12 test-etm-layout-core.el (3 tests)

- test-etm-layout-create-loadable
 - Error details: Selector: test-etm-layout-create-loadable Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-layout-create-loadable (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")

- test-etm-layout-cleanup-exists
 - Error details: Selector: test-etm-layout-cleanup-exists Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-layout-cleanup-exists (ert-test-failed ((should (fboundp '-etm-layout-cleanup)) :form (fboundp -etm-layout-cleanup) :value nil))

- test-etm-layout-create-exists
 - Error details: Selector: test-etm-layout-create-exists Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-create-exists (ert-test-failed ((should (fboundp '-etm-layout-create)) :form (fboundp -etm-layout-create) :value nil))

2.13 test-etm-layout-load.el (2 tests)

- test-etm-layout-load-loadable
- test-etm-layout-load-function-exists
 - Error details: Selector: test-etm-layout-load-function-exists Passed:
 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-load-function-exists (ert-test-failed ((should (fboundp '-etm-layout-load-all)) :form (fboundp -etm-layout-load-all) :value nil))

2.14 test-etm-layout-save.el (2 tests)

- test-etm-layout-save-loadable
- test-etm-layout-save-functions-exist
 - Error details: Selector: test-etm-layout-save-functions-exist Passed:
 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-save-functions-exist (ert-test-failed ((should (fboundp 'etm-layout-save))): form (fboundp etm-layout-save) :value nil))

2.15 test-etm-layout-window.el (2 tests)

- test-etm-layout-window-loadable
 - Error details: Selector: test-etm-layout-window-loadable Passed:
 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-window-loadable (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")
- test-etm-layout-window-functions-exist
 - Error details: Selector: test-etm-layout-window-functions-exist Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-window-functions-exist (ert-test-failed ((should (fboundp '-etm-layout-init-windows)) :form (fboundp -etm-layout-init-windows) :value nil))

2.16 test-etm-navigation.el (2 tests)

- test-etm-navigation-loadable
- test-etm-navigation-functions-exist

2.17 test-etm-new-and-rename.el (2 tests)

- test-etm-new-and-rename-loadable
- test-etm-new-and-rename-functions-exist
 - Error details: Selector: test-etm-new-and-rename-functions-exist Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-new-and-rename-functions-exist (ert-test-failed ((should (fboundp 'etm-new))): form (fboundp etm-new) :value nil))

2.18 test-etm-variables.el (2 tests)

- test-etm-variables-loadable
- test-etm-variables-constants-exist

3 Failed Tests (11)

3.1 test-etm-init.el (2 tests)

- test-etm-init-loads
 - Error details: Selector: test-etm-init-loads Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-init-loads (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")

- test-etm-init-function
 - Error details: Selector: test-etm-init-function Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-init-function (void-function etm-init)

3.2 test-etm-keys-layout.el (1 tests)

- test-etm-keys-layout-bindings
 - Error details: Selector: test-etm-keys-layout-bindings Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

F test-etm-keys-layout-bindings (ert-test-failed ((should (eq (lookup-key etm-command-map (kbd "1")) 'etm-close-others)) :form (eq nil etm-close-others) :value nil))

3.3 test-etm-layout-core.el (3 tests)

- test-etm-layout-create-loadable
 - Error details: Selector: test-etm-layout-create-loadable Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-create-loadable (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")
- test-etm-layout-cleanup-exists
 - Error details: Selector: test-etm-layout-cleanup-exists Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-cleanup-exists (ert-test-failed ((should (fboundp '-etm-layout-cleanup)) :form (fboundp -etm-layout-cleanup) :value nil))
- test-etm-layout-create-exists
 - Error details: Selector: test-etm-layout-create-exists Passed: 0
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-create-exists (ert-test-failed ((should (fboundp '-etm-layout-create)) :form (fboundp -etm-layout-create) :value nil))

3.4 test-etm-layout-load.el (1 tests)

- test-etm-layout-load-function-exists
 - Error details: Selector: test-etm-layout-load-function-exists Passed:
 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1

Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000

F

 $\label{thm:cond} F\ test-etm-layout-load-function-exists\ (ert-test-failed\ ((should\ (fboundp\ '-etm-layout-load-all))\ : form\ (fboundp\ -etm-layout-load-all)\ : value\ nil))$

3.5 test-etm-layout-save.el (1 tests)

- test-etm-layout-save-functions-exist
 - Error details: Selector: test-etm-layout-save-functions-exist Passed:
 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-save-functions-exist (ert-test-failed ((should (fboundp 'etm-layout-save))): form (fboundp etm-layout-save) :value nil))

3.6 test-etm-layout-window.el (2 tests)

- test-etm-layout-window-loadable
 - Error details: Selector: test-etm-layout-window-loadable Passed:
 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-window-loadable (file-missing "Cannot open load file" "No such file or directory" "etm-core-helpers")
- test-etm-layout-window-functions-exist
 - Error details: Selector: test-etm-layout-window-functions-exist Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1
 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000
 F
 F test-etm-layout-window-functions-exist (ert-test-failed ((should (fboundp '-etm-layout-init-windows)) :form (fboundp -etm-layout-init-windows) :value nil))

3.7 test-etm-new-and-rename.el (1 tests)

- ullet test-etm-new-and-rename-functions-exist
 - Error details: Selector: test-etm-new-and-rename-functions-exist Passed: 0 Failed: 1 (1 unexpected) Skipped: 0 Total: 1/1 Started at: 2025-05-09 19:23:58+1000 Finished. Finished at: 2025-05-09 19:23:58+1000 F

F test-etm-new-and-rename-functions-exist (ert-test-failed ((should (fboundp 'etm-new)) :form (fboundp etm-new) :value nil))