Elisp Test Report

ywatanabe

2025-05-09 23:41:08 Created by https://github.com/ywatanabe1989/emacs-test

Contents

Test	Results Summary	2
Pass	sed Tests (60)	2
2.1	test-etm-core-helpers.el (2 tests)	2
2.2	test-etm-core-variables.el (2 tests)	2
2.3		2
2.4		3
2.5		3
2.6	test-etm-buffer-kill-or-bury.el (3 tests)	3
2.7	test-etm-buffer-setters.el (4 tests)	3
2.8		3
2.9		4
2.10		4
		4
2.12	test-etm-keys-layout.el (2 tests)	4
		4
		5
		5
		5
		5
		5
	·	5
		5
	Pass 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 2.10 2.11 2.12 2.13 2.14 2.15 2.16 2.17 2.18 2.19	2.2 test-etm-core-variables.el (2 tests) 2.3 test-etm-buffer-checkers.el (4 tests) 2.4 test-etm-buffer-getters.el (3 tests) 2.5 test-etm-buffer-jumpers.el (4 tests) 2.6 test-etm-buffer-kill-or-bury.el (3 tests) 2.7 test-etm-buffer-setters.el (4 tests) 2.8 test-etm-close-core.el (3 tests)

1 Test Results Summary

• Passed: 60

• Failed: 0

• Skipped: 0

• Timeout (= 10 s): 0

• Duplicates: 0

• Total: 60

• Total Time: 0.70 seconds

• Success Rate: 100.0%

2 Passed Tests (60)

2.1 test-etm-core-helpers.el (2 tests)

- ullet test-etm-core-helpers-loadable
- test-etm-core-helpers-functions-exist

2.2 test-etm-core-variables.el (2 tests)

- test-etm-core-variables-loadable
- test-etm-core-variables-constants-exist

2.3 test-etm-buffer-checkers.el (4 tests)

- $\bullet \ \ test-etm-buffer-registered-p-with-name-only$
- test-etm-buffer-registered-p-with-type
- $\bullet \ \ test-etm-buffer-registered-p-with-tab$
- test-etm-buffer-protected-p

2.4 test-etm-buffer-getters.el (3 tests)

- test-etm-buffer-get-basic
- test-etm-buffer-get-nonexistent
- test-etm-buffer-get-wrong-tab

2.5 test-etm-buffer-jumpers.el (4 tests)

- test-etm-navigation-jump-by-buffer-type-existing
- test-etm-navigation-jump-by-buffer-type-nonexistent
- test-etm-buffer-define-buffer-type-jumper-function
- test-etm-buffer-define-buffer-type-jumper-functions

2.6 test-etm-buffer-kill-or-bury.el (3 tests)

- test-etm-buffer-kill-or-bury-registered
- \bullet test-etm-buffer-kill-or-bury-protected
- test-etm-buffer-kill-or-bury-unregistered

2.7 test-etm-buffer-setters.el (4 tests)

- test-etm-buffer-set-basic
- test-etm-buffer-set-invalid-type
- test-etm-buffer-define-buffer-type-setter-function
- test-etm-buffer-define-buffer-type-setter-functions

2.8 test-etm-close-core.el (3 tests)

- test-etm-close-by-name
- \bullet test-etm-close-by-name-last-tab
- test-etm-close-all

2.9 test-etm-close-utils.el (4 tests)

- test-etm-close-by-id
- test-etm-close-and-next
- test-etm-close-by-name-and-prev
- test-etm-close-others

2.10 test-etm-init.el (2 tests)

- test-etm-init-loads
- test-etm-init-function

2.11 test-etm-keys-command-map.el (2 tests)

- \bullet test-etm-keys-command-map-loads
- test-etm-command-map-binding

2.12 test-etm-keys-layout.el (2 tests)

- test-etm-keys-layout-loadable
- test-etm-keys-layout-bindings

2.13 test-etm-keys-navigation.el (10 tests)

- test-etm-keys-navigation-loadable
- test-etm-keys-navigation-m1-bound
- test-etm-keys-navigation-m2-bound
- test-etm-keys-navigation-m3-bound
- test-etm-keys-navigation-m4-bound
- \bullet test-etm-keys-navigation-m5-bound
- test-etm-keys-navigation-m6-bound
- test-etm-keys-navigation-m7-bound
- test-etm-keys-navigation-m8-bound
- test-etm-keys-navigation-m9-bound

2.14 test-etm-layout-core.el (3 tests)

- test-etm-layout-create-loadable
- test-etm-layout-cleanup-exists
- test-etm-layout-create-exists

2.15 test-etm-layout-load.el (2 tests)

- \bullet test-etm-layout-load-loadable
- test-etm-layout-load-function-exists

2.16 test-etm-layout-save.el (2 tests)

- test-etm-layout-save-loadable
- ullet test-etm-layout-save-functions-exist

2.17 test-etm-layout-window.el (2 tests)

- test-etm-layout-window-loadable
- test-etm-layout-window-functions-exist

2.18 test-etm-navigation.el (2 tests)

- test-etm-navigation-loadable
- test-etm-navigation-functions-exist

2.19 test-etm-new-and-rename.el (2 tests)

- test-etm-new-and-rename-loadable
- test-etm-new-and-rename-functions-exist

2.20 test-etm-variables.el (2 tests)

- ullet test-etm-variables-loadable
- test-etm-variables-constants-exist