## References:

- [1] D. Purves, E. Rubin, W. Snider, J. Lichtman, Relation of animal size to convergence, divergence, and neuronal number in peripheral sympathetic pathways, The Journal of Neuroscience, 6 (1986) 158-163.
- [2] E.M. McLachlan, Transmission of signals through sympathetic ganglia--modulation, integration or simply distribution?, Acta physiologica Scandinavica, 177 (2003) 227-235.
- [3] D. Purves, J.W. Lichtman, Elimination of synapses in the developing nervous system, Science (New York, N.Y.), 210 (1980) 153.
- [4] A. Nja, D. Purves, Specific innervation of guinea-pig superior cervical ganglion cells by preganglionic fibres arising from different levels of the spinal cord, The Journal of physiology, 264 (1977) 565-583.
- [5] J.W. Lichtman, D. Purves, J.W. Yip, On the purpose of selective innervation of guinea-pig superior cervical ganglion cells, J Physiol., 292 (1979) 69-84.
- [6] J.W. Lichtman, D. Purves, J.W. Yip, Innervation of sympathetic neurones in the guinea-pig thoracic chain, J Physiol., 298 (1980) 285-299.
- [7] J.G. Blackman, R.D. Purves, Intracellular recordings from ganglia of the thoracic sympathetic chain of the guinea-pig, J Physiol., 203 (1969) 173-198.
- [8] A.L. Hodgkin, B. Katz, The effect of temperature on the electrical activity of the giant axon of the squid, The Journal of physiology, 109 (1949) 240-249.
- [9] D. Pekala, H. Szkudlarek, M. Raastad, Typical gray matter axons in mammalian brain fail to conduct action potentials faithfully at fever-like temperatures, Physiological Reports, 4 (2016) e12981.
- [10] P.D. Wall, Control of impulse conduction in long range branches of afferents by increases and decreases of primary afferent depolarization in the rat, The European journal of neuroscience, 6 (1994) 1136-1142.
- [11] P.D. Wall, S.B. McMahon, Long range afferents in rat spinal cord. III. Failure of impulse transmission in axons and relief of the failure after rhizotomy of dorsal roots, Philosophical transactions of the Royal Society of London. Series B, Biological sciences, 343 (1994) 211-223.
- [12] P.D. Wall, Do nerve impulses penetrate terminal arborizations? A pre-presynaptic control mechanism, Trends in neurosciences, 18 (1995) 99-103.
- [13] A.M. Lucas-Osma, Y. Li, S. Lin, S. Black, R. Singla, K. Fouad, K.K. Fenrich, D.J. Bennett, Extrasynaptic ∝5GABAA receptors on proprioceptive afferents produce a tonic depolarization that modulates sodium channel function in the rat spinal cord, Journal of neurophysiology, DOI 10.1152/jn.00499.2018(2018).
- [14] F.F. Trigo, A. Marty, B.M. Stell, Axonal GABAA receptors, The European journal of neuroscience, 28 (2008) 841-848.
- [15] S.A. Deuchars, C.J. Milligan, R.L. Stornetta, J. Deuchars, GABAergic neurons in the central region of the spinal cord: a novel substrate for sympathetic inhibition, The Journal of neuroscience: the official journal of the Society for Neuroscience, 25 (2005) 1063-1070.
- [16] M. Bravo-Hernández, J.A. Corleto, P. Barragán-Iglesias, R. González-Ramírez, J.B. Pineda-Farias, R. Felix, N.A. Calcutt, R. Delgado-Lezama, M. Marsala, V. Granados-Soto, The α5 subunit containing GABAA receptors contribute to chronic pain, Pain, 157 (2016) 613-626.
- [17] M. Xue, J.P. Liu, Y.H. Yang, Z.W. Suo, X. Yang, X.D. Hu, Inhibition of α5 subunit-containing GABAA receptors facilitated spinal nociceptive transmission and plasticity, European Journal of Pain, 21 (2017) 1061-1071.
- [18] A.R. Murillo-de-Ozores, M. Chávez-Canales, P. de Los Heros, G. Gamba, M. Castañeda-Bueno, Physiological Processes Modulated by the Chloride-Sensitive WNK-SPAK/OSR1 Kinase Signaling Pathway and the Cation-Coupled Chloride Cotransporters, Front Physiol, 11 (2020) 585907.

- [19] H. Nomura, A. Sakai, M. Nagano, M. Umino, H. Suzuki, Expression changes of cation chloride cotransporters in the rat spinal cord following intraplantar formalin, Neuroscience research, 56 (2006) 435-440.
- [20] J.A. Coull, D. Boudreau, K. Bachand, S.A. Prescott, F. Nault, A. Sik, P. De Koninck, Y. De Koninck, Trans-synaptic shift in anion gradient in spinal lamina I neurons as a mechanism of neuropathic pain, Nature., 424 (2003) 938-942. doi: 910.1038/nature01868.
- [21] Y. Lu, J. Zheng, L. Xiong, M. Zimmermann, J. Yang, Spinal cord injury-induced attenuation of GABAergic inhibition in spinal dorsal horn circuits is associated with down-regulation of the chloride transporter KCC2 in rat, The Journal of physiology, 586 (2008) 5701-5715.
- [22] Y.-J. Huang, K.H. Lee, L. Murphy, S.M. Garraway, J.W. Grau, Acute spinal cord injury (SCI) transforms how GABA affects nociceptive sensitization, Experimental neurology, 285 (2016) 82-95.
- [23] M.C. Halder, M.; MacDowell, C.; McKinnon, M.; Sawchuk, M.; Hochman, S., Anatomy of mouse thoracic sympathetic chain ganglia and electrophysiological assessment of their multisegmental preganglionic input, Society for Neuroscience, 2016.
- [24] J.P. Handrakis, S.A. Liu, D. Rosado-Rivera, M. Krajewski, A.M. Spungen, C. Bang, K. Swonger, W.A. Bauman, Effect of Mild Cold Exposure on Cognition in Persons with Tetraplegia, Journal of neurotrauma, 32 (2015) 1168-1175.
- [25] S. Khan, M. Plummer, A. Martinez-Arizala, K. Banovac, Hypothermia in patients with chronic spinal cord injury, The journal of spinal cord medicine, 30 (2007) 27-30.
- [26] M. Cabanac, B. Massonnet, Thermoregulatory responses as a function of core temperature in humans, The Journal of physiology, 265 (1977) 587-596.
- [27] M. Attia, P. Engel, Thermoregulatory set point in patients with spinal cord injuries (spinal man), Paraplegia, 21 (1983) 233-248.
- [28] P. Sminia, J.V.D. Zee, J. Wondergem, J. Haveman, Effect of hyperthermia on the central nervous system: A review, International Journal of Hyperthermia, 10 (1994) 1-30.
- [29] F. Bischoff, Conditions required to produce a prolonged hypothermia in the mouse, Cancer research, 2 (1942) 370-371.
- [30] W.D. Dietrich, H.M. Bramlett, Hyperthermia and central nervous system injury, in: H.S. Sharma (Ed.) Progress in brain research, Elsevier2007, pp. 201-217.
- [31] B. Gunn, A. Brown, J. Lambert, D. Belelli, Neurosteroids and GABAA Receptor Interactions: A Focus on Stress, Frontiers in neuroscience, 5 (2011).
- [32] J.J. Lambert, D. Belelli, D.R. Peden, A.W. Vardy, J.A. Peters, Neurosteroid modulation of GABAA receptors, Progress in neurobiology, 71 (2003) 67-80.
- [33] D. Belelli, A. Casula, A. Ling, J.J. Lambert, The influence of subunit composition on the interaction of neurosteroids with GABAA receptors, Neuropharmacology, 43 (2002) 651-661.
- [34] D. Belelli, J.J. Lambert, Neurosteroids: endogenous regulators of the GABAA receptor, Nature Reviews Neuroscience, 6 (2005) 565-575.
- [35] T. Crowley, J.F. Cryan, E.J. Downer, O.F. O'Leary, Inhibiting neuroinflammation: The role and therapeutic potential of GABA in neuro-immune interactions, Brain, behavior, and immunity, 54 (2016) 260-277.
- [36] A. Stangherlin, J.L. Watson, D.C.S. Wong, S. Barbiero, A. Zeng, E. Seinkmane, S.P. Chew, A.D. Beale, E.A. Hayter, A. Guna, A.J. Inglis, M. Putker, E. Bartolami, S. Matile, N. Lequeux, T. Pons, J. Day, G. van Ooijen, R.M. Voorhees, D.A. Bechtold, E. Derivery, R.S. Edgar, P. Newham, J.S. O'Neill, Compensatory ion transport buffers daily protein rhythms to regulate osmotic balance and cellular physiology, Nat Commun, 12 (2021) 6035.
- [37] J.C. Lewis, P.R. Burton, Ultrastructural studies of the superior cervical trunk of the mouse: Distribution, cytochemistry and stability of fibrous elements in preganglionic fibers, Journal of Comparative Neurology, 171 (1977) 605-618.
- [38] V. Donadio, R. Liguori, Microneurographic recording from unmyelinated nerve fibers in neurological disorders: An update, Clinical Neurophysiology, 126 (2015) 437-445.

- [39] J. Serra, M. Campero, J. Ochoa, H. Bostock, Activity-dependent slowing of conduction differentiates functional subtypes of C fibres innervating human skin, The Journal of physiology, 515 ( Pt 3) (1999) 799-811.
- [40] R. De Col, K. Messlinger, R.W. Carr, Conduction velocity is regulated by sodium channel inactivation in unmyelinated axons innervating the rat cranial meninges, The Journal of physiology, 586 (2008) 1089-1103.
- [41] H.Y. Zhang, K.T. Sillar, Short-term memory of motor network performance via activity-dependent potentiation of Na+/K+ pump function, Current biology: CB, 22 (2012) 526-531.
- [42] M. Dobretsov, J.R. Stimers, Neuronal function and alpha3 isoform of the Na/K-ATPase, Front Biosci, 10 (2005) 2373-2396.
- [43] J.A. Perge, J.E. Niven, E. Mugnaini, V. Balasubramanian, P. Sterling, Why Do Axons Differ in Caliber?, The Journal of Neuroscience, 32 (2012) 626-638.
- [44] W. Janig, The Integrative Action of the Autonomic Nervous System, Cambridge University Press2006.
- [45] M.L. McKinnon, K. Tian, Y. Li, A.J. Sokoloff, M.L. Galvin, M.H. Choi, A. Prinz, S. Hochman, Dramatically Amplified Thoracic Sympathetic Postganglionic Excitability and Integrative Capacity Revealed with Whole-Cell Patch-Clamp Recordings, eNeuro, 6 (2019) ENEURO.0433-0418.2019.
- [46] A. Furlan, G. La Manno, M. Lubke, M. Haring, H. Abdo, H. Hochgerner, J. Kupari, D. Usoskin, M.S. Airaksinen, G. Oliver, S. Linnarsson, P. Ernfors, Visceral motor neuron diversity delineates a cellular basis for nipple- and pilo-erection muscle control, Nature neuroscience, 19 (2016) 1331-1340.
- [47] J.A. Blum, S. Klemm, J.L. Shadrach, K.A. Guttenplan, L. Nakayama, A. Kathiria, P.T. Hoang, O. Gautier, J.A. Kaltschmidt, W.J. Greenleaf, A.D. Gitler, Single-cell transcriptomic analysis of the adult mouse spinal cord reveals molecular diversity of autonomic and skeletal motor neurons, Nature neuroscience, DOI 10.1038/s41593-020-00795-0(2021).
- [48] M. Halder, M.L. McKinnon, Y. Li, P. Wenner, S. Hochman, Isolation and Electrophysiology of Murine Sympathetic Postganglionic Neurons in the Thoracic Paravertebral Ganglia, Bio-protocol, 11 (2021) e4189.
- [49] R.A. Levy, Presynaptic control of input to the central nervous system Canadian Journal of Physiology and Pharmacology, 58 (1980) 751-766.
- [50] A. Francois, N. Schuetter, S. Laffray, J. Sanguesa, A. Pizzoccaro, S. Dubel, A. Mantilleri, J. Nargeot, J. Noel, J.N. Wood, A. Moqrich, O. Pongs, E. Bourinet, The Low-Threshold Calcium Channel Cav3.2 Determines Low-Threshold Mechanoreceptor Function, Cell reports, DOI 10.1016/j.celrep.2014.12.042(2015).
- [51] H. Bostock, R.M. Sherratt, T.A. Sears, Overcoming conduction failure in demyelinated nerve fibres by prolonging action potentials, Nature, 274 (1978) 385-387.
- [52] M. Westerfield, R.W. Joyner, J.W. Moore, Temperature-sensitive conduction failure at axon branch points, Journal of neurophysiology, 41 (1978) 1-8.
- [53] H. Swadlow, J. Kocsis, S. Waxman, Modulation of Impulse Conduction Along the Axonal Tree, Annual Review of Biophysics and Bioengineering, 9 (1980) 143-179.
- [54] D.H. Barron, B.H.C. Matthews, Intermittent conduction in the spinal cord, The Journal of physiology, 85 (1935) 73-103.
- [55] D. Debanne, E. Campanac, A. Bialowas, E. Carlier, G. Alcaraz, Axon physiology, Physiological reviews, 91 (2011) 555-602.
- [56] M. Renganathan, T.R. Cummins, S.G. Waxman, Nitric oxide blocks fast, slow, and persistent Na+ channels in C-type DRG neurons by S-nitrosylation, Journal of neurophysiology, 87 (2002) 761-775.
- [57] S. Rama, M. Zbili, D. Debanne, Signal propagation along the axon, Current opinion in neurobiology, 51 (2018) 37-44.

- [58] O. Obreja, M. Ringkamp, B. Namer, E. Forsch, A. Klusch, R. Rukwied, M. Petersen, M. Schmelz, Patterns of activity-dependent conduction velocity changes differentiate classes of unmyelinated mechano-insensitive afferents including cold nociceptors, in pig and in human, Pain., 148 (2010) 59-69. doi: 10.1016/j.pain.2009.1010.1006. Epub 2009 Nov 1013.
- [59] D.G. Gonsalvez, I.A. Kerman, R.M. McAllen, C.R. Anderson, Chemical coding for cardiovascular sympathetic preganglionic neurons in rats, The Journal of neuroscience: the official journal of the Society for Neuroscience, 30 (2010) 11781-11791.
- [60] R.M. McAllen, A.M. Allen, B.O. Bratton, A neglected 'accessory' vasomotor pathway: implications for blood pressure control, Clinical and experimental pharmacology & physiology, 32 (2005) 473-477.
- [61] L.D. Picton, H. Zhang, K.T. Sillar, Sodium pump regulation of locomotor control circuits, Journal of neurophysiology, 118 (2017) 1070-1081.
- [62] Y. Li, K. Hari, A.M. Lucas-Osma, K.K. Fenrich, D.J. Bennett, I. Hammar, E. Jankowska, Branching points of primary afferent fibers are vital for the modulation of fiber excitability by epidural DC polarization and by GABA in the rat spinal cord, Journal of neurophysiology, 124 (2020) 49-62.
- [63] Z. Farkas, P. Kása, V.J. Balcar, F. Joó, J.R. Wolff, Type A and B gaba receptors mediate inhibition of acetylcholine release from cholinergic nerve terminals in the superior cervical ganglion of rat, Neurochemistry international, 8 (1986) 565-572.
- [64] P. Kása, E. Dobó, J.R. Wolff, GABAergic Action on Cholinergic Axon Terminals in the Superior Cervical Ganglion, Springer Berlin Heidelberg, Berlin, Heidelberg, 1992, pp. 83-93.
- [65] N.G. BOWERY, D.A. BROWN, DEPOLARIZING ACTIONS OF γ-AMINOBUTYRIC ACID AND RELATED COMPOUNDS ON RAT SUPERIOR CERVICAL GANGLIA IN VITRO, British journal of pharmacology, 50 (1974) 205-218.
- [66] W.C. DE GROAT, The actions of γ-Aminobtjtyric acid and related amino acids on mammalian autonomic ganglia, Journal of Pharmacology and Experimental Therapeutics, 172 (1970) 384-396.
- [67] P.R. Adams, D.A. Brown, Action of -aminobutyric acid (GABA) on rat sympathetic ganglion cells, British journal of pharmacology, 47 (1973) 639P-640P.
- [68] M. Galvan, P. Grafe, G. ten Bruggencate, Presynaptic actions of 4-Aminopyridine and γ-aminobutyric acid on rat sympathetic ganglia in vitro, Naunyn-Schmiedeberg's archives of pharmacology, 314 (1980) 141-147.
- [69] N. Bowery, D. Hill, GABA mechanisms in autonomic ganglia, GABAergic mechanisms in the mammalian periphery, Raven Press New York1986, pp. 135-152.
- [70] L. Wang, E. Spary, J. Deuchars, S.A. Deuchars, Tonic GABAergic Inhibition of Sympathetic Preganglionic Neurons: A Novel Substrate for Sympathetic Control, The Journal of Neuroscience, 28 (2008) 12445-12452.
- [71] M.R. McCartney, T.Z. Deeb, T.N. Henderson, T.G. Hales, Tonically Active GABA<sub&gt;A&lt;/sub&gt; Receptors in Hippocampal Pyramidal Neurons Exhibit Constitutive GABA-Independent Gating, Molecular pharmacology, 71 (2007) 539.
- [72] N. O'Neill, S. Sylantyev, The Functional Role of Spontaneously Opening GABAA Receptors in Neural Transmission, Frontiers in molecular neuroscience, 12 (2019).
- [73] T.J. Price, F. Cervero, M.S. Gold, D.L. Hammond, S.A. Prescott, Chloride regulation in the pain pathway, Brain research reviews, 60 (2009) 149-170.
- [74] B.L. Tang, The Expanding Therapeutic Potential of Neuronal KCC2, Cells, 9 (2020).
- [75] E. Delpire, Advances in the development of novel compounds targeting cation-chloride cotransporter physiology, American Journal of Physiology-Cell Physiology, 320 (2020) C324-C340.
- [76] E. Delpire, E. Days, L.M. Lewis, D. Mi, K. Kim, C.W. Lindsley, C.D. Weaver, Small-molecule screen identifies inhibitors of the neuronal K-Cl cotransporter KCC2, Proceedings of the National Academy of Sciences of the United States of America, 106 (2009) 5383-5388.

- [77] Y. Wang, Y. Wang, Z. Chen, Double-edged GABAergic synaptic transmission in seizures: The importance of chloride plasticity, Brain research, 1701 (2018) 126-136.
- [78] J.A. Coull, S. Beggs, D. Boudreau, D. Boivin, M. Tsuda, K. Inoue, C. Gravel, M.W. Salter, Y. De Koninck, BDNF from microglia causes the shift in neuronal anion gradient underlying neuropathic pain, Nature, 438 (2005) 1017-1021.
- [79] P. Boulenguez, S. Liabeuf, R. Bos, H. Bras, C. Jean-Xavier, C. Brocard, A. Stil, P. Darbon, D. Cattaert, E. Delpire, M. Marsala, L. Vinay, Down-regulation of the potassium-chloride cotransporter KCC2 contributes to spasticity after spinal cord injury, Nature medicine, 16 (2010) 302-307.
- [80] F. Ferrini, Y. De Koninck, Microglia control neuronal network excitability via BDNF signalling, Neural Plast, 2013 (2013) 429815.
- [81] N.J. Klett, C.N. Allen, Intracellular Chloride Regulation in AVP+ and VIP+ Neurons of the Suprachiasmatic Nucleus, Scientific reports, 7 (2017) 10226.
- [82] F. Baschieri, P. Cortelli, Circadian rhythms of cardiovascular autonomic function: Physiology and clinical implications in neurodegenerative diseases, Autonomic Neuroscience, 217 (2019) 91-101.
- [83] C.E. Hulsebosch, B.C. Hains, E.D. Crown, S.M. Carlton, Mechanisms of chronic central neuropathic pain after spinal cord injury, Brain research reviews, 60 (2009) 202-213.
- [84] O.J. Hulme, T. Morville, B. Gutkin, Neurocomputational theories of homeostatic control, Physics of Life Reviews, 31 (2019) 214-232.
- [85] C.W. Berridge, B.D. Waterhouse, The locus coeruleus-noradrenergic system: modulation of behavioral state and state-dependent cognitive processes, Brain research. Brain research reviews, 42 (2003) 33-84.
- [86] B.L. Jacobs, C.A. Fornal, 5-HT and motor control: a hypothesis, Trends in neurosciences, 16 (1993) 346-352.
- [87] S.A. Deuchars, V.K. Lall, Sympathetic preganglionic neurons: properties and inputs, Comprehensive Physiology, 5 (2015) 829-869.
- [88] Z.Y. Ong, G.P. McNally, CART in energy balance and drug addiction: Current insights and mechanisms, Brain research, 1740 (2020) 146852.
- [89] F. Reichmann, P.J.N. Holzer, Neuropeptide Y: a stressful review, 55 (2016) 99-109.
- [90] S.L. Erdö, Peripheral GABAergic mechanisms, Trends in pharmacological sciences, 6 (1985) 205-208.
- [91] S.P.H. Alexander, A. Mathie, J.A. Peters, E.L. Veale, J. Striessnig, E. Kelly, J.F. Armstrong, E. Faccenda, S.D. Harding, A.J. Pawson, J.L. Sharman, C. Southan, J.A. Davies, C. Collaborators, THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Ion channels, British journal of pharmacology, 176 (2019) S142-S228.
- [92] D. Eser, F. Di Michele, P. Zwanzger, A. Pasini, T.C. Baghai, C. Schüle, R. Rupprecht, E. Romeo, Panic Induction with Cholecystokinin-Tetrapeptide (CCK-4) Increases Plasma Concentrations of the Neuroactive Steroid 3  $\alpha$ , 5  $\alpha$  Tetrahydrodeoxycorticosterone (3  $\alpha$ , 5  $\alpha$ -THDOC) in Healthy Volunteers, Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology, 30 (2005) 192-195.
- [93] S.G. Waxman, Conduction in Myelinated, Unmyelinated, and Demyelinated Fibers, Archives of neurology, 34 (1977) 585-589.
- [94] J.J. Struijk, J. Holsheimer, G.G. van der Heide, H.B. Boom, Recruitment of dorsal column fibers in spinal cord stimulation: influence of collateral branching, IEEE transactions on biomedical engineering, 39 (1992) 903-912.
- [95] J.E. Jacob, A. Pniak, L.C. Weaver, A. Brown, Autonomic dysreflexia in a mouse model of spinal cord injury, Neuroscience, 108 (2001) 687-693.
- [96] J. Jacob, P. Gris, M. Fehlings, L. Weaver, A. Brown, Autonomic dysreflexia after spinal cord transection or compression in 129Sv, C57BL, and Wallerian degeneration slow mutant mice, Experimental neurology, 183 (2003) 136-146.

- [97] I.A. Ruiz, J.W. Squair, A.A. Phillips, C.D. Lukac, D. Huang, P. Oxciano, D. Yan, A.V. Krassioukov, Incidence and natural progression of neurogenic shock after traumatic spinal cord injury, Journal of neurotrauma, 35 (2018) 461-466.
- [98] A. Krassioukov, Autonomic function following cervical spinal cord injury, Respiratory physiology & neurobiology, 169 (2009) 157-164.
- [99] J.F. Ditunno, J.W. Little, A. Tessler, A.S. Burns, Spinal shock revisited: a four-phase model, Spinal Cord., 42 (2004) 383-395.
- [100] X. Sun, Z.B. Jones, X.-m. Chen, L. Zhou, K.-F. So, Y. Ren, Multiple organ dysfunction and systemic inflammation after spinal cord injury: a complex relationship, Journal of neuroinflammation, 13 (2016) 260.
- [101] D. Gris, E.F. Hamilton, L.C. Weaver, The systemic inflammatory response after spinal cord injury damages lungs and kidneys, Experimental neurology, 211 (2008) 259-270.
- [102] R.J. Dumont, D.O. Okonkwo, S. Verma, R.J. Hurlbert, P.T. Boulos, D.B. Ellegala, A.S. Dumont, Acute Spinal Cord Injury, Part I: Pathophysiologic Mechanisms, 24 (2001) 254-264.
- [103] S. Hou, A.G. Rabchevsky, Autonomic consequences of spinal cord injury, Comprehensive Physiology, 4 (2014) 1419-1453.
- [104] J.M. Wecht, M.F. La Fountaine, J.P. Handrakis, C.R. West, A. Phillips, D.S. Ditor, H. Sharif, W.A. Bauman, A.V. Krassioukov, Autonomic nervous system dysfunction following spinal cord injury: cardiovascular, cerebrovascular, and thermoregulatory effects, Current Physical Medicine and Rehabilitation Reports, 3 (2015) 197-205.
- [105] C.J. Gordon, Thermal physiology of laboratory mice: Defining thermoneutrality, J Therm Biol, 37 (2012) 654-685.
- [106] K.B. Laupland, Fever in the critically ill medical patient, Critical care medicine, 37 (2009) S273-S278.
- [107] K.E. Griggs, C.A. Leicht, M.J. Price, V.L. Goosey-Tolfrey, Thermoregulation During Intermittent Exercise in Athletes With a Spinal-Cord Injury, International Journal of Sports Physiology and Performance, 10 (2015) 469-475.
- [108] E.A. Wehrwein, H.S. Orer, S.M. Barman, Overview of the Anatomy, Physiology, and Pharmacology of the Autonomic Nervous System, Comprehensive Physiology, DOI doi:10.1002/cphy.c150037
- 10.1002/cphv.c150037(2016).
- [109] W. Janig, R. Krauspe, G. Wiedersatz, Transmission of impulses from pre- to postganglionic vasoconstrictor and sudomotor neurons, Journal of the autonomic nervous system, 6 (1982) 95-106.
- [110] P.D. Wall, D.L. Bennett, Postsynaptic effects of long-range afferents in distant segments caudal to their entry point in rat spinal cord under the influence of picrotoxin or strychnine, Journal of neurophysiology, 72 (1994) 2703-2713.
- [111] L.D. Picton, F. Nascimento, M.J. Broadhead, K.T. Sillar, G.B. Miles, Sodium Pumps Mediate Activity-Dependent Changes in Mammalian Motor Networks, The Journal of neuroscience: the official journal of the Society for Neuroscience, 37 (2017) 906-921.
- [112] M. Hines, Efficient computation of branched nerve equations, International journal of biomedical computing, 15 (1984) 69-76.
- [113] B. Hille, Ion Channels of Excitable Membranes. , Third Edition. . ed., UNIVERSITY OF WASHINGTON. SINAUER ASSOCIATES, INC.2001.
- [114] K. Hari, A.M. Lucas-Osma, K. Metz, S. Lin, N. Pardell, D. Roszko, S. Black, A. Minarik, R. Singla, M.J. Stephens, K. Fouad, K.E. Jones, M.A. Gorassini, K.K. Fenrich, Y. Li, D.J. Bennett, Nodal GABA facilitates axon spike transmission in the spinal cord, bioRxiv, DOI 10.1101/2021.01.20.427494(2021) 2021.2001.2020.427494.
- [115] V. Duhan, N. Joshi, P. Nagarajan, P. Upadhyay, Protocol for long duration whole body hyperthermia in mice, JoVE (Journal of Visualized Experiments), DOI (2012) e3801.

- [116] S.P. Alexander, W.A. Catterall, E. Kelly, N. Marrion, J.A. Peters, H.E. Benson, E. Faccenda, A.J. Pawson, J.L. Sharman, C. Southan, J.A. Davies, C. Collaborators, The Concise Guide to PHARMACOLOGY 2015/16: Voltage-gated ion channels, British journal of pharmacology, 172 (2015) 5904-5941.
- [117] E. Delpire, A. Baranczak, A.G. Waterson, K. Kim, N. Kett, R.D. Morrison, J. Scott Daniels, C. David Weaver, C.W. Lindsley, Further optimization of the K-Cl cotransporter KCC2 antagonist ML077: Development of a highly selective and more potent in vitro probe, Bioorganic & medicinal chemistry letters, 22 (2012) 4532-4535.
- [118] M.E. Llewellyn, K.R. Thompson, K. Deisseroth, S.L. Delp, Orderly recruitment of motor units under optical control in vivo, Nature medicine, 16 (2010) 1161-1165.
- [119] R.A. North, Mechanisms of Autonomic Integration., in: F.E. Bloom (Ed.) Handbook of Physiology, The Nervous System, Intrinsic Regulatory Systems of the Brain, Oxford University Press1986, pp. 115-153.
- [120] J.B. Hursh, Conduction velocity and diameter of nerve fibers, American Journal of Physiology, 127 (1939) 131-139.
- [121] A.A. Prinz, Computational exploration of neuron and neural network models in neurobiology, Methods in molecular biology (Clifton, N.J.), 401 (2007) 167-179.