

**High Performance Computing  
Assignment #4  
Yuan-Xun Bao  
yxb201@nyu.edu    N13392943**

**1. Part (a)**



**(a)** Original image, size: 1280×720



**(b)** Output image after 1 iteration of blurring

**Figure 1:** run repeatedly 100 times, 16×16 workitems

As a result of increasing the number of workitems, the performance on GPU decreases but the increases on CPU.

GPU/CPU model	Total time (s)	MPixels/s	GBits/s	GFlops/s
Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz	0.172978	5.327835	0.170491	1.037467
GeForce GTX TITAN Black	0.001586	581.255344	18.600171	113.185453
AMD Cypress	0.004423	208.345356	6.667051	40.570231
NVIDIA Tesla T10	0.006643	138.730690	4.439382	27.014454

**Table 1:** Run repeatedly 100 times, 16×16 workitems


GPU/CPU model	Total time (s)	MPixels/s	GBits/s	GFlops/s
Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz	0.029974	30.746817	0.983898	5.987200
GeForce GTX TITAN Black	0.002282	403.932833	12.925851	78.656173

**Table 2:** Run repeatedly 100 times, 32×32 workitems


## 2. Part (b)



**(a)** Output image after blurring recursively 100 times



**(b)** Output image after blurring recursively 200 times



**(c)** Output image after blurring recursively 300 times

**Figure 2:** run iterative 100, 200, 300 times,  $16 \times 16$  workitems