Pool IV: No Historical Violation

Instrument	First-stage F	Any failure	Restatement	Violation
All matches: Successor year				
Pool rate	F=123.70	0.031 (0.045)	-0.018 (0.026)	0.021 (0.037)
Mean caseload	F=12.87	-0.166* (0.088)	-0.119** (0.053)	-0.092 (0.075)
Caseload at most 1 share	F=2.60	-0.712 (0.548)	-0.478 (0.339)	-0.400 (0.355)
All matches: Successor tenure				
Pool rate	F=123.70	0.014 (0.042)	-0.033 (0.031)	0.022 (0.033)
Mean caseload	F=12.87	-0.060 (0.110)	-0.035 (0.064)	-0.013 (0.101)
Caseload at most 1 share	F=2.60	-0.580 (0.515)	-0.453 (0.350)	-0.217 (0.321)
Predecessor A1 exactly five years: Successor year				
Pool rate	F=20.75	-0.021 (0.137)	-0.106 (0.114)	-0.061 (0.086)
Mean caseload	F=5.53	-0.413 (0.355)	-0.223 (0.224)	-0.317 (0.309)
Caseload at most 1 share	F=3.98	-0.598 (0.373)	-0.072 (0.139)	-0.538 (0.345)
Predecessor A1 exactly five years: Successor tenure				
Pool rate	F=20.75	-0.063 (0.164)	-0.111 (0.119)	-0.076 (0.106)
Mean caseload	F=5.53	-0.299 (0.322)	-0.143 (0.203)	-0.265 (0.294)
Caseload at most 1 share	F=3.98	-0.540 (0.336)	-0.088 (0.124)	-0.475 (0.302)

Notes: Destination audit-firm and assignment-year fixed effects; financial controls included. Standard errors clustered by destination audit firm. All matches retain observed years; five-year predecessor sample starts in 2004. Each outcome cell reports the 2SLS coefficient and its clustered standard error.