Pool IV: 985 University

Instrument	First-stage F	Any failure	Restatement	Violation
All matches: Successor year				
		-0.037	-0.035	-0.049
Pool rate	F=19.16	(0.117)	(0.058)	(0.099)
		-0.066	0.062	-0.540
Mean caseload	F=0.65	(0.824)	(0.450)	(0.842)
		0.085	-0.316	0.435
Caseload at most 1 share	F=0.80	(0.614)	(0.522)	(0.790)
All matches: Successor tenure				
		-0.072	-0.039	-0.093
Pool rate	F=19.16	(0.125)	(0.073)	(0.109)
		-0.269	-0.050	-0.597
Mean caseload	F=0.65	(0.923)	(0.570)	(0.918)
		0.583	-0.111	0.718
Caseload at most 1 share	F=0.80	(1.003)	(0.511)	(1.176)
Predecessor A1 exactly five years: Successor year				
		-0.164	0.185	-0.128
Pool rate	F=6.82	(0.325)	(0.260)	(0.234)
		-2.461	-1.860	-2.831
Mean caseload	F=0.10	(8.952)	(6.312)	(10.147)
		0.967	0.178	0.819
Caseload at most 1 share	F=1.10	(1.121)	(0.514)	(0.969)
Predecessor A1 exactly five years: Successor tenure				
		0.058	0.233	0.091
Pool rate	F=6.82	(0.415)	(0.307)	(0.311)
		-4.381	-1.859	-3.328
Mean caseload	F=0.10	(14.872)	(6.645)	(11.283)
		1.490	0.256	0.834
Caseload at most 1 share	F=1.10	(1.517)	(0.539)	(1.038)

Notes: Destination audit-firm and assignment-year fixed effects; financial controls included. Standard errors clustered by destination audit firm. All matches retain observed years; five-year predecessor sample starts in 2004. Each outcome cell reports the 2SLS coefficient and its clustered standard error.