Pool IV: Master Degree+

Instrument	First-stage F	Any failure	Restatement	Violation
All matches: Successor year				
		-0.036	0.043	-0.058
Pool rate	F=28.40	(0.066)	(0.035)	(0.056)
		-0.068	-0.479	-0.130
Mean caseload	F=0.17	(1.168)	(1.231)	(1.084)
		-1.039	0.742	-1.408
Caseload at most 1 share	F=0.19	(2.464)	(2.072)	(3.164)
All matches: Successor tenure				
		-0.043	0.021	-0.059
Pool rate	F=28.40	(0.072)	(0.044)	(0.064)
		0.238	0.299	-0.290
Mean caseload	F=0.17	(1.607)	(1.109)	(1.101)
		-1.916	-0.407	-1.337
Caseload at most 1 share	F=0.19	(4.255)	(1.497)	(2.977)
Predecessor A1 exactly five years: Successor year				
		-0.215	-0.054	-0.196
Pool rate	F=2.38	(0.449)	(0.289)	(0.391)
		-1.068	-1.268	0.075
Mean caseload	F=0.68	(1.709)	(1.859)	(0.889)
		0.688	0.644	-0.239
Caseload at most 1 share	F=2.14	(0.708)	(0.637)	(0.406)
Predecessor A1 exactly five years: Successor tenure				
		-0.055	-0.030	-0.085
Pool rate	F=2.38	(0.470)	(0.349)	(0.400)
		-1.052	-1.511	-0.014
Mean caseload	F=0.68	(2.115)	(2.295)	(0.774)
		0.519	0.569	-0.243
Caseload at most 1 share	F=2.14	(0.758)	(0.698)	(0.516)

Notes: Destination audit-firm and assignment-year fixed effects; financial controls included. Standard errors clustered by destination audit firm. All matches retain observed years; five-year predecessor sample starts in 2004. Each outcome cell reports the 2SLS coefficient and its clustered standard error.