Pool IV: No Historical Any Failure

Instrument	First-stage F	Any failure	Restatement	Violation
All matches: Successor year				
		0.009	-0.023	0.010
Pool rate	F=127.00	(0.040)	(0.026)	(0.032)
		-0.283*	-0.213*	-0.131
Mean caseload	F=5.76	(0.153)	(0.121)	(0.094)
		-1.133	-0.691	-0.551
Caseload at most 1 share	F=1.16	(1.175)	(0.707)	(0.628)
All matches: Successor tenure				
		0.022	-0.022	0.029
Pool rate	F=127.00	(0.039)	(0.031)	(0.030)
		-0.147	-0.101	-0.032
Mean caseload	F=5.76	(0.160)	(0.107)	(0.131)
		-0.989	-0.642	-0.328
Caseload at most 1 share	F=1.16	(1.077)	(0.665)	(0.522)
Predecessor A1 exactly five years: Successor year				
		-0.056	-0.069	-0.083
Pool rate	F=21.27	(0.095)	(0.084)	(0.063)
		-0.574	-0.303	-0.471
Mean caseload	F=3.03	(0.543)	(0.336)	(0.468)
		-0.789	-0.086	-0.704
Caseload at most 1 share	F=2.98	(0.535)	(0.166)	(0.483)
Predecessor A1 exactly five years: Successor tenure				
		-0.083	-0.075	-0.086
Pool rate	F=21.27	(0.119)	(0.087)	(0.083)
		-0.414	-0.199	-0.401
Mean caseload	F=3.03	(0.471)	(0.290)	(0.440)
		-0.754	-0.108	-0.683
Caseload at most 1 share	F=2.98	(0.503)	(0.155)	(0.458)

Notes: Destination audit-firm and assignment-year fixed effects; financial controls included. Standard errors clustered by destination audit firm. All matches retain observed years; five-year predecessor sample starts in 2004. Each outcome cell reports the 2SLS coefficient and its clustered standard error.