Online Primal-Dual Algorithms for Maximizing Ad-Auctions Revenue

Shi Weijie

September 24, 2013



Model

Algorithm

Analyze



n buyers (users), m items provided by the provider

- n buyers (users), m items provided by the provider
- ▶ items arrive one-by-one

- n buyers (users), m items provided by the provider
- ▶ items arrive one-by-one
- buyer i bid for item j at price b(i,j)

- n buyers (users), m items provided by the provider
- ▶ items arrive one-by-one
- buyer i bid for item j at price b(i,j)
- provider decides which buyer wins item j

- n buyers (users), m items provided by the provider
- ▶ items arrive one-by-one
- buyer i bid for item j at price b(i,j)
- provider decides which buyer wins item j
- provider's goal: Maximize revenue

2 users, 5 items

- ▶ 2 users, 5 items
- ► Round 1: b(1,1) = \$5, b(2,1) = \$3

- ▶ 2 users, 5 items
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3

- ▶ 2 users, 5 items
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ► Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1

- ▶ 2 users, 5 items
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ► Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1

- ▶ 2 users, 5 items
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ► Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1

- ▶ 2 users, 5 items
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ► Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1
- ► Result: Revenue = \$20

User Budget

• User i has a total budget B(i)

User Budget

- ▶ User i has a total budget B(i)
- provider cannot charge more than his budget

• 2 users, 5 items, B(1) = \$10, B(2) = \$10

- \triangleright 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ► Round 1: b(1,1) = \$5, b(2,1) = \$3

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ► Round 2: b(1,2) = \$4, b(2,2) = \$3

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ► Round 3: b(1,3) = \$4, b(2,3) = \$1

- 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ► Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ► Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1
- "Greedy" strategy: \$12

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ▶ Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1
- "Greedy" strategy: \$12
- ▶ Best offline strategy: \$16 (User 1 wins item 3 & 4 & 5)

- ▶ 2 users, 5 items, B(1) = \$10, B(2) = \$10
- ► Round 1: b(1,1) = \$5, b(2,1) = \$3
- ▶ Round 2: b(1,2) = \$4, b(2,2) = \$3
- ▶ Round 3: b(1,3) = \$4, b(2,3) = \$1
- ▶ Round 4: b(1,4) = \$4, b(2,4) = \$1
- ▶ Round 5: b(1,5) = \$3, b(2,5) = \$1
- "Greedy" strategy: \$12
- ▶ Best offline strategy: \$16 (User 1 wins item 3 & 4 & 5)
- "Clever" strategy: \$14 (User 1 wins item 1 & 3 & 5)



Difficulties

▶ No online algorithm can guarantee optimal result

Difficulties

- ▶ No online algorithm can guarantee optimal result
- Objective: a good competitive ratio

Difficulties

- ▶ No online algorithm can guarantee optimal result
- Objective: a good competitive ratio
- ▶ NP-hard, even with future information (offline problem)

▶ We hope each user has a large budget B(i), compared with his bid b(i,j)

- ▶ We hope each user has a large budget B(i), compared with his bid b(i,j)
- ► Then each decision only has a small impact on the final revenue

- ▶ We hope each user has a large budget B(i), compared with his bid b(i,j)
- ► Then each decision only has a small impact on the final revenue
- ▶ Define: $R = \max_{i,j} \{b(i,j)/B(i)\}$

► The user with more remaining budget should have higher priority

- The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait

- The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount

- ► The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget

- The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget
- ▶ Define "Budget Index" x(i)

- ► The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget
- ▶ Define "Budget Index" x(i)
- At the beginning x(i) = 0

- ► The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget
- ▶ Define "Budget Index" x(i)
- At the beginning x(i) = 0
- \triangleright x(i) increases as remaining budget decreases

- ► The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget
- ▶ Define "Budget Index" x(i)
- ▶ At the beginning x(i) = 0
- \triangleright x(i) increases as remaining budget decreases
- ▶ Budget used up, then x(i) = 1



- ► The user with more remaining budget should have higher priority
- ▶ For the user with less remaining budget, maybe we should wait
- Reduce the original bid by some amount
- This "amount" depends on the remaining budget
- ▶ Define "Budget Index" x(i)
- ▶ At the beginning x(i) = 0
- \triangleright x(i) increases as remaining budget decreases
- ▶ Budget used up, then x(i) = 1
- "Adjusted Bid": (1 x(i))b(i,j)



Online Algorithm

Allocation Algorithm: Initially $\forall i \ x(i) \leftarrow 0$.

Upon arrival of a new product j allocate the product to the buyer i that maximizes b(i,j)(1-x(i)). If $x(i) \ge 1$ then do nothing. Otherwise:

- 1. Charge the buyer the minimum between b(i,j) and its remaining budget and set $y(i,j) \leftarrow 1$
- 2. $z(j) \leftarrow b(i, j)(1 x(i))$
- 3. $x(i) \leftarrow x(i) \left(1 + \frac{b(i,j)}{B(i)}\right) + \frac{b(i,j)}{(c-1) \cdot B(i)}$ (c is determined later). $\left(x(i) \leftarrow x(i) + \Delta\right)$

Fractional Dual and Primal

Dual (Packing)		Primal (Covering)	
Maximize:	$\sum_{i=1}^{m} \sum_{i=1}^{n} b(i,j)y(i,j)$	Minimize:	$\sum_{i=1}^{n} B(i)x(i) + \sum_{i=1}^{m} z(j)$
Subject to:		Subject to:	
For each $1 \le j \le m$:	$\sum_{i=1}^{n} y(i,j) \le 1$	For each (i, j) :	$b(i,j)x(i) + z(j) \ge b(i,j)$
For each $1 \le i \le n$:	$\sum_{i=1}^{m} b(i,j)y(i,j) \le B(i)$	For each i, j :	$x(i), z(j) \ge 0$
For each i, j :	$\overline{y(i,j)} \ge 0$		

• We hope this algorithm can be (1-1/c)-competitive

- We hope this algorithm can be (1-1/c)-competitive
- ▶ Note: competitive ratio less than 1

- We hope this algorithm can be (1-1/c)-competitive
- ▶ Note: competitive ratio less than 1
- ▶ Find the maximal c

- We hope this algorithm can be (1-1/c)-competitive
- Note: competitive ratio less than 1
- Find the maximal c
- 1. The primal is satisfied

- We hope this algorithm can be (1-1/c)-competitive
- Note: competitive ratio less than 1
- Find the maximal c
- 1. The primal is satisfied
- ▶ 2. The ratio between the primal and the dual

- We hope this algorithm can be (1-1/c)-competitive
- Note: competitive ratio less than 1
- Find the maximal c
- ▶ 1. The primal is satisfied
- 2. The ratio between the primal and the dual
- 3. The dual is satisfied?

The Primal is always satisfied

- ► The Primal is always satisfied
- ▶ The constraint is: $b(i,j)x(i) + z(j) \ge b(i,j)$

- ► The Primal is always satisfied
- ▶ The constraint is: $b(i,j)x(i) + z(j) \ge b(i,j)$
- Equivalent: $z(j) \ge b(i,j)(1-x(i))$

- ▶ The Primal is always satisfied
- ▶ The constraint is: $b(i,j)x(i) + z(j) \ge b(i,j)$
- Equivalent: $z(j) \ge b(i,j)(1-x(i))$
- Greedy choice: $\max_i \{b(i,j)(1-x(i))\}$

▶ Denote the dual's objective function by *D*, the primal's by *P*

- ▶ Denote the dual's objective function by *D*, the primal's by *P*
- ▶ $D/P \ge 1 1/c \Rightarrow$ competitive ratio

- ▶ Denote the dual's objective function by *D*, the primal's by *P*
- ▶ $D/P \ge 1 1/c \Rightarrow$ competitive ratio
- ▶ In each round

$$\frac{\Delta D}{\Delta P} \ge 1 - 1/c \quad \Rightarrow \quad \frac{D}{P} \ge 1 - 1/c$$

- ▶ Denote the dual's objective function by *D*, the primal's by *P*
- ▶ $D/P \ge 1 1/c \Rightarrow$ competitive ratio
- ▶ In each round

$$\frac{\Delta D}{\Delta P} \ge 1 - 1/c \quad \Rightarrow \quad \frac{D}{P} \ge 1 - 1/c$$

If we can prove

$$B(i)\Delta + z(j) \le (1 + \frac{1}{c-1})b(i,j)$$

- ▶ Denote the dual's objective function by *D*, the primal's by *P*
- ▶ $D/P \ge 1 1/c \Rightarrow$ competitive ratio
- ▶ In each round

$$\frac{\Delta D}{\Delta P} \ge 1 - 1/c \quad \Rightarrow \quad \frac{D}{P} \ge 1 - 1/c$$

▶ If we can prove

$$B(i)\Delta + z(j) \le \left(1 + \frac{1}{c-1}\right)b(i,j)$$

So

$$\Delta \leq (x(i) + \frac{1}{c-1}) \cdot \frac{b(i,j)}{B(i)}$$



▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$

- Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$

- ▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- ▶ But this cannot guarantee that the dual is not violated! (Constraint 2)

- Suppose we have this property: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- ▶ But this cannot guarantee that the dual is not violated! (Constraint 2)
- Consider the final item

- ▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated!
 (Constraint 2)
- Consider the final item
- Before the final item, the budget is not used up

- ▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated!
 (Constraint 2)
- Consider the final item
- Before the final item, the budget is not used up
- Add this item, the total price may exceed the budget

- Suppose we have this property: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated! (Constraint 2)
- Consider the final item
- Before the final item, the budget is not used up
- Add this item, the total price may exceed the budget
- ▶ Exceed by no more than b(i,j)

- Suppose we have this property: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated!
 (Constraint 2)
- Consider the final item
- ▶ Before the final item, the budget is not used up
- Add this item, the total price may exceed the budget
- ▶ Exceed by no more than b(i,j)
- ▶ Total price is no more than B(i) + b(i,j)

- ▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated!
 (Constraint 2)
- Consider the final item
- Before the final item, the budget is not used up
- Add this item, the total price may exceed the budget
- ▶ Exceed by no more than b(i,j)
- ▶ Total price is no more than B(i) + b(i,j)
- ► $B(i) + b(i,j) \le (1+R)B(i)$



- ▶ Suppose we have this property: when user i's budget is used up, $\Rightarrow x(i) \ge 1$
- We always stop selling him items when $x(i) \ge 1$
- But this cannot guarantee that the dual is not violated!
 (Constraint 2)
- Consider the final item
- Before the final item, the budget is not used up
- Add this item, the total price may exceed the budget
- ▶ Exceed by no more than b(i,j)
- ▶ Total price is no more than B(i) + b(i,j)
- ► $B(i) + b(i,j) \le (1+R)B(i)$
- ▶ Actual competitive ratio is (1 1/c)(1 R)



▶ Prove: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$

- ▶ Prove: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- ▶ If we can prove:

$$x(i) \geq \frac{1}{c-1} \left(c^{\sum_j (b(i,j)y(i,j))/B(i)} - 1 \right)$$

- ▶ Prove: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- ▶ If we can prove:

$$x(i) \geq \frac{1}{c-1} \left(c^{\sum_j (b(i,j)y(i,j))/B(i)} - 1 \right)$$

Prove by induction

- ▶ Prove: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- ▶ If we can prove:

$$x(i) \geq \frac{1}{c-1} \left(c^{\sum_j (b(i,j)y(i,j))/B(i)} - 1 \right)$$

- Prove by induction
- We need to prove:

$$1 + \frac{b(i,j)}{B(i)} \ge c^{\frac{b(i,j)}{B(i)}}$$

- ▶ Prove: when user *i*'s budget is used up, $\Rightarrow x(i) \ge 1$
- If we can prove:

$$x(i) \geq \frac{1}{c-1} \left(c^{\sum_j (b(i,j)y(i,j))/B(i)} - 1 \right)$$

- ▶ Prove by induction
- We need to prove:

$$1 + \frac{b(i,j)}{B(i)} \ge c^{\frac{b(i,j)}{B(i)}}$$

Conclusion is:

$$c \le (1+R)^{1/R}$$



Conclusion

▶ The competitive ratio is $(1-R)(1-(1+R)^{-1/R})$

Conclusion

- ▶ The competitive ratio is $(1-R)(1-(1+R)^{-1/R})$
- ▶ When R is a small value, the ratio is close to 1 1/e (0.632, or 1.58-competitive)