




# Mobile in Cloud

Yu Wu ([yuwu@cs.hku.hk](mailto:ywu@cs.hku.hk))

# Mobile marketplace grows...



Source: IHS iSuppli October 2011

# Mobile marketplace grows...



**550,000 devices activated every day**

--- Google's 2011 Q2 earnings call

**10 Best Android Phones 2011**



# Mobile marketplace grows...



**500,000+ iOS Apps**

## Mobile marketplace grows...



# What does phones look like now?



Gigahertz fast CPU

Ubiquitous Internet


Gigabyte Mem

.....

**Really Powerful!**

**Powerful enough?**

**Not always!**



Augmented Reality

Speech Recognition

Virus Scan

Mobile streaming

.....

**Resource constrained**



## In a cloud-ready era?

Offload the resource demanding  
tasks onto the cloud



**Intuitive!**

But...



# Practical pending issues...

Platform diversity

Rapid changing environments

Parallelism


Scarce storage



# What have been done?

*Energy aware:*

**Optimize energy consumption, by  
handling the tradeoff between local  
processing vs. transmission**



**Optimization Problem!**

$$G = (V, E)$$

Call stack of the execution

$$v \in V$$

A method in the call stack

$$e = (u, v)$$

Invocation of method  $v$  from  $u$

$$E_u^l$$

Energy needed for local execution

$$T_u^l$$

Time needed for local execution

$$T_u^r$$

Time needed for remote execution

$$B_{u,v}$$

Time needed for state transfer from  $u$  to  $v$

$$C_{u,v}$$


Energy needed for state transfer from  $u$  to  $v$

$$I_u$$

Indicate whether method  $u$  is executed locally

$$r_u$$

Indicate whether method  $u$  is remoteable



$$\text{maximize } \sum_{v \in V} I_v \times E_v^l - \sum_{(u,v) \in E} |I_u - I_v| \times C_{u,v}$$

$$\text{such that: } \sum_{v \in V} ((1 - I_v) \times T_v^l) + (I_v \times T_v^r)$$

$$+ \sum_{(u,v) \in E} (|I_u - I_v| \times B_{u,v}) \leq L$$

$$\text{and } I_v \leq r_v, \forall v \in V$$

$G = (V, E)$

Call stack of the execution

$v \in V$

A method in the call stack

$e = (u, v)$

Invocation of method v from u

$E_u^l$

Energy needed for local execution

$T_u^l$

Time needed for local execution

$T_u^r$

Time needed for remote execution

$B_{u,v}$

Time needed for state transfer from u to v

$C_{u,v}$


Energy needed for state transfer from u to v

$I_u$

Indicate whether method u is executed locally

$r_u$

Indicate whether method u is remoteable



Profiles too coarse-grained information

Portability issues

Parallelism

Nontrivial ILP

## What have been done? (con't)


Portability:

### Mobile Virtualization

Mahadev .S et al., The Case for VM-based Cloudlets in Mobile Computing, IEEE Pervasive Computing, 2009

Byung-Gon Chun et al., Elastic Execution between Mobile Device and Cloud, EuroSys, 2011





*Latency sensitive*

*No internet connection*

## Two different VM Solutions

*Complete VM migration*

**Full-featured VM  
environment on device**


**The whole image need  
to be migrated**

*VM split overlay*

**Don't have to maintain  
full-featured VM on  
device**

**Delta migration**

## VM split overlay



Thin client



Difficult to suspend/resume once launched

Security issues

## What have been done? (con't)

*General Framework*

**Dynamic offload to enable parallel execution both locally and remotely.  
Suspend/Resume, replication on demand.**



Q and A?