11/15/23

$\mu = 22$ years

$\sigma = 3$



(1) life exp. $X =$

$$P(19 \le X \le 23) \Rightarrow \frac{19-22}{3} \Rightarrow -1 \Rightarrow 15.8\%$$

$$\frac{23-22}{3} = \frac{1}{3} \Rightarrow 62.93\%$$

$$= 47\%$$

(2)

$$P(X = \_\_) > 0.9$$

$$-1.28 = \frac{x-22}{3} \Rightarrow x = 18.72$$

Population Parameters

approx

Sample Statistics

sample mean $\bar{x}$

sample std dev s

Parameters

mean / expected μ

value

- std dev σ

- pick samples that reduce bias

Central Limit Theorem

- convergence = limit exists and you achieve limit.



pointwise convergence $\Longrightarrow$ you converge to a point at every point...



Limiting function

Dirac "The Rock" Delta

Central Limit Theorem

① ... sample of

Population → Create sample of size N

Means ② compute sample mean $\bar{x}$

③ Repeat steps 1 & 2 w/ possible sample of size N

④ collect all possible results... this will be a distribution

create

"sampling distribution of sample means"

CLT

"Sampling dist. of sample means" is approx Normal

(μ (sample dist. means) = μ from pop.)

μ (sample dist of sample means) = μ

σ (sample dist of sample means) = $\frac{\sigma}{\sqrt{N}}$

N = sample size

- $N \geq 30$
- $N < 0.1$ population size

Q3 $\mu = 22$ still

$\sigma = \frac{3}{\sqrt{40}}$

in sample... Prob (19 < life exp < 23)

$\frac{19 - 22}{\quad} = z$

3/√40

Sample mean: $X_1, X_2, \ldots, X_n$ ← R.V.

$$\bar{X} = \frac{1}{n}(X_1 + X_2 + \cdots + X_n)$$

$\bar{X}$ this is a R.V. itself!!

result: for Fri $\bar{X}$ is unbiased estimator for μ.

sampling dist (for a statistic)

1. all possible samples of some size
2. measure the statistic
3. throw results into data set.