Book Apointment

Execution Environment

Host name yyd78 - YYD-DELL-01 Local OS Windows 11 64bit

Katalon version 8.6.8.208

Browser Chrome 117.0.0.0

Summary

ID Test Suites/CURA - Appointment/Book Apointment

Description

Total 4

Passed 3 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-10-11 18:48:44 End 2023-10-11 19:01:36

Elapsed 12m - 51.357s

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/Data Driven/TC30 - Data Driven_CURA | | PASSED |
| 2 | Test Cases/Data Driven/TC30 - Data Driven_CURA | | PASSED |
| 3 | Test Cases/Data Driven/TC30 - Data Driven_CURA | | PASSED |
| 4 | Test Cases/Data Driven/TC30 - Data Driven_CURA | | FAILED |

Information

ID Test Cases/Data Driven/TC30 - Data Driven_CURA

Description

Tag

Start 2023-10-11 18:48:45 End 2023-10-11 18:48:59

Elapsed 14.446s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login") Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login' | 5.198s | PASSED |
| 2 | setText(findTestObject("Page_CURA Healthcare Service/input_Username"), UserName) Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username' | 0.801s | PASSED |
| 3 | setText(findTestObject("Page_CURA Healthcare Service/input_Password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Password' | 0.741s | PASSED |
| 4 | click(findTestObject("Page_CURA Healthcare Service/Login_Btn")) Object: 'Object Repository/Page_CURA Healthcare Service/Login_Btn' is clicked on | 1.463s | PASSED |
| 5 | selectOptionByValue(findTestObject("Page_CURA Healthcare Service/select_Healthcare Center"), HealthCenter, false) All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/Page_CURA Healthcare Service/select_Healthcare Center' | 0.799s | PASSED |
| 6 | check(findTestObject("Page_CURA Healthcare Service/Hospital readmission")) Object 'Object Repository/Page_CURA Healthcare Service/Hospital readmission' is checked | 0.380s | PASSED |

| # | Description | | Elapsed | Status |
|----|---|--------------|---------|--------|
| 7 | click(findTestObject("Page_CURA Healthcare Service/input_None_programs | s")) | 0.355s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/input_None_proclicked on | grams' is | | |
| 8 | setText(findTestObject("Page_CURA Healthcare Service/input_Visit Date"), | VisitDate) | 0.766s | PASSED |
| | Text '26/10/2023' is set on object 'Object Repository/Page_CURA Healthcard Service/input_Visit Date' | е | | |
| 9 | setText(findTestObject("Page_CURA Healthcare Service/Comment"), Comn | nent) | 0.796s | PASSED |
| | Text 'Testing Appointment 1' is set on object 'Object Repository/Page_CURA Service/Comment' | A Healthcare | | |
| 10 | submit(findTestObject("Page_CURA Healthcare Service/button_Book Appoi | ntment")) | 0.668s | PASSED |
| | The form containing object: 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' is submitted | | | |
| 11 | takeScreenshot("C:\desktop\booking_confirm.jpg") | | 0.628s | PASSED |
| | Taking screenshot successfully | = ^ | | |
| | Login | | | |
| | Please login to make appointment. | | | |
| | Login failed! Please ensure the username and password are valid. | | | |
| | Demo account | | | |
| | ThisIsNotAPassword | | | |
| | Username Username | | | |
| | Password Password | | | |
| | Login | | | |
| | | | | |
| | | ^ | | |
| 12 | click(findTestObject("Page_CURA Healthcare Service/Menu")) | v | 0.392s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/Menu' is clicked | on | | |
| | | | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 13 | click(findTestObject("Page_CURA Healthcare Service/Logout")) | 0.973s | PASSED |

Object: 'Object Repository/Page_CURA Healthcare Service/Logout' is clicked on

Information

ID Test Cases/Data Driven/TC30 - Data Driven_CURA

Description

Tag

Start 2023-10-11 18:48:59 End 2023-10-11 18:49:12

Elapsed 12.624s
Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login") Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login' | 4.601s | PASSED |
| 2 | setText(findTestObject("Page_CURA Healthcare Service/input_Username"), UserName) Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username' | 0.680s | PASSED |
| 3 | setText(findTestObject("Page_CURA Healthcare Service/input_Password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Password' | 0.699s | PASSED |
| 4 | click(findTestObject("Page_CURA Healthcare Service/Login_Btn")) Object: 'Object Repository/Page_CURA Healthcare Service/Login_Btn' is clicked on | 0.931s | PASSED |
| 5 | selectOptionByValue(findTestObject("Page_CURA Healthcare Service/select_Healthcare Center"), HealthCenter, false) All options with value 'Tokyo CURA Healthcare Center' are selected in object 'Object Repository/Page_CURA Healthcare Service/select_Healthcare Center' | 0.787s | PASSED |
| 6 | check(findTestObject("Page_CURA Healthcare Service/Hospital readmission")) Object 'Object Repository/Page_CURA Healthcare Service/Hospital readmission' is checked | 0.399s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | click(findTestObject("Page_CURA Healthcare Service/input_None_programs")) | 0.368s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/input_None_programs' is clicked on | | |
| 8 | setText(findTestObject("Page_CURA Healthcare Service/input_Visit Date"), VisitDate) | 0.738s | PASSED |
| | Text '27/10/2023' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Visit Date' | | |
| 9 | setText(findTestObject("Page_CURA Healthcare Service/Comment"), Comment) | 0.784s | PASSED |
| | Text 'Testing Appointment 2' is set on object 'Object Repository/Page_CURA Healthcare Service/Comment' | | |
| 10 | submit(findTestObject("Page_CURA Healthcare Service/button_Book Appointment")) | 0.710s | PASSED |
| | The form containing object: 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' is submitted | | |
| 11 | takeScreenshot("C:\desktop\booking_confirm.jpg") | 0.521s | PASSED |
| | Taking screenshot successfully | | |
| | Login | | |
| | Please login to make appointment. | | |
| | Login failed! Please ensure the username and password are valid. | | |
| | Demo account John Doe | | |
| | ThisIsNotAPassword | | |
| | Username Username | | |
| | Password Password | | |
| | Login | | |
| | | | |
| | | | |
| 12 | click(findTestObject("Page_CURA Healthcare Service/Menu")) | 0.358s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/Menu' is clicked on | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 13 | click(findTestObject("Page_CURA Healthcare Service/Logout")) | 1.024s | PASSED |

Object: 'Object Repository/Page_CURA Healthcare Service/Logout' is clicked on

Information

ID Test Cases/Data Driven/TC30 - Data Driven_CURA

Description

Tag

Start 2023-10-11 18:49:12 End 2023-10-11 18:49:25

Elapsed 12.553s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login") Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login' | 4.567s | PASSED |
| 2 | setText(findTestObject("Page_CURA Healthcare Service/input_Username"), UserName) Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username' | 0.712s | PASSED |
| 3 | setText(findTestObject("Page_CURA Healthcare Service/input_Password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Password' | 0.685s | PASSED |
| 4 | click(findTestObject("Page_CURA Healthcare Service/Login_Btn")) Object: 'Object Repository/Page_CURA Healthcare Service/Login_Btn' is clicked on | 0.964s | PASSED |
| 5 | selectOptionByValue(findTestObject("Page_CURA Healthcare Service/select_Healthcare Center"), HealthCenter, false) All options with value 'Seoul CURA Healthcare Center' are selected in object 'Object Repository/Page_CURA Healthcare Service/select_Healthcare Center' | 0.812s | PASSED |
| 6 | check(findTestObject("Page_CURA Healthcare Service/Hospital readmission")) Object 'Object Repository/Page_CURA Healthcare Service/Hospital readmission' is checked | 0.385s | PASSED |

| # | Description | Elaps | ed Status |
|----|---|-------------|-----------|
| 7 | click(findTestObject("Page_CURA Healthcare Service/input_None_programs")) | 0.355 | s PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/input_None_program clicked on | ns' is | |
| 8 | setText(findTestObject("Page_CURA Healthcare Service/input_Visit Date"), Visit | Date) 0.727 | 's PASSED |
| | Text '29/10/2023' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Visit Date' | | |
| 9 | setText(findTestObject("Page_CURA Healthcare Service/Comment"), Comment) | 0.831 | s PASSED |
| | Text 'Testing Appointment 3' is set on object 'Object Repository/Page_CURA Heaservice/Comment' | althcare | |
| 10 | submit(findTestObject("Page_CURA Healthcare Service/button_Book Appointme | nt")) 0.619 | s PASSED |
| | The form containing object: 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' is submitted | | |
| 11 | takeScreenshot("C:\desktop\booking_confirm.jpg") | 0.556 | Ss PASSED |
| | Taking screenshot successfully | = ^ | |
| | Login | | |
| | Please login to make appointment. | | |
| | Login failed! Please ensure the username and password are valid. | | |
| | Demo account | | |
| | ThisIsNotAPassword | | |
| | Username Username | | |
| | Password Password | | |
| | Login | | |
| | | | |
| | | ^ | |
| 12 | click(findTestObject("Page_CURA Healthcare Service/Menu")) | 0.350 | S PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/Menu' is clicked on | | |
| | | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 13 | click(findTestObject("Page_CURA Healthcare Service/Logout")) | 0.977s | PASSED |

Object: 'Object Repository/Page_CURA Healthcare Service/Logout' is clicked on

Information

ID Test Cases/Data Driven/TC30 - Data Driven_CURA

Description

Tag

Start 2023-10-11 19:01:25 End 2023-10-11 19:01:36

Elapsed 10.283s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login") | 4.526s | PASSED |
| | Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login' | | |
| 2 | setText(findTestObject("Page_CURA Healthcare Service/input_Username"), UserName) | 0.631s | PASSED |
| | Text " is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username' | | |
| 3 | setText(findTestObject("Page_CURA Healthcare Service/input_Password"), Password) | 0.631s | PASSED |
| | Text " is set on object 'Object Repository/Page_CURA Healthcare Service/input_Password' | | |
| 4 | click(findTestObject("Page_CURA Healthcare Service/Login_Btn")) | 0.902s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/Login_Btn' is clicked on | | |

| Descrip | otion | Elapsed | Statu |
|---------------------|---|---------|-------|
| | OptionByValue(findTestObject("Page_CURA Healthcare Service/select_Healthcare '), HealthCenter, false) | 2.612s | FAILE |
| 000. | ,, · · · · · · · · · · · · · · · · · · | | |
| | to select option by value " of object 'Object Repository/Page_CURA Healthcare | | |
| | e/select_Healthcare Center' (Root cause: com.kms.katalon.core.exception. | | |
| | iledException: Unable to select option by value " of object 'Object | | |
| Reposi | tory/Page_CURA Healthcare Service/select_Healthcare Center' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebU | lKeywordMain.groovy:64) | | |
| 0.47 1.11 | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebU | IKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. | | |
| selectC | OptionByValue(SelectOptionByValueKeyword.groovy:99) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. | | |
| execute | e(SelectOptionByValueKeyword.groovy:71) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| execute | eKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| 0 | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. | | |
| selectC | OptionByValue(WebUiBuiltInKeywords.groovy:1168) | | |
| \\/_b | at com.kms.katalon.core.webui.keyword. | | |
| webuii | BuiltInKeywords\$selectOptionByValue\$2.call(Unknown Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:28) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| iovo:11 | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:11 | | | |
| java:44 | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java. 44 | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:43 | | | |
| java. 10 | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestC: | aseExecutor.java:418) | | |
| (100101 | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCa | aseExecutor.java:410) | | |
| (10010) | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:28 | | | |
| , | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | | | |
| • | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | 9) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Comm | onExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSt | uiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 187) | | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source | | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| | by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| • | closed | | |
| | nknown error: web view not found | | |
| (Sess | ion info: chrome=117.0.5938.150) | | |
| Build in | fo: version: '3 1/1 50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53' | | |

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:

Elapsed

Status

```
Description
'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//select[@id='combo_facility']}
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.iava:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
```

findWebElement(WebUIAbstractKeyword.groovy:27)

Status

```
Description
                                                                                          Elapsed
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1168)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$selectOptionByValue$2.call(Unknown Source)
         at Script1697017328318.run(Script1697017328318.groovy:28)
```

| Descri | otion | Elapsed | Status |
|-----------|---|---------|--------|
| check(| indTestObject("Page_CURA Healthcare Service/Hospital readmission")) | 0.152s | FAILED |
| | | | |
| | to check object 'Object Repository/Page_CURA Healthcare Service/Hospital | | |
| | ssion' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to | | |
| check | bject 'Object Repository/Page_CURA Healthcare Service/Hospital readmission' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebU | lKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebU | IKeywordMain.groovy:26) | | |
| · · | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword.check | | |
| (Check | Keyword.groovy:88) | | |
| (333. | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword.execute | | |
| (Check | Keyword.groovy:67) | | |
| (Onech | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| ovecut | eKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| execut | | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.check | | |
| (WebU | BuiltInKeywords.groovy:1069) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$check\$3.call | | |
| (Unkno | wn Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:30) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:11 | | | |
| , | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:44 | | | |
| java | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:43 | | | |
| java.40 | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TootC | | | |
| (Tesic | aseExecutor.java:418) | | |
| /T 10 | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestC | aseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:28 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | 9) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | 9) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | 9) | | |
| • | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Comm | onExecutor.java:65) | | |
| (00 | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestS | uiteExecutor.java:148) | | |
| (10310 | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | at com.kms.katalom.core.main. restoutieExecutor.execute(restoutieExecutor.java. | | |
| 100) | at sam kma katalan sara main TastCasaMain startTastCuita/TastCasaMain isya. | | |
| 407) | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 187) | at a see less lateless area see in T. (O., M.) At a CT. (O.) At a C. | | |
| 0 | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source | | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| Cause | by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| already | closed | | |
| | ıknown error: web view not found | | |
| | ion info: chrome=117.0.5938.150) | | |
| | fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| - 4114 11 | info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| System | | | |
| | ', os.version: '10.0', java.version: '1.8.0_362' | | |

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//input[@id='chk_hospotal_readmission']}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
```

findWebElement(WebUIAbstractKeyword.groovy:26)

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword\$_check_closure1. | | |
| | doCall(CheckKeyword.groovy:77) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword\$_check_closure1. | | |
| | call(CheckKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword.check | | |
| | (CheckKeyword.groovy:88) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.CheckKeyword.execute | | |
| | (CheckKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.check | | |
| | (WebUiBuiltInKeywords.groovy:1069) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$check\$3.call | | |
| | (Unknown Source) | | |
| | at Script1697017328318.run(Script1697017328318.groovy:30) | | |
| | 16 more | | |
| | | | |

| Descri | ption | Elapsed | Status |
|-----------|---|---------|--------|
| click(fir | ndTestObject("Page_CURA Healthcare Service/input_None_programs")) | 0.170s | FAILED |
| Unable | to click on object 'Object Repository/Page_CURA Healthcare | | |
| | e/input_None_programs' (Root cause: com.kms.katalon.core.exception. | | |
| | illedException: Unable to click on object 'Object Repository/Page_CURA Healthcare | | |
| | e/input_None_programs' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebU | IKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebU | IKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| groovy | | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| (ClickK | (eyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| execut | eKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| (WebU | iBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call | | |
| (Unkno | own Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:32) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| ava:11 | 9) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| ava:44 | 18) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| ava:43 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| TestC | aseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| TestC | aseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| ava:28 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| ava:36 | 59) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| ava:36 | 39) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:36 | 39) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Comm | nonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestS | uiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 187) | | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source | | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| Cause | d by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| | / closed | | |
| | nknown error: web view not found | | |
| | ion info: chrome=117.0.5938.150) | | |
| | nfo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | info: host: 'VVD-DELL-01', in: '192,168,0,86', os name: 'Windows 11', os arch: | | |

System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:

'amd64', os.version: '10.0', java.version: '1.8.0_362'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//input[@id='radio_program_none']}
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.iava:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.iava:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
```

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.

```
Description
                                                                                            Elapsed
                                                                                                              Status
doCall(ClickKeyword.groovy:65)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
          at Script1697017328318.run(Script1697017328318.groovy:32)
          ... 16 more
```

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 8 | setText(findTestObject("Page_CURA Healthcare Service/input_Visit Date"), VisitDate) | 0.110s | FAILED |
| | Unable to set text " of object 'Object Repository/Page_CURA Healthcare Service/input_Visit Date' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text | | |
| | " of object 'Object Repository/Page_CURA Healthcare Service/input_Visit Date' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:34) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| | Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed | | |
| | from unknown error: web view not found | | |
| | (Session info: chrome=117.0.5938.150) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: com.kms.katalon.selenium.driver.CChromeDriver | | |
| | | | |

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//input[@id='txt_visit_date']}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
```

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. webui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com.kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. set Text
(WebUiBuiltInKeywords.groovy:980)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$0.call
(Unknown Source)
          at Script1697017328318.run(Script1697017328318.groovy:34)
          ... 16 more
```

| Descr | iption | Elapsed | Status |
|---------|--|---------|--------|
| setTex | ct(findTestObject("Page_CURA Healthcare Service/Comment"), Comment) | 0.155s | FAILE |
| Unable | e to set text " of object 'Object Repository/Page_CURA Healthcare Service/Comment' | | |
| | cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text " of | | |
| | 'Object Repository/Page_CURA Healthcare Service/Comment' | | |
| , | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (Webl | JIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (Webl | JIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTe | extKeyword.groovy:66) | | |
| • | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTe | extKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| execu | teKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (Webl | JiBuiltInKeywords.groovy:980) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call | | |
| (Unkn | own Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:36) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | $at\ com. kms. katalon. core. main. Script Engine. run Script AsRaw Text (Script Engine.)$ | | |
| java:1 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:4 | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:4 | | | |
| (T) (C | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestC | CaseExecutor.java:418) | | |
| (T + C | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestC | CaseExecutor.java:410) | | |
| iovova | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:2 | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:3 | | | |
| java.s | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:3 | | | |
| java.5 | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:3 | | | |
| java.o | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Comr | nonExecutor.java:65) | | |
| (001111 | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestS | SuiteExecutor.java:148) | | |
| (10010 | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | , | | |
| / | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 187) | <i>γ</i> | | |
| - / | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source | | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| Cause | d by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| | y closed | | |
| | nknown error: web view not found | | |
| | sion info: chrome=117.0.5938.150) | | |
| | nfo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | m info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| | 4' os version: '10.0' java version: '1.8.0.362' | | |

'amd64', os.version: '10.0', java.version: '1.8.0_362'

 $\label{lem:com.kms.katalon.selenium.driver.CChromeDriver} Driver info: com.kms.katalon.selenium.driver.CChromeDriver$

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//textarea[@id='txt_comment']}
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.iava:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
```

findWebElement(WebUIAbstractKeyword.groovy:26)

Status

```
at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
    at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
```

 $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text$

(WebUiBuiltInKeywords.groovy:980)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) at Script1697017328318.run(Script1697017328318.groovy:36)

... 16 more

| | on | Elapsed | Status |
|-------------|--|---------|--------|
| submit(fin | dTestObject("Page_CURA Healthcare Service/button_Book Appointment")) | 0.094s | FAILE |
| Unable to | submit the form containing object 'Object Repository/Page_CURA Healthcare | | |
| | utton_Book Appointment' (Root cause: com.kms.katalon.core.exception. | | |
| | dException: Unable to submit the form containing object 'Object | | |
| | //Page_CURA Healthcare Service/button_Book Appointment | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | ywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | ywordMain.groovy:26) | | |
| * | at com.kms.katalon.core.webui.keyword.builtin.SubmitKeyword.submit | | |
| | eyword.groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SubmitKeyword.execute | | |
| | eyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | eywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.submit | | |
| | iltlnKeywords.groovy:702) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$submit\$4.call | | |
| (Unknown | | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:38) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | Executor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | Executor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | of a construct that the construction is a second of the construction of the constructi | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | at confinitionatation.core.main.restcaseExecutor.execute(restcaseExecutor. | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | Executor.java:65) | | |
| • | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | Executor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | (| | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 187) | | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | · | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| | y: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| already clo | | | |
| | own error: web view not found | | |
| 10 | info: chrome=117.0.5938.150) | | |
| | | | |
| Build info: | version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' fo: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//button[@id='btn-book-appointment']}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.iava:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
```

```
Description
                                                                                            Elapsed
                                                                                                              Status
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SubmitKeyword$_submit_closure1.doCall(SubmitKeyword.groovy:77)
          at com.kms.katalon.core.webui.keyword.builtin.
SubmitKeyword$_submit_closure1.call(SubmitKeyword.groovy)
          at\ com.kms. katalon.core. webui. keyword. internal. WebUIKeyword Main.run Keyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SubmitKeyword.submit
(SubmitKeyword.groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.SubmitKeyword.execute
(SubmitKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com.kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. submit
(WebUiBuiltInKeywords.groovy:702)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$submit\$4. call
(Unknown Source)
         at Script1697017328318.run(Script1697017328318.groovy:38)
         ... 16 more
```

| ŧ | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | takeScreenshot("C:\desktop\booking_confirm.jpg") | 0.014s | FAILED |
| | Cannot take screenshot (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | Cannot take screenshot | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.TakeScreenshotKeyword. | | |
| | takeScreenshot(TakeScreenshotKeyword.groovy:126) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.TakeScreenshotKeyword.execute | | |
| | (TakeScreenshotKeyword.groovy:84) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.takeScreenshot | | |
| | (WebUiBuiltInKeywords.groovy:2927) | | |
| | at com.kms.katalon.core.webui.keyword. | | |
| | WebUiBuiltInKeywords\$takeScreenshot\$5.call(Unknown Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 187) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| | Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| | already closed | | |
| | from unknown error: web view not found | | |
| | (Session info: chrome=117.0.5938.150) | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '1.8.0_362' | | |
| | Driver info: com kms katalon selenium driver CChromeDriver | | |

 ${\bf Driver\ info:\ com.kms.katalon.selenium.driver.CChromeDriver}$

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

```
Description
                                                                                           Elapsed
                                                                                                             Status
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
          at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs
(RemoteWebDriver.java:295)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy10.getScreenshotAs(Unknown Source)
          at\ org. open qa. selenium. support. events. Event Firing Web Driver. get Screen shot As
(EventFiringWebDriver.java:302)
          at com.kms.katalon.core.webui.util.FileUtil.takeDefaultScreenshot(FileUtil.java:
333)
          at com.kms.katalon.core.webui.util.FileUtil.takesScreenshot(FileUtil.java:58)
         at com.kms.katalon.core.webui.keyword.builtin.
TakeScreenshotKeyword$_takeScreenshot_closure1.doCall(TakeScreenshotKeyword.
groovy:127)
          at com.kms.katalon.core.webui.keyword.builtin.
TakeScreenshotKeyword$_takeScreenshot_closure1.call(TakeScreenshotKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.TakeScreenshotKeyword.
takeScreenshot(TakeScreenshotKeyword.groovy:126)
          at com.kms.katalon.core.webui.keyword.builtin.TakeScreenshotKeyword.execute
(TakeScreenshotKeyword.groovy:84)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.takeScreenshot
(WebUiBuiltInKeywords.groovy:2927)
          at com.kms.katalon.core.webui.kevword.
WebUiBuiltInKeywords$takeScreenshot$5.call(Unknown Source)
         at Script1697017328318.run(Script1697017328318.groovy:40)
```

... 16 more

Description Elapsed Status

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 2 | click(findTestObject("Page_CURA Healthcare Service/Menu")) | 0.159s | FAILED |
| _ | Click(illia restobject(r age_conx ricatilicare dervice/weria)) | 0.1555 | TAILLD |
| | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/Menu' (Root | | |
| | cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object | | |
| | 'Object Repository/Page_CURA Healthcare Service/Menu' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call | | |
| | (Unknown Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:42) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) | | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$ | | |
| | java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | $at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$ | | |
| | (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 187) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window | | |
| | already closed | | |
| | from unknown error: web view not found | | |
| | (Session info: chrome=117.0.5938.150) | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '1.8.0_362' | | |
| | Driver info: com.kms.katalon.selenium.driver.CChromeDriver | | |

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=//a[@id='menu-toggle']/i}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
```

doCall(ClickKeyword.groovy:65)

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| # | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | Elapsed | Status |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |

| [| Description | Elapsed | Status |
|---|---|---------|--------|
| | click(findTestObject("Page_CURA Healthcare Service/Logout")) | 0.107s | FAILED |
| | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object Object Repository/Page_CURA Healthcare Service/Logout' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywordWebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click WebUiBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call Unknown Source) | | |
| | at TC30 - Data Driven_CURA.run(TC30 - Data Driven_CURA:44) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.ava:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.ava:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ava:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ava:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | ava:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | ava:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| • | ava:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1697021317589.run(TempTestSuite1697021317589.groovy:36) | | |
| | Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed | | |
| | rom unknown error: web view not found (Session info: chrome=117.0.5938.150) | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: | | |
| | amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: com.kms.katalon.selenium.driver.CChromeDriver | | |

Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1...,
userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:54356}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: 51be0b0209f17c72d6fd3544a698fffb
*** Element info: {Using=xpath, value=(//a[@onclick="$('#menu-close').click();"])[5]}
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:737)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.iava:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.
```

doCall(ClickKeyword.groovy:65)

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call | | |
| | (ClickKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call | | |
| | (Unknown Source) | | |
| | at Script1697017328318.run(Script1697017328318.groovy:44) | | |
| | 16 more | | |