Test_Suite_1

Execution Environment

Host name yyd78 - YYD-DELL-01 Local OS Windows 11 64bit

Katalon version 8.6.8.208 Browser null

Summary

ID Test Suites/Test_Suite_1

Description Testing

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-10-11 14:45:54 End 2023-10-11 14:46:33

Elapsed 38.883s

#	ID	Description	Status
1	Test Cases/File Upload/TC12 - File upload		FAILED
2	Test Cases/File Upload/TC13-File Download		FAILED

Information

ID Test Cases/File Upload/TC12 - File upload

Description

Tag

Start 2023-10-11 14:46:08 End 2023-10-11 14:46:12

Elapsed 4.130s Status FAILED

Details

Description Elapsed Status

Description	Flonesed	Ctatur
Description	Elapsed	Status
openBrowser("https://cgi-lib.berkeley.edu/ex/fup.html")	0.011s	FAILED
Unable to open browser with url: 'https://cgi-lib.berkeley.edu/ex/fup.html' (Root cause: com.		
kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https:		
//cgi-lib.berkeley.edu/ex/fup.html'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown Source)		
at TC12 - File upload.run(TC12 - File upload:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: No driver is set for		
execution.		
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser		
(DriverFactory.java:345)		
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver		
(DriverFactory.java:263)		

at com.kms.katalon.core.webui.keyword.builtin.

OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword \$\_openBrowser\_closure 1. call (OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
         at Script1696848270686.run(Script1696848270686.groovy:20)
          ... 16 more
```

Description	Elapsed	Status
uploadFile(findTestObject("ChooseFile_btn"), "C:\Users\yyd78\Desktop\sample.txt")	0.048s	FAILE
Unable to upload file 'C:\Users\yyd78\Desktop\sample.txt' to object 'Object		
Repository/ChooseFile_btn' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to upload file 'C:\Users\yyd78\Desktop\sample.txt' to object		
'Object Repository/ChooseFile_btn'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.UploadFileKeyword.uploadFile		
(UploadFileKeyword.groovy:87)		
at com.kms.katalon.core.webui.keyword.builtin.UploadFileKeyword.execute		
(UploadFileKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.uploadFile		
(WebUiBuiltInKeywords.groovy:4031)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$uploadFile\$0.call		
(Unknown Source)		
at TC12 - File upload.run(TC12 - File upload:22)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: unknown		

Elapsed

Status

```
Description
(DriverFactory.java:1003)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. verify Web Driver
(DriverFactory.java:988)
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:974)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1011)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:913)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.kevword.builtin.
UploadFileKeyword$_uploadFile_closure1.doCall(UploadFileKeyword.groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.
UploadFileKeyword$_uploadFile_closure1.call(UploadFileKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.UploadFileKeyword.uploadFile
(UploadFileKeyword.groovy:87)
         at\ com. kms. katalon. core. webui. keyword. builtin. Upload File Keyword. execute
(UploadFileKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.uploadFile
(WebUiBuiltInKeywords.groovy:4031)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords$uploadFile$0.call
(Unknown Source)
         at Script1696848270686.run(Script1696848270686.groovy:22)
         ... 16 more
```

Description	Elapsed	Status
click(findTestObject("Press_btn"))	0.039s	FAILE
Unable to click on object 'Object Repository/Press_btn' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to click on object 'Object Repository/Press_btn' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source)		
at TC12 - File upload.run(TC12 - File upload:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_362'		
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:1003) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		

Elapsed

Status

```
Description
(DriverFactory.java:988)
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:974)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1011)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1696848270686.run(Script1696848270686.groovy:24)
         ... 16 more
```

Description	Elapsed	Status
verifyTextPresent("File Upload Results", true)	0.006s	FAILED
Unable to verify text 'File Upload Results' is present using regular expression (R	oot cause:	
com.kms.katalon.core.exception.StepFailedException: Unable to verify text 'File		
Results' is present using regular expression	Opload	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.	oton Foiled	
	stepratied	
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.	runKeyword	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyw	vord.	
verifyTextPresent(VerifyTextPresentKeyword.groovy:83)		
at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyw	vord.	
execute(VerifyTextPresentKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verify	TextPresent	
(WebUiBuiltInKeywords.groovy:1723)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$verifyTextPresent\$2.call(Unknown Source)		
at TC12 - File upload.run(TC12 - File upload:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(Scrip		
java:119)	ALTIGITIE.	
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseE	Evacutor	
java:448)	_xecutor.	
	- Evenuter	
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCase	eExecutor.	
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPh	lase	
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execu	xecutor.	
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execu	xecutor.	
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execu	xecutor.	
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseEx	xecutor.	
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCasel	MainPhase	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMail	nPhase	
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteEx	recutor.java:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCase	Main.java:	
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Ur	nknown	
Source)		
at TempTestSuite1697006752130.run(TempTestSuite1697006752130).groovy:36)	
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:5	3'	
System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os		
'amd64', os.version: '10.0', java.version: '1.8.0_362'	.aron.	
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIs	Open	
at com kme katalon coro wonth drivor i invort cotony voritividasi invocato		

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:988) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:974) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords\$verifyTextPresent\$2.call(Unknown Source) at Script1696848270686.run(Script1696848270686.groovy:26) 16 more)		
5	delay(4) Delayed 4 second(s)	4.009s	PASSED
6	closeBrowser() Browser is closed	0.007s	PASSED

Information

ID Test Cases/File Upload/TC13-File Download

Description

Tag

Start 2023-10-11 14:46:28 End 2023-10-11 14:46:33

Elapsed 5.198s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
openBrowser("https://file-examples.com/index.php/sample-documents-download/")	0.006s	FAILED
Unable to open browser with url: 'https://file-examples.com/index.php/sample-documents-		
download/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to		
open browser with url: 'https://file-examples.com/index.php/sample-documents-download/'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown Source)		
at TC13-File Download.run(TC13-File Download:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
$at\ com.kms.katalon.core.main. Test Case Executor.run Script (Test Case Executor.)$		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: No driver is set for		
execution.		
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser		
(DriverFactory.java:345)		
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver		
(DriverFactory.java:263)		
at com kms katalon core webui keyword builtin		

at com.kms.katalon.core.webui.keyword.builtin.

OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword \$\_openBrowser\_closure 1. call (OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
         at Script1696849222436.run(Script1696849222436.groovy:20)
          ... 16 more
```

#	Description	Elapsed	Status
2	maximizeWindow()	0.006s	FAILED
	Unable to maximize current window (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to maximize current window		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.		
	maximizeWindow(MaximizeWindowKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute		
	(MaximizeWindowKeyword.groovy:69)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow		
	(WebUiBuiltInKeywords.groovy:283)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$maximizeWindow\$4.call(Unknown Source) at TC13-File Download.run(TC13-File Download:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:1003)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		

```
Description
                                                                                           Elapsed
                                                                                                             Status
(DriverFactory.java:988)
          at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:974)
          at com.kms.katalon.core.webui.keyword.builtin.
Maximize Window Keyword \$\_maximize Window\_closure 1. do Call (Maximize Window Keyword.
groovy:76)
          at com.kms.katalon.core.webui.keyword.builtin.
Maximize Window Keyword \$\_maximize Window\_closure 1. call (Maximize Window Keyword.
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.
maximizeWindow(MaximizeWindowKeyword.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. builtin. Maximize Window Keyword. execute
(MaximizeWindowKeyword.groovy:69)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow
(WebUiBuiltInKeywords.groovy:283)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$maximizeWindow$4.call(Unknown Source)
         at Script1696849222436.run(Script1696849222436.groovy:22)
         ... 16 more
```

Description	Elapsed	Status
scrollToElement(findTestObject("PDFDownload"), 3)	0.053s	FAILEI
Unable to scroll to object 'Object Repository/PDFDownload' (Root cause: com.kms.katalon.		
core.exception.StepFailedException: Unable to scroll to object 'Object		
Repository/PDFDownload'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	1	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.		
scrollToElement(ScrollToElementKeyword.groovy:88)		
at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.execute		
(ScrollToElementKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToElement		
(WebUiBuiltInKeywords.groovy:4061)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$scrollToElement\$5.call(Unknown Source)		
at TC13-File Download.run(TC13-File Download:24)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	ı:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	\	
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)	
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser in not append		
is not opened Ruild info: version: 2.141.50 revision: 0.92bo7d259 time: 2019.11.14T09:25:52		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: unknown		
at com kms katalon care webui driver DriverEactory verifyWebDriverIsOpen		

 $at\ com. kms. katalon. core. we bui. driver. Driver Factory. verify Web Driver Is Open$

(DriverFactory.java:1003)

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:988)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. get Web Driver (Driver Factory.
java:974)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1011)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.kevword.builtin.
ScrollToElementKeyword$_scrollToElement_closure1.doCall(ScrollToElementKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.
ScrollToElementKeyword$_scrollToElement_closure1.call(ScrollToElementKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.
scrollToElement(ScrollToElementKeyword.groovy:88)
         at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.execute
(ScrollToElementKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToElement
(WebUiBuiltInKeywords.groovy:4061)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$scrollToElement$5.call(Unknown Source)
         at Script1696849222436.run(Script1696849222436.groovy:24)
```

... 16 more

Desc	iption	Elapsed	Status
	indTestObject("PDFDownload"))	0.046s	FAILED
		010.100	
	e to click on object 'Object Repository/PDFDownload' (Root cause: com.kms.katalon.		
	exception.StepFailedException: Unable to click on object 'Object		
керо	sitory/PDFDownload'		
(Web	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed JIKeywordMain.groovy:64)		
(VVCD	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	JIKeywordMain.groovy:26)		
•	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groov	y:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Click	Keyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execu	teKeywordForPlatform(KeywordExecutor.groovy:74)		
(\Mah	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click JiBuiltInKeywords.groovy:620)		
(vveb	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unkr	own Source)		
(0	at TC13-File Download.run(TC13-File Download:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:1			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:4			
:	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:4	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Test	CaseExecutor.java:418)		
(1001)	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Test	CaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3			
iovors	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3			
javaic	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Com	monExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test	SuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	of a configuration and some state of the sta		
107)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sourc	· · · · · · · · · · · · · · · · · · ·		
Oddie	at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caus	ed by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	opened		
Build	info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	m info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
	4', os.version: '10.0', java.version: '1.8.0_362'		
Drive	info: driver.version: unknown		
(Details	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(Drive	rFactory.java:1003)		

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:988)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. get Web Driver (Driver Factory.
java:974)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1011)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1696849222436.run(Script1696849222436.groovy:26)
         ... 16 more
```

	Description	Elapsed	Status
	scrollToPosition(0, 600)	0.007s	FAILED
	Unable to scroll to position $x = 0$, $y = 600$ (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to scroll to position $x = 0$, $y = 600$		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ScrollToPositionKeyword.		
	scrollToPosition(ScrollToPositionKeyword.groovy:85)		
	at com.kms.katalon.core.webui.keyword.builtin.ScrollToPositionKeyword.execute		
	(ScrollToPositionKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToPosition (WebUiBuiltInKeywords.groovy:4495)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$scrollToPosition\$6.call(Unknown Source)		
	at TC13-File Download.run(TC13-File Download:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
j	iava:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
j	ava:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
J	java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: the following start Test Suite (Test Case Main. java: the follo$		
	187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', iava version: '11.8.0, 363'		
	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory iava:1003)		

(DriverFactory.java:1003)

 $at\ com. kms. katalon. core. we bui. driver. Driver Factory. verify Web Driver$

```
Description
                                                                                              Elapsed
                                                                                                                 Status
(DriverFactory.java:988)
          at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:974)
          at com.kms.katalon.core.webui.keyword.builtin.
Scroll To Position Keyword \$\_scroll To Position\_closure 1. do Call (Scroll To Position Keyword.
groovy:83)
          at com.kms.katalon.core.webui.keyword.builtin.
ScrollToPositionKeyword$_scrollToPosition_closure1.call(ScrollToPositionKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ScrollToPositionKeyword.
scrollToPosition(ScrollToPositionKeyword.groovy:85)
          at\ com. kms. katalon. core. webui. keyword. builtin. Scroll ToPosition Keyword. execute
(ScrollToPositionKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToPosition
(WebUiBuiltInKeywords.groovy:4495)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$scrollToPosition$6.call(Unknown Source)
          at Script1696849222436.run(Script1696849222436.groovy:28)
```

Description	Elapsed	Status
click(findTestObject("150k_dl"))	0.047s	FAILED
Unable to click on object 'Object Repository/150k_dl' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to click on object 'Object Repository/150k_dl'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source)		
at TC13-File Download.run(TC13-File Download:30)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_362'		
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:1003)		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		

```
Description
                                                                                          Elapsed
                                                                                                           Status
(DriverFactory.java:988)
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:974)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1011)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1696849222436.run(Script1696849222436.groovy:30)
         ... 16 more
delay(5)
                                                                                           5.013s
                                                                                                          PASSED
```

Delayed 5 second(s)

#	Description	Elapsed	Status
8	takeScreenshot("C:\desktop\screenshot.png")	0.007s	ERROR
	Test Cases/File Upload/TC13-File Download FAILED. Reason:		
	com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'YYD-DELL-01', ip: '192.168.0.86', os.name: 'Windows 11', os.arch:		
	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1003)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:988)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:974)		
	at com.kms.katalon.core.webui.common.internal.SmartWait.doSmartWait (SmartWait.java:15)		
	at com.kms.katalon.core.webui.common.internal.SmartWait\$doSmartWait.call (Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.InternalSmartWaitGroovyWrapper.		
	execute(InternalSmartWaitGroovyWrapper.groovy:27) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:70) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.takeScreenshot		
	(WebUiBuiltInKeywords.groovy:2927) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$takeScreenshot\$7.call(Unknown Source) at TC13-File Download.run(TC13-File Download:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		

Description Elapsed Status
at TempTestSuite1697006752130.run(TempTestSuite1697006752130.groovy:36)