SEO & WEBSITE STRATEGY REPORT

Site Architecture, Navigation & Keyword Mapping

Nationwide Bathroom Partitions E-Commerce

Prepared for: AMP Partitions

February 2026

CONFIDENTIAL

Executive Summary

1. SEO Feasibility Verdict

Verdict: YES — Strong Feasibility

The commercial bathroom partition market has substantial organic demand. Our research tracks **400 keywords totaling ~93,830 monthly searches**—and this is only the researched core. Hundreds of additional long-tail variations, misspellings, and question-based queries drive meaningful volume beyond the tracked set. Real addressable search demand is significantly higher than 93,830. The core commercial terms average $13–$22 CPC—meaning competitors are paying heavily for this traffic. That's a clear signal of buyer intent and monetizable demand.

Keyword difficulty is moderate. The 24 head terms in Cluster A1 average KD 15–32, which is realistic for a new domain to crack within 6–12 months with proper site architecture and a structured backlink plan. The local/geographic cluster (170 city keywords) has near-zero competition—most show KD 0–5—making them quick wins for early traction.

The competitive landscape is thin. A full five-competitor SEMrush analysis (Section 2) confirms that the niche is dominated by mid-authority suppliers, not enterprise brands. The two market leaders (PartitionsAndStalls.com and PartitionPlus.com) have fewer than 10,000 monthly organic visitors each. No competitor has built a properly structured content architecture, advanced internal linking, or scalable local SEO framework. A purpose-built site with proper keyword mapping, schema markup, and internal linking will outperform the current field within 12–18 months.

Timeframe expectation: Expect initial indexing and impressions within 2–4 weeks. City/local pages ranking within 3–6 months. Core commercial terms (KD 20–40) showing page 1–2 positions within 9–15 months, contingent on consistent backlink acquisition targeting DR 25–32 by end of Year 1.

2. Recommended Domain Direction

Decision: Abandon shopprivy.us. Launch on a clean .com with an industry keyword.

Three problems with the current domain: (1) the .us TLD is treated as a country-code domain by Google, reducing trust signals for nationwide e-commerce; (2) "Privy" conflicts with an established clothing brand at privy.com—any branded search equity leaks to their site; (3) the "Shop" prefix signals low-cost dropshipping, which undermines B2B credibility.

The ideal domain contains "partitions" or a close industry term, is a .com, is short enough to say on the phone, and conveys nationwide scale. The strategy report provides 15 evaluated options ranked by SEO value and brand positioning. The top recommendation is

CommercialPartitions.com or equivalent—it is an exact match for the highest-CPC keyword cluster and immediately communicates B2B positioning to both Google and buyers.

Since no brand equity exists on the current domain, the switching cost is zero. This is the last moment to make this decision cheaply.

3. Recommended Website Model

Decision: Launch with a quote-request configurator (Phase 1). Build toward a hybrid model (Phase 2+).

Here is why auto-pricing at launch is the wrong move for this business:

- **Product complexity kills automation at low budgets.** A single partition order involves material, mounting style, stall count, layout type, panel height, floor gap, door width, color tier, and ADA requirements. The configuration space is enormous. Building a real-time pricing engine requires importing supplier rate sheets as a lookup database—a $5,000–$20,000 build alone.
- **Industry norms favor quoting.** Both leading competitors (One Point Partitions, Partition King) use quote-request models. Commercial buyers expect this. A configurator that collects requirements and returns a quote within 2–3 hours is faster than the industry standard and differentiates on speed, not automation.
- **Lean validation first.** A quote-request model lets you validate demand, learn which configurations are most common, and build your pricing database from real orders before investing in automation. You build the pricing engine from data, not assumptions.

The configurator should be a structured multi-step form: material → mounting style → stall count → layout → dimensions → color → ADA toggle → submit. Pre-fill standard values (58″ panel, 12″ gap) so simple buyers click through quickly. Capture email at step 1 to secure the lead regardless of completion.

Phase 2 upgrade path: Once you have 50–100 completed orders, you'll know which configurations account for 80% of volume. At that point, build instant pricing for those standard configs only and keep the quote path for everything else. That's the hybrid model—and it's built on real data.

www.rankfriendly.com | 845-354-7265 | info@rankfriendly.com

4. Platform Guidance for a $3,500 Developer Budget

Reality check: $3,500 buys a professional CMS website with a structured form. It does not buy a custom configurator with real-time pricing.

At this budget, the most practical platform is **WordPress + WooCommerce** (or a comparable flexible CMS). This gives you full URL control, scalable page templates for 200+ SEO pages, custom form logic via plugins (Gravity Forms, WPForms, or a lightweight React component), and no platform lock-in. Shopify is possible but introduces URL structure constraints and charges transaction fees that erode margins on high-ticket B2B orders.

What $3,500 can realistically deliver:

- Core pages: homepage, 6 material pages, configurator/quote form, about, contact, FAQ
- SEO-ready templates: reusable layouts for city pages, brand pages, guide pages
- Multi-step quote form with conditional logic and email capture
- Basic schema markup, sitemap, and technical SEO setup
- Mobile-responsive, professional design

What $3,500 cannot deliver:

- Real-time pricing engine with supplier rate sheet integration
- Visual layout configurator with live preview
- Automated checkout with freight shipping calculation
- CRM integration or advanced automation

This is not a limitation—it's the correct Phase 1 scope. Every dollar spent on premature automation is a dollar not spent on content, backlinks, and market validation.

5. Phased Build Recommendation

Phase 1: Lean Launch (Months 0–6)

- **Website:** ~39 pages at launch. Homepage, all material pages, mounting styles, hardware hub, brand pages, guides (including ADA), configurator form, blog (3 initial posts), and supporting pages.
- **SEO:** Full keyword mapping deployed. Schema markup on all page types. Technical SEO baseline (sitemap, robots, canonical tags, page speed). Begin publishing 4 blog posts/month.
- **Backlinks:** Secure 4–10 manufacturer directory listings in Month 1 (free, high-authority). Begin installer outreach for the first 30 cities.

www.rankfriendly.com | 845-354-7265 | info@rankfriendly.com

- **Features:** Multi-step quote form only. No automation. Starting-at pricing displayed on material pages for transparency.
- **Investment logic:** Maximum SEO foundation per dollar. Every page targets specific keywords. No wasted build effort.

Phase 2: Optimization & Expansion (Months 6–12)

- **Website:** Expand to ~101 pages. Add 7 industry pages and first 30 city/service area pages. Continue blog cadence (24 additional posts).
- **SEO:** Analyze Search Console data. Optimize underperforming pages. Expand city pages based on impression data, not assumptions.
- **Backlinks:** Scale installer partnerships (target 30–50 backlinks from installer sites). Guest posts in trade publications. Target DR 18–25.
- **Features:** Introduce standardized pricing for the top 3–5 most-ordered configurations. Keep a quote path for everything else. Begin CRO testing on the configurator.

Phase 3: Advanced Scaling (Months 13–24)

- **Website:** Expand to ~195 pages. Scale to 100 city pages. State-level service area pages where data supports them.
- **SEO:** Content expansion guided by real search data. Advanced comparison guides, FAQ expansion, long-tail targeting.
- **Backlinks:** Target DR 25–32. Digital PR around ADA and dimensions guides. Construction directory submissions. Target 100–170 total quality backlinks by end of Year 1.
- **Features:** Full hybrid configurator: instant pricing for standard configs, quote-request for custom. Save/share configurations. Visual previews if commercially justified. CRM and email automation integration.

6. Strategic Risk & Reality Check

- **Developer budget vs. configurator complexity.** The biggest risk is trying to build too much at once. A $3,500 budget stretched across a pricing engine, visual configurator, and checkout flow will produce a mediocre version of all three. Focus the budget on a clean, fast, SEO-optimized site with a simple quote form. The configurator can be upgraded later with revenue.
- **New domain authority.** A new .com starts at DR 0. Without backlinks, even perfectly optimized pages will sit on pages 3–5 for months. The manufacturer directory listings (free, DR 40–70) are the single most important action in Month 1. Do not delay them.

- **Time to results.** SEO is not instant. The city pages (KD 0–5) will produce traffic within 3–6 months. The core commercial terms (KD 20–40) will take 9–15 months. This is normal. The quote form ensures you can capture and convert leads from the earliest traffic.
- **Overbuilding risk.** Building advanced e-commerce automation before validating demand is the classic bootstrap trap. The lean model generates the same revenue (via manual quoting) while costing a fraction of the development. Scale automation when order volume justifies it.
- **Platform lock-in.** WordPress/WooCommerce avoids lock-in entirely. If you outgrow it in 18–24 months, migrating to a headless CMS or custom stack is straightforward because the SEO value lives in the URL structure and content—both are fully portable.

7. Final Strategic Recommendation

DECISION SNAPSHOT

Domain	**Abandon shopprivy.us.** Launch on a clean .com with "partitions" in the name. Top pick: CommercialPartitions.com or equivalent from the 15 evaluated options.
Website Model	**Quote-request configurator for Phase 1.** Hybrid (instant pricing for standard configs + quotes for custom) in Phase 2, built from real order data.
Platform	**WordPress + WooCommerce** (or comparable flexible CMS). Full SEO control, no lock-in, scales to 200+ pages. $3,500 covers a professional, SEO-ready site with a structured quote form.
SEO Feasibility	**YES.** Strong demand (93,830+ monthly searches across 400 tracked keywords, with significant additional long-tail volume beyond the researched set), moderate competition (KD 15–40 for commercial terms), thin competitor landscape, and clear path to page 1 within 12–18 months.
First 6 Months	**Launch ~39 pages.** Secure manufacturer backlinks immediately. Begin city page rollout and installer outreach. Publish 4 blog posts/month. Validate demand through real quote requests before investing in automation.

Bottom line: This market is real, rankable, and commercially viable. The strategy report provides the complete keyword map, site architecture, and implementation roadmap. The decisions above ensure the website is built correctly the first time—lean enough to launch fast, structured enough to scale, and SEO-ready from day one.

TABLE OF CONTENTS

Executive Summary **2**
1. SEO Feasibility Verdict 2
2. Recommended Domain Direction 2
3. Recommended Website Model 3
4. Platform Guidance for a $3,500 Developer Budget 3
5. Phased Build Recommendation 4
6. Strategic Risk & Reality Check 5
7. Final Strategic Recommendation 6

1. Keyword Cluster Analysis **9**
1.1 How to Read This Section 9
1.2 Tier A — Revenue Drivers 9
1.3 Tier B — Traffic Builders 13
1.4 Tier C — Supporting Content 15
1.5 Summary 16

2. Competitor Analysis (Organic Search Landscape) **17**
2.1 Methodology 17
2.2 Core Organic Competitors 17
2.3 Organic Visibility Benchmark 17
2.4 Competitor Tier Classification 20
2.5 Website Model Analysis 20
2.6 Keyword Strategy Patterns 20
2.7 Competitive Weaknesses & Market Gaps 21
2.8 Content & Topical Authority Comparison 22
2.9 Funnel & Conversion Structure 22
2.10 Barrier to Entry Assessment 23
2.11 Strategic Implications for Website Build 23

3. Proposed Site Navigation **24**
3.1 Primary Navigation (Top Menu Bar) 24
3.2 Secondary Navigation (Footer) 25
3.3 Breadcrumb Navigation 25

4. Complete Site Architecture with Keyword Mapping **26**
4.1 Homepage 26
4.2 Partitions (Product Category Pages) 28
4.3 Mounting Styles 29
4.4 Hardware, Parts & Doors 29
4.5 Brands / Manufacturers 30
4.6 Guides & Resources 31

4.7 Industries 31
4.8 Our Service Area 32
4.9 Conversion & E-Commerce Model 33
4.10 Blog 37
4.11 Supporting Pages 40
5. Total Page Count at Launch 40
6. Internal Linking Strategy 41
6.1 Cross-Linking Rules for the Developer 41
6.2 Contextual Link Opportunities 41
7. Build Priority Matrix 42
7.1 Tier 1: Build First (Highest Impact) 42
7.2 Tier 2: Structural & Authority Pages (Lower Direct Revenue) 42
7.3 Tier 3: Post-Launch Expansion (Month 1–6) 43
7.4 Tier 4: Ongoing (Month 7–12) 43
7.5 Tier 5: Ongoing (Month 13–24) 43
8. Schema Markup by Page Type 45
9. Technical SEO Specifications 46
9.1 URL Structure & Canonicalization 46
9.2 Crawling & Indexation Controls 46
9.3 Page Speed & Core Web Vitals 47
9.4 Mobile-First Implementation 47
9.5 Structured Data (Schema Markup) 48
9.6 Internal Linking & Navigation Rendering 48
9.7 HTTPS & Security 48
9.8 Analytics & Tracking Setup 49
9.9 Phase 2 Technical Requirements (Month 1–6 Post-Launch) 49
10. Domain Name Recommendations 49
10.1 Selection Criteria 50
10.2 Top 15 Domain Recommendations 50
10.3 Why Not Keep “Privy” or “ShopPrivy”? 51
11. Off-Page Authority & Link Building Framework 52
11.1 The Authority Problem 52
11.2 Manufacturer Link Strategy 52
11.3 Installer Partnership Model 52
11.4 Content-Driven Link Acquisition 53
11.5 Industry & Trade Outreach 53
11.6 Link Building Targets by Quarter 53
12. Platform Feasibility & Budget Risk Assessment 54
12.1 Scope vs. Budget Reality 54
12.2 Recommended Phased Implementation Approach 55
12.3 Platform Considerations 55

1. Keyword Cluster Analysis

The keyword data comes from four datasets:

- **General keywords:** 168 keywords covering product terms, materials, hardware, guides, and industries (list 1)
- **Local landing pages:** 170 local transactional keywords like "bathroom partitions [city]" (list 2)
- **Local installers:** 30 installer-specific keywords like "bathroom partition installers [city]" (list 3)
- **Partition manufacturers:** 32 brand-specific keywords currently covering ASI Global, Hadrian, Bradley, and Scranton Products (list 4).

Below is a restructured clustering based on actual search volume, keyword difficulty (KD), and CPC (cost-per-click — what competitors pay per click, a proxy for commercial intent).

1.1 How to Read This Section

Each cluster shows the actual keywords with their monthly search volume, keyword difficulty, and CPC from the data. High CPC means competitors are paying heavily for those clicks — it signals strong purchase intent. Low CPC with high volume (like ADA terms) signals informational searches.

Clusters are grouped into three tiers:

- **Tier A — Revenue Drivers:** High volume AND high CPC. These clusters directly generate sales and should be targeted on product/conversion pages.
- **Tier B — Traffic Builders:** High volume but lower CPC, or moderate volume with informational value. These drive brand awareness and feed the conversion funnel.
- **Tier C — Supporting Content:** Low volume or zero-volume keywords that still deserve pages for topical coverage, internal linking, and long-tail capture.

1.2 Tier A — Revenue Drivers

A1. Core Product Terms (24 keywords — 33,710 combined monthly searches)

These are the head terms that define the market. They have the highest volume AND the highest CPC, making them the most valuable cluster by far. Note: "partition" alone (27,100/mo) is excluded — it is too generic (room dividers, hard drive partitions, etc.) and KD 63. Every page on the site should support ranking for the terms below.

Keyword	Vol.	KD	CPC	Intent
bathroom stall	8,100	17	$13.20	Info/Commercial
bathroom partitions	3,600	32	$22.06	Commercial
restroom partitions	2,400	22	$22.06	Commercial

bathroom stalls	3,600	23	$13.20	Info/Commercial
restroom stall	2,900	19	$13.20	Info/Commercial
bathroom partition	1,600	27	$22.06	Commercial
restroom stalls	1,600	31	$13.20	Info/Commercial
toilet partition	880	38	$17.43	Commercial
bathroom stall dividers	1,300	15	$10.81	Commercial
bathroom dividers	590	30	$13.02	Commercial
toilet partitions	2,400	32	N/a	Commercial

+ 13 additional variations (bathroom partition walls, stalls for bathrooms, restroom dividers, toilet stalls, washroom dividers, etc.) contributing ~4,740 combined volume.

Target pages: Homepage (primary), /partitions/ hub (secondary). Every page on the site internally links to these targets.

Target pages: Homepage (primary), /partitions/ hub (secondary). Every page on the site internally links to these targets.

A2. Commercial / B2B Terms (13 keywords — 4,590 combined monthly searches)

Buyers who add "commercial" to their search are further along in the funnel. Average CPC of $16.11 confirms strong purchase intent.

Keyword	Vol.	KD	CPC	Intent
commercial bathroom partitions	720	24	$20.48	Commercial
commercial restroom partitions	590	25	$20.48	Commercial
commercial bathroom stalls	720	24	$14.77	Commercial
commercial restroom stalls	480	29	$14.77	Commercial
commercial bathroom stall partitions	320	28	$14.77	Commercial
commercial washroom stalls	320	29	$15.37	Commercial
commercial bathroom stall dividers	260	20	$10.81	Commercial
commercial toilet partitions	170	20	$15.91	Commercial
commercial restroom dividers	170	21	$15.91	Commercial

+ 4 more variations.

Target pages: /partitions/ hub (primary), material pages (secondary via "commercial [material] partitions" variations).

A3. Local / Geographic Intent (170 keywords — 3,150 combined monthly searches)

List 2 contains 170 city-specific keywords. Individual city keywords have low volume (10–50/mo each) but extremely high CPC where data exists. 132 of the 170 keywords show zero search volume but are still worth targeting — Reporting tools often underreport low-volume local terms.

Keyword	Vol.	KD	CPC	Intent
bathroom partitions near me	1,000	21	$12.71	Transact.
restroom partitions near me	320	19	$11.60	Transact.
commercial bathroom partitions near me	260	41	$10.30	Transact.
toilet partitions near me	140	23	$14.03	Transact.
bathroom partitions near me (variants)	140	16–39	$6–$9	Transact.
bathroom partitions florida	20	0	$43.31	Transact.
bathroom partitions kansas city	20	0	$31.70	Transact.
bathroom partitions los angeles	30	17	$27.62	Transact.
bathroom partitions columbus ohio	30	0	$22.25	Transact.
bathroom partitions miami	50	13	$19.00	Transact.

+ 160 more city/state keywords from list 2 (most 0–20 vol each, most KD 0). 132 of 170 show zero volume in Semrush.

Target pages: /service-area/ hub + 100 city pages. The high CPC on local terms validates the service area strategy — each city page targets a low-competition, high-value keyword.

Key insight: “bathroom partitions florida” has only 20 searches/month but a $43.31 CPC — the highest in the entire dataset. This means one organic visitor from that keyword is worth $43+ in avoided ad spend. At 100 city pages, even modest traffic per page adds up to significant value.

A4. Material: Stainless Steel (6 keywords — 850 combined monthly searches)

Stainless steel has the highest average CPC ($16.18) of any material cluster because it’s the premium product. Every stainless steel searcher is a high-value buyer.

Keyword	Vol.	KD	CPC	Intent
stainless steel partitions	90	3	$15.43	Commercial
stainless steel bathroom stalls	260	2	$13.14	Commercial
stainless steel bathroom partitions	170	0	$19.52	Commercial
stainless steel restroom partitions	170	4	$19.41	Commercial
stainless steel toilet partitions	90	3	$16.09	Commercial

stainless bathroom partitions	140	3	$17.26	Commercial

Target page: /partitions/stainless-steel/. All KD 0–4 — this is the easiest material cluster to rank for AND the most valuable per visitor.

A5. Buying Intent / Transactional (4 keywords — 80 combined monthly searches)

Low volume but the highest CPC of any cluster. "Buy bathroom partitions" at $27.90 CPC is the highest-CPC non-local keyword in the dataset. These searchers are ready to purchase.

Keyword	Vol.	KD	CPC
buy bathroom partitions	40	29	$27.90
cheap bathroom partitions	30	16	$27.41
buy toilet partitions online	10	0	N/a

Target page: /get-a-quote/ configurator. These terms validate that the configurator page itself should be SEO-optimized, not just a functional tool.

A6. Material Types (24 keywords — 1,540 combined monthly searches)

Material-specific searches signal buyers who already know what they want. High CPC across all materials (stainless and powder coated shown above; remaining materials below). These keywords are targeted by dedicated material pages under /partitions/.

Keyword	Vol.	KD	CPC
phenolic toilet partitions	260	10	$3.74
HDPE toilet partitions	140	9	$8.25
phenolic resin toilet partitions	110	4	$3.74
phenolic partition	90	2	$4.76
phenolic bathroom partitions	70	5	$12.77
HDPE bathroom partitions	50	0	$12.42
metal bathroom partitions	50	12	$15.82
laminate bathroom partitions	40	3	$14.32
phenolic partitions	40	11	$4.76
wood bathroom stalls	40	0	$5.69
plastic laminate partitions	30	12	$14.25
types of bathroom partitions	30	9	$5.01
toilet partition types	30	7	$3.08

types of toilet partitions	90	10	$2.74

+ 17 more variations (powder coated, stainless steel, solid plastic, baked enamel, laminate toilet, hdpe vs phenolic, etc.).

Target pages: /partitions/phenolic/, /partitions/solid-plastic-hdpe/, /partitions/plastic-laminate/, /partitions/wood/, /partitions/powder-coated-steel/, /partitions/stainless-steel/. Most KD under 12. Material pages are among the easiest to rank and serve buyers with clear product intent.

Note: "types of toilet partitions" (90/mo), "types of bathroom partitions" (30/mo), and "toilet partition types" (30/mo) are targeted by the /partitions/ hub page, not individual material pages. The hub's "Types of Bathroom Partitions" section and comparison grid serve this intent directly.

1.3 Tier B — Traffic Builders

B1. Hardware, Parts & Accessories (26 keywords — 7,150 combined monthly searches)

High search volume but low CPC (avg $2.30). Includes locks, latches, hinges, door handles, doors, and commercial accessories. These searchers often need replacement parts, not full partition systems. Still valuable for SEO authority and cross-sell into the configurator.

Keyword	Vol.	KD	CPC	Intent
bathroom partition hardware	720	16	$2.28	Commercial
restroom partition hardware	590	15	$2.27	Commercial
bathroom stall hardware	480	9	$1.64	Commercial
bathroom partition parts	480	24	$2.28	Commercial
restroom stall locks	480	2	$1.32	Commercial
bathroom stall lock	320	3	$1.26	Commercial
bathroom stall door lock	260	5	$1.26	Commercial
bathroom stall door latch	210	3	$0.75	Commercial
bathroom stall latch	260	3	$1.26	Commercial
bathroom stall door hinges	170	0	$1.55	Commercial

+ 11 more (door handle, stall hardware commercial, etc.).

Target pages: /hardware/ hub + sub-pages. Strategy: rank for these high-volume, low-competition terms, then cross-sell full partition systems. A facility manager searching for a replacement latch may also need new partitions.

B2. Industry / Use-Case (19 keywords — 1,580 combined monthly searches)

Moderate volume. Industry-specific searchers have clear project intent but most show $0 CPC — these are content marketing plays for topical authority.

Keyword	Vol.	KD	CPC
school bathrooms	320	12	N/a
bathroom stalls for schools	210	21	$3.93
public restroom stalls	210	14	$11.31
public toilet stall	210	20	$11.65
school bathroom stall	170	7	N/a
public restroom partitions	90	18	$16.13
restaurant bathroom partitions	40	26	$13.54
bathroom partitions for churches	40	5	N/a

+ 11 more (bars, gyms, offices, school restroom partitions, etc.).

Target pages: /industries/ hub + individual pages.

B3. Guides: Dimensions, ADA & Sizing (23 keywords — 7,000 combined monthly searches)

High volume but low CPC. “ADA bathroom requirements” alone is 3,600/mo at $0.97 CPC — informational researchers, not buyers. “Bathroom stall dimensions” is 1,000/mo at KD 8 — a quick-win ranking opportunity. These drive massive top-of-funnel traffic and link to product pages.

Keyword	Vol.	KD	CPC
ADA bathroom requirements	3,600	38	$0.97
bathroom stall dimensions	1,000	8	$3.61
toilet ada	480	26	$0.74
ADA bathroom stall dimensions	320	17	$2.24
ada stall	260	13	$5.23
toilet stall width	260	5	$3.14
commercial restroom layout	210	13	$1.35
restroom requirements for business	210	10	$0.00
standard bathroom stall size	170	8	$4.16
standard toilet stall width	140	5	$3.40

+ 5 more (bathroom stall height, commercial bathroom stall dimensions, etc.).

Target pages: /guides/ada-compliance/, /guides/bathroom-stall-dimensions/, /guides/standard-sizes/, /guides/restroom-layout/.

B4. Urinal Screens (3 keywords — 1,190 combined monthly searches)

Keyword	Vol.	KD	CPC
urinal partition	480	3	$6.45
urinal dividers	390	3	$2.33
urinal partitions	320	1	$6.94

Target page: /urinal-screens/. All KD 1–3. Quick win.

1.4 Tier C — Supporting Content

These clusters have lower volume but still contribute to topical coverage and internal linking.

Cluster	KWs	Vol.	Avg CPC	Avg KD	Target Page
Mounting Styles	13	520	$4.49	5	/mounting-styles/
Manufacturer / Brand (list 4)	32	4,270	$4.21	11	/brands/ + sub-pages
Blog / FAQ Topics	12	470	$1.23	2	/blog/

Notable observations:

- Mounting Styles: 13 keywords, 520 total volume. Pages are still needed for topical completeness but should not be treated as SEO priority targets.
- Manufacturers / Brands (list 4): 32 keywords, 4,270 combined volume across four confirmed brands. This is a dedicated keyword list extracted from the general research. Breakdown by brand:

Brand	KWs	Vol.	Top Keywords
ASI Global	6	1,570	asi global partitions (1,000, KD 21), global partitions (320, KD 12)
Hadrian	7	1,070	hadrian toilet partitions (390, KD 13), hadrian partitions (320, KD 7)
Bradley	9	950	bradley toilet partitions (320, KD 6), bradley corp toilet partitions (170, KD 17)

Scranton Products	5	510	scranton toilet partitions (210, KD 10), scranton partitions (140, KD 11)
Generic (manufacturers)	5	170	toilet partition manufacturers (70, KD 57), bathroom stall manufacturers (40, KD 50)

Target pages: /brands/ hub + individual brand pages. Average KD ~11 across brand-specific keywords (the generic "manufacturers" terms are KD 50–62 and will take longer to rank). Brand pages are strategically valuable for distributor positioning.

Important: The final list of brand/manufacturer pages must be confirmed with the client based on the actual brands he is authorized to distribute and sell. Only verified supplier brands should be included in the site architecture to ensure accuracy, credibility, and alignment with real inventory and dropshipping capabilities.

Low-volume keywords: 10 keywords in the general list show low reported monthly volumes. These include "HDPE vs phenolic partitions," "how to choose bathroom partitions," "floor mounted bathroom partitions," "suspended bathroom partitions," "wall mounted toilet partitions," "best commercial bathroom materials," "can a workplace legally remove bathroom stall partitions," "partition dimensions," "bathroom partition specifications," and "shop bathroom partitions."

However, they reflect high-intent, long-tail searches across research, specification, and supplier comparison stages. We recommend using these topics as supporting SEO content to capture qualified traffic, build topical authority, and strengthen internal linking to core revenue pages.

1.5 Summary

Tier	Clusters	KWs	Volume
A	Core + Commercial + Local + Buying Intent + Material Types + Local Installers	271	44,550
B	Hardware/Parts/Accessories + Industry + Guides/ADA/Dimensions + Urinal Screens	71	16,920
C	Mounting Styles + Manufacturers + Blog Topics	57	~5,260

Tier A clusters drive the revenue engine: homepage, /partitions/ hub, material pages, configurator, and service area pages. Tier B builds topical authority and captures informational traffic that feeds the funnel. Tier C provides completeness.

The general list (1) contains 168 keywords totaling ~85,780 monthly searches (58,680 excluding the generic term "partition").

The location/transactional list (2) contains 170 city keywords totaling ~3,150 monthly searches.

The location/service list (3) contains 30 installer keywords totaling ~630 monthly searches.

The manufacturer list (4) contains 32 brand keywords totaling ~4,270 monthly searches.

Combined: 400 tracked keywords totaling ~93,830 monthly searches (~66,730/month excluding the overly generic term "partition," which is intentionally excluded from Tiers A, B, and C). The city and installer keywords are addressed by the service area pages in Section 4.8.

2. Competitor Analysis (Organic Search Landscape)

2.1 Methodology

This analysis is based on organic keyword rankings from SEMrush (February 2026), estimated organic traffic, traffic cost as a commercial intent proxy, website structure and SEO model, and non-branded traffic share as a true SEO strength indicator. Since the client has not yet launched the project, the goal is not performance comparison but market difficulty assessment and strategic positioning before build.

2.2 Core Organic Competitors

Five primary competitors were identified through keyword overlap analysis. These domains consistently rank across transactional keywords such as "toilet partitions," "bathroom partitions," "commercial restroom partitions," and material-specific terms (HDPE, phenolic, laminate):

- partitionsandstalls.com
- partitionplus.com
- onepointpartitions.com
- toiletpartitions.com
- partitionking.com

2.3 Organic Visibility Benchmark

The following data is pulled directly from SEMrush (February 22, 2026). Screenshots from the tool are included below for verification.

Domain	Ranking KWs	Organic Traffic	Traffic Cost	Branded Traffic	Non-Brande d
partitionsandstalls.com	~4,700	~9,300	$70,700	259	~9,100
partitionplus.com	~4,600	~7,400	$84,100	619	~6,700
onepointpartitions.com	~5,100	~4,500	$41,600	597	~3,900
toiletpartitions.com	~3,200	~1,600	$14,700	0	~1,600
partitionking.com	~807	~294	$3,500	136	~158


Key interpretation: The niche is dominated by mid-authority niche suppliers, not massive enterprise brands. Traffic is heavily non-branded, indicating real keyword-driven SEO dominance — meaning these rankings are achievable through content and architecture, not brand recognition alone. PartitionKing shows very low SEO maturity despite being a direct competitor.

Important nuance: PartitionPlus has the highest traffic cost ($84.1K) despite lower traffic than PartitionsAndStalls ($9.3K). This means PartitionPlus has stronger rankings on high-CPC buyer-intent keywords rather than informational queries — their traffic is more commercially valuable per visit.


SEMrush verification — partitionsandstalls.com:




SEMrush verification — onepointpartitions.com:




SEMrush verification — toiletpartitions.com:



SEMrush verification — partitionking.com:



SEMrush verification — partitionplus.com:



2.4 Competitor Tier Classification

Tier 1 — Market Leaders (High SEO Authority)

- partitionsandstalls.com and partitionplus.com: 4,000–5,000+ ranking keywords, strong transactional keyword coverage, high traffic value (commercial intent), and mature category + material page structures. PartitionPlus has the highest traffic cost ($84.1K), suggesting stronger rankings on buyer-intent keywords.

Tier 2 — Strong Mid-Level Competitor

- onepointpartitions.com: Highest keyword count (~5.1K) but moderate traffic (~4.5K). Strong product and industry segmentation. Well-structured SEO site, but not dominating the niche.

Tier 3 — Weak SEO Competitors (Beatable)

- toiletpartitions.com and partitionking.com: Lower keyword coverage, declining or limited traffic growth, heavy reliance on product listings rather than SEO content structure, weaker topical authority. This is a strong positive signal for new market entry.

2.5 Website Model Analysis

Competitors build organic visibility through product category pages, material-specific landing pages, quote funnels, industry-specific pages, and resource/specification guides. Some competitors offer blog posts and service area pages for informational and geographical keyword coverage.

This confirms that the niche rewards structured commercial architecture.

Example structural patterns observed across competitors:

- Material pages (HDPE, Phenolic, Stainless Steel, Powder-Coated Steel, Solid Plastic)
- Mounting style pages (floor mounted, ceiling hung, overhead braced, floor-to-ceiling)
- Industry pages (schools, gyms, offices, churches, restaurants)
- Quote/configurator workflows with “Get a Quote” CTAs prominently featured

All of these structural elements are already designed into the site architecture in Sections 4.2–4.7 of this report.

2.6 Keyword Strategy Patterns

Competitors rank primarily for transactional keywords: “toilet partitions,” “commercial bathroom partitions,” “buy bathroom stalls,” “HDPE partitions,” “phenolic toilet partitions.” However, the top-performing competitors extend well beyond product/category pages:

partitionplus.com (Tier 1 co-leader, $84.1K traffic cost):

- Blog archive (/blog/) with clustered content: Design Tips, Cleaning & Maintenance, Measuring and Installation, Collections, and Washroom Accessories — building topical authority across the full buyer journey.
- Full installation instructions hub (/how-to-install-toilet-partitions/) with manufacturer-specific PDF guides for Bobrick, Hadrian, Scranton, Bradley, and ASI — organized by material type (phenolic, HDPE, laminate, steel). This is a significant informational asset that drives long-tail installation keyword traffic and builds trust.

- Service area section (/our-service-areas/) with state-by-state and city-level landing pages (e.g., /bathroom-stalls-in-birmingham-alabama/) for local SEO. Nationwide coverage presented as a distributor with Mid-Atlantic roots — classic geo-targeted page strategy.

Also noteworthy: PartitionPlus provides their own installation services in the Baltimore, Washington DC, and Virginia area (demonstrated in "Do you install"-section on /frequently-asked-questions/), similar to AMP Partitions.

onepointpartitions.com (~4,500 traffic, ~5.1K keywords):

- Blog section (/blog/) with deep topical coverage: bathroom stall sizes, materials guides, toilet rough-in dimensions, commercial remodel guides, restroom design guides, industry-specific content (restaurant bathrooms, college bathrooms, hotel bathrooms), and design trend articles. Active content production through 2025.
- Service areas section (/service-areas/) with nested state → city structure (e.g., /service-areas/florida-bathroom-partitions/miami-bathroom-partitions/). This two-level geo hierarchy drives both state-level and city-level local keywords and was already noted in the proposed architecture for AMP (Section 4).

Key takeaway:

The two traffic leaders — partitionsandstalls.com (~9,300 traffic) and partitionplus.com (~7,400 traffic, $84.1K traffic cost) — dominate on transactional product/material pages and strong category architecture.

PartitionPlus extends this with a categorized blog, full manufacturer installation guides, and geo-targeted service area pages.

OnePointPartitions.com (~4,500 traffic, ~5,100 keywords) sits at rank 3 but operates a similar three-pillar approach: transactional product pages, deep blog content (stall sizes, materials guides, remodel guides, industry-specific articles), and a nested state → city service area structure.

The key difference is that partitionsandstalls.com's market-leading traffic is driven less by a traditional content marketing or local SEO strategy and more by extensive product page depth supported by long-standing domain authority and trust built over years. Their instructional content exists, but it functions as supporting resources rather than the primary traffic engine, indicating that in this niche, mature authority + structured product taxonomy can rank at scale without relying on a large blog footprint.

The weaker competitors (toiletpartitions.com, partitionking.com) lack all three pillars.

The proposed architecture combines the product depth of the traffic leaders with the content and local SEO strategies of PartitionPlus and OnePoint — a model no single competitor currently executes fully.

2.7 Competitive Weaknesses & Market Gaps

Gap	Current Competitor Status	Our Opportunity
Content siloing	Most competitors lack true pillar/hub structures. Scattered resource content. Poor internal linking.	The hub + sub-hub architecture in this report (e.g., /partitions/ hub → material sub-pages) outperforms flat site structures.
Local SEO	PartitionPlus and OnePoint both operate service area pages at state and city level. Other competitors have no local SEO infrastructure. The	100 city pages with installer listings create a local SEO moat that is time-consuming for competitors to replicate.

	leaders' city pages are thin and follow a template approach — the proposed AMP model with installer directories and unique local content can differentiate.	
UX & trust signals	Outdated designs, heavy text blocks, limited CRO elements, minimal authority signals.	A modern UX + SEO hybrid site can outperform with equal authority. Authorized distributor status provides a genuine trust signal.
Manufacturer depth	Most competitors list products but don't have dedicated brand pages with keyword targeting.	Dedicated brand pages (ASI Global, Hadrian, Bradley, Scranton) targeting thousands of branded searches every month.
Installation content	PartitionPlus has a full installation hub with manufacturer-specific PDF guides (Bobrick, Hadrian, Scranton, Bradley, ASI) by material type. OnePoint has measuring/dimension guides on their blog. Others focus on product sales only.	Installer directory + city pages, combined with purchasing and installation guides — serving the full buyer journey.

2.8 Content & Topical Authority Comparison

Factor	Market Leaders	Weak Competitors
Product Depth	Very High	Medium
Material Pages	Extensive	Limited
Industry Segmentation	Strong	Weak
Blog Content	Active (PartitionPlus: categorized blog with design, cleaning, installation content. OnePoint: deep guides on stall sizes, materials, commercial remodel, industry-specific articles. Both actively publishing through 2025.)	Minimal / None
Technical Guides	Present	Inconsistent

2.9 Funnel & Conversion Structure

All leading competitors prominently feature "Get a Quote" CTAs, layout/design tools, fast shipping messaging, and custom configuration offers. This suggests Google is rewarding commercial intent alignment and conversion-focused pages — not purely informational content. The proposed configurator-first model (Section 4.9) is directly aligned with what Google already ranks in this niche.

2.10 Barrier to Entry Assessment

Difficulty level: Low to Moderate

No dominant enterprise SEO giant controls this space. Traffic leaders are below 10,000 monthly visitors. Keyword scale is achievable (~4,000–5,000 keywords for top competitors). Content architecture across competitors is weak. This is not a saturated SEO niche.

SERP validation (Feb 2026): A live SERP export for the head term "bathroom partitions" confirms the top 10 is a mix of resellers/distributors (partitionsandstalls.com, partitionplus.com, allpartitions.com, onepointpartitions.com, harborcitysupply.com, toiletpartitions.com) and manufacturers (special-lite.com, bobrick.com), plus one large industrial supplier (grainger.com). No Amazon, Home Depot, or big-box retailer holds a top-10 position. This reinforces that the niche is commercially accessible for a well-structured new entrant positioned as a distributor with strong product taxonomy and content authority.

A strategically structured new website can compete within 6–18 months if built correctly from the start. The proposed architecture in this report directly addresses every structural weakness identified in the competitive landscape. The client's distributor relationships provide an authority advantage that purely online competitors lack.

2.11 Strategic Implications for Website Build

Based on competitor analysis, the optimal SEO model for launch prioritizes:

- Product category and material pages (matching the dominant competitor model)
- Mounting style and industry segmentation (matching Tier 1 competitor depth)
- Quote/configurator funnel (matching proven conversion patterns)
- Hub-based content architecture with strong internal linking (exploiting the #1 competitor weakness)
- Scalable city/service area pages (exploiting the local SEO gap that no competitor has filled)

Not recommended based on competitor evidence: blog-first strategy, random informational articles, or thin product pages without configurator integration.

The SERP landscape shows a niche dominated by structured commercial suppliers with mid-authority domains and high-intent keyword targeting. The absence of strong content architecture, advanced internal linking, and scalable SEO silos creates a clear opportunity for a strategically structured new website to compete within 6–18 months if built correctly from the start.

3. Proposed Site Navigation

The navigation must balance two needs: making it easy for users to find what they want (UX), and ensuring Google can crawl and understand the full site hierarchy (SEO). Below is the recommended primary and secondary navigation structure.

3.1 Primary Navigation (Top Menu Bar)

The top navigation should have 5–7 items visible at all times. Each item opens a dropdown/mega-menu with sub-items:



Partitions (Dropdown)

This is the primary product menu. Opens a mega-menu with material categories:

- All Partitions — /partitions/
- Powder Coated Steel — /partitions/powder-coated-steel/
- Solid Plastic (HDPE) — /partitions/solid-plastic-hdpe/
- Phenolic — /partitions/phenolic/
- Plastic Laminate — /partitions/plastic-laminate/
- Stainless Steel — /partitions/stainless-steel/
- Wood — /partitions/wood/
- Urinal Screens — /urinal-screens/

Mounting Styles (Dropdown)

- All Mounting Styles — /mounting-styles/
- Overhead Braced — /mounting-styles/overhead-braced/
- Floor Mounted — /mounting-styles/floor-mounted/
- Ceiling Hung — /mounting-styles/ceiling-hung/
- Floor to Ceiling — /mounting-styles/floor-to-ceiling/

Hardware & Parts (Dropdown)

- All Hardware & Replacement Parts — /hardware/
- Door Hardware — /hardware/door-hardware/
- Locks & Latches — /hardware/locks-latches/
- Hinges — /hardware/hinges/
- Doors — /hardware/doors/

Note: Industry pages (Schools, Churches, Gyms, Offices, Restaurants, Public Restrooms) are linked in the footer navigation instead of the primary nav. No top competitor uses industry pages in their main menu — this keeps the primary nav focused on product/material categories that drive conversions.

Resources (Dropdown)

- Our Service Area — /service-area/
- Serviced Industries— /industries/
- Stall Dimensions — /guides/bathroom-stall-dimensions/
- Standard Sizes — /guides/standard-sizes/
- Restroom Layout Guide — /guides/restroom-layout/
- ADA Compliance — /guides/ada-compliance/
- Blog — /blog/

Get a Quote (CTA Button — Highlighted)

Links to /get-a-quote/ — the step-by-step configurator where all buyers get their price. This should be visually distinct from other nav items (different color, button shape) as it is the primary conversion action. Material pages show "starting-at" pricing for transparency but all purchases flow through the configurator.

3.2 Secondary Navigation (Footer)

The footer should include all pages for maximum crawlability, organized in columns:

Products	Resources	Brands	Company
All Partitions Powder Coated Steel Solid Plastic (HDPE) Phenolic Plastic Laminate Stainless Steel Wood Urinal Screens Hardware & Parts	Our Service Area Serviced Industries Stall Dimensions ADA Compliance Mounting Styles Restroom Layout Installation Guide Blog FAQs	Scranton Products Hadrian Bradley ASI Global Partitions ...	About Us Why Buy From Us Testimonials Contact Us Shipping & Returns Terms & Conditions Privacy Policy

3.3 Breadcrumb Navigation

Every page must include breadcrumb navigation for both UX and SEO (BreadcrumbList schema). Examples:

Home > Partitions > Phenolic
Home > Mounting Styles > Ceiling Hung
Home > Hardware > Doors
Home > Hardware > Locks & Latches
Home > Guides > ADA Compliance
Home > Service Area > New York
Home > Brands > Hadrian
Home > Industries > Schools

4. Complete Site Architecture with Keyword Mapping

Below is every planned page on the site, its URL, the keyword cluster it serves, and the primary keywords it targets. This is the developer's build specification and the SEO team's content brief, combined into one reference.

4.1 Homepage

Field	Details
URL	/
Clusters	A1 Core Product + A5 Buying Intent
Primary KWs	bathroom partitions (3,600/mo), bathroom stalls (3,600/mo), toilet partitions (2,400/mo), buy bathroom partitions

The homepage is the primary landing page for branded and head-term organic traffic. It must immediately communicate three things: what we sell, that you can get pricing here, and that we are a credible supplier. Below are the recommended homepage sections in order:

Section	Content & Purpose
1. Hero	Full-width hero image of a clean, modern commercial restroom with partitions. Headline: clear value proposition (e.g., "Commercial Bathroom Partitions — Shipped Nationwide"). Sub-headline addresses the buyer's pain: "Instant pricing on standard setups. Custom quotes in 2–3 hours." Two CTA buttons: "Browse Materials" → /partitions/ and "Get a Quote" → /get-a-quote/.
2. Configurator Preview	Interactive teaser pulling users into the conversion funnel immediately. Headline: "Configure Your Partitions." Shows 2–3 starter questions: (a) "How many stalls?" with visual buttons (1, 2, 3, 4, 5+), (b) "What material?" with thumbnail cards for each material showing "from $X/stall." Clicking any combination routes to /get-a-quote/ with those selections pre-populated. This signals that you can get pricing here, not just browse.
3. Material Overview	Grid of 6 material cards (powder coated steel, HDPE, phenolic, laminate, stainless steel, wood). Each card shows: material photo, 1-line description, "from $X/stall" starting price, and a "Learn More" link to the material page. This section targets "types of bathroom partitions" and lets users self-select based on budget or need.
4. Why Buy From Us	Trust-building section with 4–5 value propositions: Authorized distributor for all major brands, nationwide shipping, all hardware included, real pricing (no hidden fees), expert support. Include manufacturer logos (Hadrian, Bradley, Global, Bobrick, etc.) as a trust bar.

5. Popular Industries	Cards or icons linking to industry pages: Schools, Churches, Gyms, Offices, Restaurants, Public Restrooms. Headline: “Partitions for Every Commercial Environment.” Each links to the corresponding /industries/ page.
6. How It Works	3-step visual: (1) Configure your layout, (2) Get instant pricing or a custom quote, (3) We ship it to your door. Simple, addresses the “what happens after I order?” question. Mention that installation guides are included and link to the service area directory.
7. Testimonials / Social Proof	2–3 customer testimonials or project highlights. If no testimonials yet at launch, use: number of brands carried, years in business, states shipped to.
8. Final CTA	Full-width banner: “Ready to get started? Configure your partitions now.” Single button to /get-a-quote/. Catches users who scrolled the full page.

4.2 Partitions (Product Category Pages)

/partitions/ — All Partitions Hub

Clusters	A2 Commercial/B2B + A5 Buying Intent + A6 Material Types
Primary KWs	commercial bathroom partitions (720/mo), commercial bathroom stalls (720/mo), commercial restroom partitions (590/mo), types of bathroom partitions (30/mo), types of toilet partitions (90/mo), toilet partition types (30/mo)
Purpose	Hub page for product exploration and material selection. Opens with a "Types of Bathroom Partitions" section introducing all 6 materials (targets the "types of" keywords), followed by a comparison grid (price range, durability, best environment, warranty), and cards linking to each material page. Each material card shows a starting price (e.g., "From $275/stall") to signal that pricing is available, not just information. This page replaces the need for a separate material comparison guide.
CTA	Quick-start CTA: "Know what you need? Get a Custom Quote" → /get-a-quote/. But the primary path is clicking into a material page where users can buy directly.

Material Pages

Page / URL	Cluster	Volume	Primary Keywords
/partitions/powder-coated-steel/	A6	~410	powder coated steel partitions, metal bathroom partitions, baked enamel partitions
/partitions/solid-plastic-hdpe/	A6	~220	HDPE bathroom partitions, HDPE toilet partitions, solid plastic partitions
/partitions/phenolic/	A6	~530	phenolic partitions, phenolic toilet partitions, phenolic bathroom partitions, phenolic resin toilet partitions
/partitions/plastic-laminate/	A6	~100	plastic laminate partitions, laminate bathroom partitions, laminate toilet partitions
/partitions/stainless-steel/	A4	~850	stainless steel partitions, stainless steel toilet partitions, stainless steel bathroom partitions, stainless steel bathroom stalls
/partitions/wood/	A6	~40	wood bathroom stalls (KD 0)

/urinal-screens/ — Urinal Screens & Dividers

Clusters	B4 Urinal Screens
Primary KWs	urinal partition (480/mo), urinal partitions (320/mo), urinal dividers (390/mo) — combined 1,190/mo, KD 1–3
Note	Simpler product than full partitions. High volume, low competition. Quick win.

4.3 Mounting Styles

Page / URL	Cluster	Volume	Primary Keywords
/mounting-styles/	C	Hub	bathroom partition mounting styles, mounting options
/mounting-styles/overhead-braced/	C	70	overhead braced toilet partitions (KD 0)
/mounting-styles/floor-mounted/	C	40	floor mounted toilet partitions, floor anchored toilet partitions
/mounting-styles/ceiling-hung/	C	180	ceiling hung toilet partitions (90), ceiling mounted toilet partitions (90)
/mounting-styles/floor-to-ceiling/	C	130	floor to ceiling toilet partitions (90), floor to ceiling bathroom stalls (40)

4.4 Hardware, Parts & Doors

Page / URL	Cluster	Volume	Primary Keywords
/hardware/	B1	Hub	bathroom partition hardware (720), bathroom stall hardware (480), restroom partition hardware (590)
/hardware/door-hardware/	B1	170	bathroom stall door hardware
/hardware/locks-latches/	B1	~1,500	bathroom stall lock (320), bathroom stall latch (260), bathroom stall door lock (140), bathroom stall door locks (170), restroom stall locks (480)
/hardware/hinges/	B1	210+	bathroom stall door hinges (210), commercial bathroom stall door hinges (90)
/hardware/parts/	B1	480+	bathroom partition parts (480), commercial bathroom

			stall parts (110), replacement parts
/hardware/doors/	B1	1,290	restroom stall doors (720), commercial bathroom stall doors (90), stall door bathroom (480)

4.5 Brands / Manufacturers

Page / URL	Cluster	Volume	Primary Keywords
/brands/	C	Hub	partition manufacturers (30), toilet partition manufacturers (70), bathroom stall manufacturers (40)
/brands/asiglobal/	C	1,570	asi global partitions (1,000, KD 21), global partitions (320, KD 12), asi global toilet partitions (70)
/brands/hadrian/	C	1,070	hadrian toilet partitions (390, KD 13), hadrian partitions (320, KD 7), hadrian toilet partition (110), hadrian bathroom partitions (90)
/brands/bradley/	C	950	bradley toilet partitions (320, KD 6), bradley corp toilet partitions (170, KD 17), bradley corporation toilet partitions (140)
/brands/scranton-products/	C	510	scranton toilet partitions (210, KD 10), scranton partitions (140, KD 11), scranton eclipse partitions (90)
All missing partnered manufacturers (e.g., Bobrick, Accurate Partitions, Metpar)	C	TBD	To be confirmed with client based on authorized distributor agreements

Each brand page should include: distributor authorization statement, available materials and products from that brand, color charts, lead times, and a link to the configurator. This is the exact page a person lands on when searching for a specific manufacturer but needing to buy through a distributor.

4.6 Guides & Resources

Page / URL	Cluster	Volume	Primary Keywords
/guides/bathroom-stall-dimensions/	B3	1,000	bathroom stall dimensions (1,000/mo, KD 8)
/guides/standard-sizes/	B3	310+	standard bathroom stall size (170), standard toilet stall width (140)
/guides/restroom-layout/	B3	210+	commercial restroom layout (210), bathroom stall layout (30)
/guides/ada-compliance/	B3	4,660	ADA bathroom requirements (3,600/mo, KD 38), ADA bathroom stall dimensions (320), toilet ada (480), ada stall (260)

4.7 Industries

Page / URL	Cluster	Volume	Primary Keywords
/industries/	B2	Hub	Industries landing page
/industries/schools/	B2	700+	bathroom stalls for schools (210), school bathroom stall (170), school bathrooms (320), school bathroom partitions (30)
/industries/churches/	B2	40	bathroom partitions for churches (40, KD 5)
/industries/gyms/	B2	20	bathroom partitions for gyms (KD 0)
/industries/offices/	B2	10	office bathroom partitions
/industries/restaurants/	B2	70	restaurant bathroom partitions (40), restaurant bathroom stalls (40)
/industries/public-restrooms/	B2	420+	public restroom stalls (210), public toilet stall (210), restroom requirements for business (210)

4.8 Our Service Area

URL Pattern	/service-area/ and /service-area/[city-name]/
Clusters	A3 Local / Geographic Intent (list 2: 170 keywords) + installer variants (list 3: 30 keywords)
Primary KWs	bathroom partitions near me (1,000/mo), restroom partitions near me (320/mo), commercial bathroom partitions near me (260/mo), toilet partitions near me (140/mo), bathroom partitions [city] (10–50/mo each)

Phase 1 (Months 1–6): Hybrid City Page Launch + Initial Installer Integration

Launch the first 30 /service-area/[city]/ pages targeting high-intent keywords such as "bathroom partitions [city]." Each page should function as a transactional landing page featuring available materials, nationwide shipping to that city, and a prominent configurator CTA.

The first 30 pages should be built for the high-value metro areas defined in the standalone sheet (priority markets).

Competitor example:

- Hub:https://onepointpartitions.com/service-areas/
- Location:https://onepointpartitions.com/service-areas/florida-bathroom-partitions/miami-bathroom-partitions/

A secondary "bathroom partition installers in [city]" section should be included to support users who need installation while maintaining the primary focus on online purchasing.

In parallel, conduct outreach to 2–3 vetted installers per city and offer a free featured listing in exchange for a contextual backlink to the corresponding city page. This ties link acquisition directly to live, relevant assets rather than generic outreach.

Phase 2 (Months 6–12): Expansion + Installer Network Scaling

Expand the service area structure to ~100 total /service-area/[city]/ pages, prioritizing cities showing early impressions, traffic, or conversions in Phase 1. Continue targeting transactional keywords such as "bathroom partitions [city]" while maintaining the configurator as the primary conversion path. Increase the installer network by onboarding additional vetted partners per city and strengthening the existing "bathroom partition installers in [city]" sections.

Each installer listing should be upgraded with a short company description, verified service areas, contact links, and optional partnership badges/widgets to encourage reciprocal backlinks.

This approach aligns directly with the installer partnership outreach timeline in Section 11.3 and ensures link-building is embedded into the page rollout, not delayed.

4.9 Conversion & E-Commerce Model

The site uses a single configurator as the primary conversion mechanism. All orders — simple and complex — flow through /get-a-quote/. Material pages educate and show starting prices but do not include inline checkout. This approach is necessary because even standard partition orders require dimensional specifications (panel height, gap from floor, pilaster height) and color selections that affect pricing.

A. Material Page Structure (Product Education + Funnel to Configurator)

Each material page (e.g., /partitions/powder-coated-steel/) is an in-depth product page that educates the buyer and drives them to configure. Every material page follows this structure:

Section	Content & Purpose
1. Product Overview	What this material is, why choose it, best environments (e.g., offices, restaurants, churches for powder coated steel). SEO content targeting material-specific keywords.
2. Starting-At Pricing	Transparent "from $X/stall" pricing by layout type. NOT a checkout widget — a reference table showing price ranges. E.g., "Powder Coated Steel: from $275/stall (between walls, overhead braced, standard color)." Includes note: "Final price depends on dimensions, color selection, and mounting style. Configure yours for an exact price." This is the competitive advantage — most competitors show nothing.
3. Mounting Styles	Which mounting options work with this material, visual comparison, links to /mounting-styles/ sub-pages. Includes guidance on height and floor gap: "Overhead braced is most common. Standard panel height is 58" with a 12" floor gap, but your configurator quote will let you specify exact dimensions for your space."
4. Hardware Included	What comes included with every order (panels, doors, pilasters, hinges, latches, brackets, headrail, pilaster shoes). What is available as extras. Links to /hardware/ pages. Answers "do I need to buy anything else?" before it becomes a reason to leave.
5. Colors & Finishes	Color chart with swatches for this specific material. Note which colors are standard-tier vs. premium-tier pricing. "Standard colors start at $X/stall. Premium colors start at $Y/stall." Exact pricing in configurator.
6. ADA Options	Brief explanation of ADA stall requirements for this material. Link to /guides/ada-compliance/ for full details. Note that ADA stalls are configurable in the quote tool.
7. Specs & Downloads	Dimensions, weight, thickness, warranty, lead time, shipping info. CAD files and spec sheets if available from manufacturer.
8. CTA: Configure	Single prominent CTA: "Configure Your Powder Coated Steel Partitions — Get Your Price" → links to /get-a-quote/ with material pre-selected. Secondary CTA: "Not sure about material? Compare all materials" → /partitions/.

B. /get-a-quote/ — The Configurator (Single Conversion Point)

All orders flow through this page. The configurator is smart enough to handle both simple and complex configurations, providing instant pricing when possible and collecting quote requests when dimensions or options go beyond pre-calculated ranges.

Field	Details
URL	/get-a-quote/
SEO Keywords	bathroom partition quote, buy bathroom partitions online, commercial bathroom partition pricing, bathroom partition cost
Pre-population	The configurator pre-fills known selections based on the referring page: material pages pre-select the material, mounting style pages pre-select the mounting style, industry pages pre-select the recommended material for that industry (e.g., Schools → HDPE, Hotels → Stainless Steel), and the homepage configurator preview carries over stall count and material selections. Any pre-filled step is shown as selected but editable.

Configurator flow:

1. Email capture: "Save your configuration — enter your email to save progress and receive your quote." Captures the lead before they start configuring.
2. Number of stalls (1–10+).
3. Layout selection from visual diagrams (between walls, corner, alcove, free standing, with more options for complex layouts).
4. Material selection with comparison info and starting prices shown per material.
5. Mounting style (overhead braced, floor mounted, ceiling hung, floor to ceiling) with visual explanations.
6. Dimensions: panel height, gap from floor to bottom of panel, door width. Pre-filled with standard values (58" panel, 12" gap, 24" or 36" door) but editable. This is critical — commercial buyers replacing existing partitions need to match specific measurements.
7. Color selection with price tier indicators (standard vs. premium).
8. ADA requirements: toggle for ADA-compliant stall(s) with automatic dimension adjustments.
9. Add-ons: "You may also need" section showing grab bars, door bumpers, extra hardware, replacement parts, and other accessories relevant to the selected configuration. ADA-compliant setups automatically suggest required grab bars. Items are added to the quote with pricing.
10. Visual preview updates in real-time showing the configured layout with selected material and color.
11. Pricing result:

- *If all selections match pre-calculated standard configurations (standard dimensions, standard mounting, standard color): show instant price with option to proceed to checkout.*
- *If any variable falls outside standard ranges (non-standard height, premium color, ceiling hung mounting, 5+ stalls, ADA): show "Submit for Quote — response within 2–3 hours" with a full summary of selections.*

The user does not need to know which path they're on. The configurator makes the determination automatically based on their selections. This is the hybrid model: one tool, two outcomes.

C. Order Summary & Checkout (Standard Configs)

Purpose	When the configurator returns an instant price for a standard configuration, the user proceeds to an order summary and checkout flow. Shows configured partitions, line item breakdown, and subtotal.
Upsell	"Upgrade your material" prompt if user selected a lower-tier material. Show the price difference.

D. Payment & Shipping

Step	Details
Shipping Address	Required for freight quote. Partitions ship via freight carrier (not UPS/FedEx). Zip code calculates shipping cost.
Shipping Options	Standard freight vs. expedited. Liftgate option (+$120) for locations without a loading dock. Estimated delivery date.
Payment	Credit card, ACH/bank transfer, and purchase order (PO) for tax-exempt organizations (schools, churches, government). PO option is critical for B2B buyers.
Tax Exempt	Upload tax exemption certificate. Schools, synagogues, churches, and government buyers are often tax exempt. Must be seamless.
Order Review	Full summary: line items, shipping, tax (if applicable), total. Confirm and place order.

E. Order Confirmation & Post-Purchase

Email confirmation with: order details, estimated ship date (48–72 hours for stock items), tracking info when available, installation guide PDF for the purchased material, and a link to the service area directory (/service-area/) for users who need professional installation.

F. Conversion Flow Summary

One configurator, two outcomes:

Standard Config (Instant Price)	Custom Config (Quote Request)
1. User arrives from any page (material, mounting style, industry, or homepage) 2. Configurator pre-fills known selections (material, mounting style, or both) 3. Selects layout, stall count, standard dimensions 4. Selects standard color 5. Adds grab bars, bumpers, or other accessories 6. Configurator recognizes standard config 7. Instant price displayed (partitions + add-ons) 8. Proceeds to checkout (shipping, payment) 9. Order confirmed + install guide sent Time to purchase: 5–10 minutes	1. User arrives from any page (material, mounting style, industry, or homepage) 2. Configurator pre-fills known selections (material, mounting style, or both) 3. Selects layout, stall count, custom dimensions 4. Selects premium color, ADA, or unusual options 5. Adds grab bars, bumpers, or other accessories 6. Configurator flags as custom 7. "Submit for Quote" with full summary shown 8. Quote delivered via email in 2–3 hours 9. User approves → payment → order confirmed Time to close: 2–3 hours

G. Why Dimensions Must Be in the Configurator

Unlike most e-commerce products, bathroom partitions cannot be sold in fixed sizes. Even for a "standard" 2-stall between-walls setup, the buyer must confirm:

- Panel height: standard is 58", but 62" and 72" (full privacy) options exist and change the price.
- Gap from floor: standard is 12", but building codes and buyer preferences vary (6", 9", 12", 14").
- Pilaster height: determined by panel height + floor gap.
- Door width: 24" or 36" standard; ADA requires minimum 32" clear opening.
- Color/finish: each material has 12–25 color options across 2–3 price tiers.

This is why the material pages show "starting at" pricing for transparency but route all purchases through the configurator. The configurator pre-fills standard values so simple buyers can click through quickly, while complex buyers can adjust every dimension to match their space.

H. Developer Build Note

The configurator on /get-a-quote/ is the most complex component of the site. It is a multi-step form with conditional logic, real-time visual preview, and a pricing engine that distinguishes between standard (instant-priced) and custom (quote-required) configurations. Building the pricing engine requires importing supplier rate sheets as a lookup database. The checkout flow for standard configs (order summary, cross-sell, shipping, payment) is integrated into the configurator — not a separate cart/checkout page.

Material pages are simpler: product content pages with a starting-at pricing reference table (not interactive), color swatches, and a CTA to the configurator. These are standard CMS pages.

Payment methods must include credit card, ACH/bank transfer, and purchase order (PO) for tax-exempt organizations. Freight shipping calculation and liftgate option are also required.

4.10 Blog

URL structure: /blog/ with individual posts at /blog/[post-slug]/.

Purpose: Shorter content pieces targeting informational and long-tail keywords that don't fit the core product or guide page structure. Blog content builds topical authority across the full buyer journey, supports internal linking to product and service pages, and creates linkable assets for the off-page strategy (Section 11).

A full 12-month content calendar with 51 blog posts is provided as a separate spreadsheet deliverable. The calendar is phased to match the build priority matrix:

- Pre-launch: 3 foundational posts published before the site goes live
- Months 1–6: 24 posts (4/month) — materials, dimensions, installation, industry verticals, compliance, maintenance
- Months 7–12: 24 posts (4/month) — design, buyer guides, industries round 2, accessories, evergreen link magnets

Content type distribution across the 51 posts: 20 revenue-supporting (linking to product/quote pages), 16 traffic builders (high-volume informational), 10 authority/trust pieces (industry expertise), and 5 link magnets (designed to attract backlinks).

Blog post titles by phase:

Phase	Blog Post Title	Cluster / Silo
Pre-Launch (3 posts)		
Pre-Launch	**What Are Bathroom Partitions Made Of?**	Materials
Pre-Launch	**How Much Do Bathroom Partitions Cost? (2026 Guide)**	Buying Guide
Pre-Launch	**Bathroom Partition vs. Bathroom Stall: What's the Difference?**	Fundamentals
Month 1 — Materials		
Month 1	**Toilet Partition Materials Guide: Comparing All 6 Options**	Materials
Month 1	**HDPE vs Phenolic Partitions: Which Is Better?**	Materials
Month 1	**Plastic vs. Steel Bathroom Partitions: Pros, Cons & Best Uses**	Materials
Month 1	**The Benefits of Stainless Steel Bathroom Partitions**	Materials
Month 2 — Materials + Dimensions		
Month 2	**Eco-Friendly Bathroom Partitions: Sustainable Options**	Materials
Month 2	**Standard Bathroom Stall Sizes and Dimensions (Complete Guide)**	Dimensions
Month 2	**How Wide Is a Bathroom Stall Door? Standard Sizes Explained**	Dimensions

Month 2	**How Thick Are Bathroom Stall Walls? Thickness by Material**	Dimensions
Month 3 — Measuring + Installation		
Month 3	**How to Measure for Commercial Toilet Partitions**	Dimensions
Month 3	**How to Install Floor-Mounted Bathroom Partitions**	Installation
Month 3	**Ceiling Hung vs Floor Mounted vs Floor-to-Ceiling: Choosing the Right Mounting Style**	Installation
Month 3	**Common Toilet Partition Installation Issues (and How to Fix Them)**	Installation
Month 4 — Installation + Industry		
Month 4	**Inswing vs Outswing Partition Doors: Which Is Better?**	Installation
Month 4	**What Is a Toilet Partition Pilaster? Partition Parts Explained**	Installation
Month 4	**How to Pick the Best Bathroom Stalls for Schools**	Industries
Month 4	**The Best Restaurant Bathroom Partitions: How to Choose**	Industries
Month 5 — Industries + Compliance		
Month 5	**Choosing Bathroom Partitions for Gyms and Fitness Centers**	Industries
Month 5	**Back to School: Is Your Restroom Ready?**	Industries
Month 5	**Commercial ADA Bathroom Requirements: A Complete Guide**	Compliance
Month 5	**Fire Standards for Toilet Partitions: What You Need to Know**	Compliance
Month 6 — Compliance + Cleaning		
Month 6	**Rules and Regulations for Public Restrooms (State-by-State)**	Compliance
Month 6	**Gender-Neutral Bathroom Design: Partitions, Privacy, and Code**	Compliance
Month 6	**How to Clean and Maintain Commercial Bathroom Partitions**	Maintenance
Month 6	**What Cleaners Can I Use for Different Partition Materials?**	Maintenance
Month 7 — Maintenance + Repair		
Month 7	**How to Repair Scratched Toilet Partitions**	Maintenance
Month 7	**How to Remove Bathroom Graffiti From Partitions**	Maintenance
Month 7	**How to Prevent Bacteria Growth on Bathroom Partitions**	Maintenance
Month 7	**How to Avoid Germs in Public Restrooms: A Hygiene Guide**	Maintenance
Month 8 — Design + Remodeling		
Month 8	**Commercial Bathroom Remodel: Steps, Costs, and What to Know**	Design

Month 8	**How to Design a Modern Commercial Bathroom**	Design
Month 8	**Commercial Bathroom Design Trends for 2026**	Design
Month 8	**How to Choose the Right Colors for Bathroom Partitions**	Design
Month 9 — Design + Buyer Guides		
Month 9	**Commercial Bathroom Layouts: Maximizing Space and Efficiency**	Design
Month 9	**Why Do Bathroom Stalls Have Gaps? (And How to Eliminate Them)**	Buying Guide
Month 9	**5 Questions to Ask Before Ordering Commercial Bathroom Stalls**	Buying Guide
Month 9	**When (and How) to Upgrade Your Commercial Bathroom Partitions**	Buying Guide
Month 10 — Buyer Guides + Industries		
Month 10	**Is It Time to Replace Your Bathroom Stalls? 7 Signs to Look For**	Buying Guide
Month 10	**Toilet Partitions for Churches: Choosing the Right Fit**	Industries
Month 10	**Designing Bathrooms for Colleges and Universities**	Industries
Month 10	**Choosing a Bathroom Design That Aligns with Your Office Brand**	Industries
Month 11 — Industries + Accessories		
Month 11	**The Importance of Durable Partitions in High-Traffic Areas**	Industries
Month 11	**The Benefits of Urinal Dividers and Tips for Installation**	Accessories
Month 11	**High Privacy Partitions: Options for Maximum Restroom Privacy**	Accessories
Month 11	**A Guide to Bathroom Grab Bars: ADA Requirements**	Accessories
Month 12 — Evergreen + Link Magnets		
Month 12	**Benefits of Baby Changing Stations for Commercial Restrooms**	Accessories
Month 12	**American Bathroom Stalls vs. European: Why So Different?**	Evergreen
Month 12	**Oversized Restroom Partitions: Taller, Wider, Better**	Evergreen
Month 12	**The Impact of Restrooms on Your Business: Why Bathrooms Matter**	Evergreen

Publishing cadence: 4 posts per month (approximately 1 per week). Content mix: 60% keyword-targeted SEO posts, 40% authority, link magnets, and buyer decision content. Full keyword targets, internal link mapping, word count estimates, and competitor source references are documented in the accompanying content calendar spreadsheet.

Additional blog content opportunities (not in the 12-month calendar): project showcases, installer spotlights, brand/manufacturer announcements, and seasonal or industry news posts. These should be added as supplementary content alongside the planned calendar.

4.11 Supporting Pages

Page	Purpose
/about/	Company background, distributor credentials, manufacturer partnerships. Trust building.
/faq/	Structured for FAQ schema. Targets common questions like "how much do bathroom partitions cost" and "why do bathroom stalls have gaps."
/contact/	Contact form, phone, email. Multiple contact methods.

5. Total Page Count at Launch

Section	Pages	Priority
Homepage	1	Launch
Partitions (hub + 6 materials)	7	Launch
Urinal Screens	1	Launch
Mounting Styles (hub + 4 types)	5	Launch
Hardware (hub + 5 sub-pages incl. doors)	6	Launch
Brands (hub + manufacturers)	8	Launch
Get a Quote / Configurator	1	Launch
Blog (initial posts)	3	Launch
Supporting pages (about, FAQ, contact)	3	Launch
Guides incl. ADA	4	Launch
TOTAL AT LAUNCH	**~39**	—
Industries (hub + 6 verticals)	7	Month 1–3
Our Service Area (first 30 cities)	31	Month 1–6
Blog Posts (4/month)	24	Month 1–6
TOTAL AT 6 MONTHS (with service area + blog)	**~101**	—
TOTAL AT 12 MONTHS (100 cities + ongoing blog)	**~195**	—

6. Internal Linking Strategy

Internal links are how Google discovers and values pages on your site. Every page should link to related pages. Below is the linking map:

6.1 Cross-Linking Rules for the Developer

1. Every material page (/partitions/[material]/) must link to the corresponding mounting style pages and vice versa.
2. Every material page must link to the relevant brand pages (e.g., Phenolic page links to Scranton Products, which manufactures phenolic partitions).
3. The ADA compliance section (/guides/ada-compliance/) must be linked from every product page, every material page, and the configurator on /partitions/.
4. Hardware pages must link to the related material pages. The doors sub-page should link to relevant hardware (locks, latches, hinges).
5. Every guide must link to relevant product pages and the configurator.
6. Industry pages must link to recommended materials for that industry (e.g., Schools → Solid Plastic HDPE because of vandal resistance).
7. Every page must include a prominent CTA linking to /get-a-quote/. Product/material pages use “Get Your Price” or “Configure Your Partitions.” Non-product pages (guides, industries, etc.) use “Get a Quote” or “Configure Your Partitions.”

6.2 Contextual Link Opportunities

Beyond structural links, each content page should include in-text contextual links. For example, the Bathroom Stall Dimensions guide should naturally mention and link to ADA compliance, specific materials, and the configurator. The /partitions/ hub page’s material comparison section should link to each individual material page. This creates a dense web of internal links that helps Google understand the relationships between pages.

7. Build Priority Matrix

Not all pages are equal in revenue impact, SEO value, or structural necessity. The build order below is aligned with the defined launch architecture (~41 pages – depending on final number of manufacturers) and prioritizes pages that directly drive conversions, authority, and crawlability.

7.1 Tier 1: Build First (Highest Impact)

These pages form the commercial and SEO foundation of the site and must be included in the initial launch build:

- Homepage (with configurator preview + core value proposition)
- /get-a-quote/ configurator (primary conversion engine)
- /partitions/ hub + all 6 core material pages
- Urinal screens/partitions page
- Hardware hub + key sub-pages (Locks & Latches, Doors)
- Brands hub + confirmed manufacturer pages (critical for distributor positioning)
- Bathroom Stall Dimensions guide (1,000/mo, KD 8)
- ADA Compliance guide (4,660 combined volume)

Rationale: These pages target Tier A revenue keywords, high-intent searches, and core conversion pathways. Delaying them would directly reduce ranking potential and lead generation from launch.

7.2 Tier 2: Structural & Authority Pages (Lower Direct Revenue)

These pages support internal linking, topical authority, and navigation completeness and should still be included at launch as part of the ~39-page architecture:

- Mounting Styles hub + 4 sub-pages
- Remaining Hardware sub-pages (hinges, parts, door hardware)
- Guides: Standard Sizes & Restroom Layout
- Supporting pages (About, FAQ, Contact)
- Initial blog posts (3 SEO-targeted posts)

Rationale: Although not all are direct revenue drivers, these pages are referenced throughout the site architecture and are required for SEO completeness and crawl depth optimization.

7.3 Tier 3: Post-Launch Expansion (Month 1–6)

These pages are intentionally scheduled after launch to avoid scope overload while still capturing additional keyword clusters:

- Industry pages (Schools, Churches, Gyms, Offices, Restaurants, Public Restrooms)
- Initial blog scaling (4 posts per month)
- Service area hub + first 30 city pages (hybrid transactional + installer sections)
- Initial installer outreach (2–3 installers per priority city)

Rationale: These are traffic and authority builders that support funnel growth but are not required for initial indexing of core commercial keywords.

7.4 Tier 4: Ongoing (Month 7–12)

- Expansion from 30 to ~100 total city pages
- Installer network scaling and listing enrichment
- Ongoing backlink acquisition via installer partnerships
- Long-tail blog content and FAQ expansion based on Search Console data

Rationale: After the first 3–6 months of indexing and data collection, geographic expansion can be prioritized based on impressions, traffic, and conversions. This phase transforms the service area section into a scalable authority and backlink engine rather than a speculative content rollout.

7.5 Tier 5: Ongoing (Month 13–24)

After the first 12 months, the core site architecture, geographic coverage, and foundational SEO assets will be live. The focus for Months 13–24 shifts from initial build to scaling authority, improving conversion efficiency, and expanding market coverage based on real performance data.

6.5.1 Geographic & Service Area Optimization

- Expand beyond 100 city pages only where impressions, traffic, and conversions justify it
- Create state-level pages (e.g., /service-area/texas/) targeting higher-volume regional keywords
- Enrich top-performing city pages with case studies, installer spotlights, and project showcases

Rationale: This prevents thin content expansion and ensures geographic SEO growth is data-driven rather than speculative.

6.5.2 Backlink & Authority Scaling (Primary SEO Lever)

- Scale installer partnership network (additional partners per high-performing cities)

- Secure manufacturer and supplier backlinks (authorized dealer listings)
- Digital PR around high-value guides (ADA, dimensions, cost guides)
- Guest contributions to construction and facility management publications

Rationale: By Month 12, rankings will be more authority-dependent than content-dependent. Structured backlink growth is necessary to compete for KD 20–40 commercial keywords.

6.5.3 Conversion Rate Optimization (CRO) & Configurator Enhancements

- Analyze configurator drop-off and optimize step flow
- Add saved configurations and email quote reminders
- Introduce clearer pricing tiers and bundled configurations
- A/B test CTAs (e.g., “Get Instant Price” vs “Get a Quote”)

Rationale: At scale, improving conversion rate often generates more revenue than additional traffic.

6.5.4 Content Expansion Based on Real Search Data

- Publish advanced comparison guides (e.g., material vs material, cost breakdowns)
- Expand FAQ content using Google Search Console queries
- Add industry-specific long-tail pages based on emerging keyword trends
- Continue blog cadence (4 posts/month) focused on high-intent topics

Rationale: This ensures content expansion is guided by actual user demand rather than assumptions.

6.5.5 Product & Commercial Expansion (Revenue Growth Layer)

- Expand brand/manufacturer pages based on confirmed distributor partnerships
- Introduce spec sheet libraries, CAD downloads, and technical resources for B2B buyers

Rationale: These additions increase average order value and strengthen distributor authority positioning.

8. Schema Markup by Page Type

Each page type requires specific structured data markup for maximum visibility in search results:

Page Type	Schema Types	Notes
Homepage	Organization, WebSite, SearchAction	Enables sitelinks search box
Material Pages	Product, BreadcrumbList	Include pricing range, materials, images
Mounting Style Pages	Article, BreadcrumbList, ImageObject	Include diagrams with alt text
Hardware / Parts	Product, BreadcrumbList, Offer	Individual SKUs if possible
ADA Compliance	Article, FAQPage, BreadcrumbList	FAQ schema for common ADA questions
Brand Pages	Organization, BreadcrumbList	Manufacturer info + distributor relationship
Guides	Article, HowTo, BreadcrumbList	HowTo for installation guide
Industry Pages	Article, BreadcrumbList	Industry-specific content
Service Area Pages	LocalBusiness, BreadcrumbList	One LocalBusiness per installer listed
FAQ Page	FAQPage, BreadcrumbList	Critical for featured snippets
Blog Posts	Article, BreadcrumbList	Author, datePublished, dateModified
Configurator (/get-a-quote/)	WebApplication, BreadcrumbList	Mark as interactive tool; checkout steps are noindex
All Pages	BreadcrumbList	Required on every single page

9. Technical SEO Specifications

This section provides the technical requirements for the developer building the site. These specifications ensure that the site architecture defined in Sections 3–8 is implemented in a way that search engines can efficiently crawl, index, and rank. All specs are platform-agnostic and apply regardless of CMS choice.

Requirements are organized by category and phased to match the build priority matrix in Section 7. Phase 1 items are required before launch. Phase 2 items should be implemented within the first 6 months as the site scales to ~195 pages.

9.1 URL Structure & Canonicalization

Every URL on the site must follow the architecture defined in Section 4. The developer should enforce these rules at the CMS/routing level, not rely on manual entry.

- All URLs must be lowercase, hyphen-separated, and free of parameters, session IDs, or trailing slashes. Example: /partitions/hdpe-bathroom-partitions/ (not /Partitions/HDPE_Bathroom_Partitions?id=42).
- Implement self-referencing canonical tags on every indexable page. The canonical URL must exactly match the URL in the XML sitemap and internal links.
- Enforce a single URL version: choose either www or non-www, and HTTPS only. Redirect all other variants (http://, http://www, wrong casing) via 301 to the canonical version.
- No duplicate content paths. If the CMS generates /category/product/ and /product/ for the same page, one must 301 to the other or be canonicalized.
- URL depth should not exceed 3 levels from root for any indexable page. The architecture already enforces this (e.g., /partitions/hdpe-bathroom-partitions/ = 2 levels).

9.2 Crawling & Indexation Controls

robots.txt must be configured before launch to prevent search engines from wasting crawl budget on non-content pages.

- Allow: All product pages, category pages, material pages, mounting style pages, brand pages, industry pages, service area pages, guides, blog posts, and the configurator landing page (/get-a-quote/).
- Disallow: Admin paths, cart/checkout flows, internal search results pages, staging/preview URLs, print-friendly page versions, and any CMS-generated tag/filter pages that duplicate category content.
- noindex, follow: Apply to paginated archive pages (e.g., /blog/page/2/), filtered product views, and any internal search results pages. These should pass link equity but not compete with canonical pages.
- The /get-a-quote/ landing page should be indexed. Any multi-step checkout or confirmation pages after form submission should be noindex.

XML Sitemap:

- Generate a dynamic XML sitemap that auto-updates as pages are published. Location: /sitemap.xml (referenced in robots.txt).

- Split into sub-sitemaps by content type if total page count exceeds 100: sitemap-products.xml, sitemap-locations.xml, sitemap-blog.xml, sitemap-pages.xml.
- Include only indexable, canonical, 200-status URLs. Exclude noindex pages, redirected URLs, and paginated pages.
- Include <lastmod> dates that reflect actual content updates, not automated timestamps.
- Submit the sitemap to Google Search Console and Bing Webmaster Tools immediately after launch.

9.3 Page Speed & Core Web Vitals

Google uses Core Web Vitals as a ranking signal. The following targets represent the "Good" threshold for all three metrics and should be met on both mobile and desktop.

- Largest Contentful Paint (LCP): ≤ 2.5 seconds. This is the most impactful metric for this site type. Hero images on category pages and product images are likely LCP elements — they must be optimized.
- Interaction to Next Paint (INP): ≤ 200ms. Critical for the configurator/quote form. Test multi-step form interactions specifically.
- Cumulative Layout Shift (CLS): ≤ 0.1. Reserve explicit dimensions for all images, embeds, and ad slots. Avoid injecting content above the fold after page load.

Implementation requirements:

- Image optimization: Serve all images in WebP or AVIF format with fallbacks. Implement responsive images using srcset. Lazy-load all images below the fold. Compress to ≤100KB for product thumbnails, ≤200KB for hero images.
- CSS/JS: Inline critical CSS for above-the-fold rendering. Defer non-critical JavaScript. Minimize render-blocking resources. Target a total blocking time under 200ms.
- Hosting: Use a CDN for static assets. Enable GZIP or Brotli compression. Set cache headers: static assets (images, CSS, JS) for 1 year, HTML for short-lived cache or no-cache with revalidation.
- Fonts: Self-host web fonts (do not load from Google Fonts CDN). Use font-display: swap to prevent invisible text during load. Limit to 2 font families maximum.
- Testing: Run PageSpeed Insights and Web Vitals Chrome Extension on every page template before launch. Target a Lighthouse Performance score of ≥90 on mobile.

9.4 Mobile-First Implementation

Google indexes the mobile version of every page. The mobile experience is the ranking experience.

- Responsive design is required — no separate mobile URLs (m.domain.com) or dynamic serving. Single URL, single codebase, CSS-driven layout adaptation.
- All content visible on desktop must be visible on mobile. No hiding product details, specifications, or configurator fields behind tabs or accordions that Google cannot reliably render.
- Touch targets: minimum 48×48px with 8px spacing between interactive elements (buttons, links, form fields).
- Viewport: meta viewport tag set to width=device-width, initial-scale=1. No user-scalable=no or maximum-scale restrictions.

- The multi-step configurator (/get-a-quote/) must be fully functional on mobile. Test on iOS Safari and Android Chrome specifically.
- No interstitials or intrusive popups on mobile — Google penalizes pages with full-screen overlays that block content.

9.5 Structured Data (Schema Markup)

Detailed schema types per page type are documented in Section 8. The developer should implement structured data as JSON-LD in the <head> of every page. Key implementation rules:

- Use JSON-LD format exclusively (not Microdata or RDFa). Place one JSON-LD block per page in the <head> section.
- BreadcrumbList schema is required on every page — this matches the breadcrumb navigation defined in Section 3.3.
- Validate all structured data using Google's Rich Results Test before launch. Zero errors, zero warnings.
- LocalBusiness schema on service area pages must include the actual business name, address, phone, and service area — not templated placeholder text.
- Product schema on material pages should include aggregateRating only if real reviews exist. Do not fabricate review data.

9.6 Internal Linking & Navigation Rendering

The internal linking strategy in Section 6 depends on the developer implementing links as crawlable HTML. These rules ensure Google can follow the site's link architecture:

- All navigation links (primary nav, footer, breadcrumbs, sidebar) must render as standard <a href="..."> tags in the initial HTML response. No JavaScript-only navigation, no onclick handlers without href, no client-side routing that hides URLs from Googlebot.
- Breadcrumbs must be present in rendered HTML on every page, not just injected via JavaScript after page load.
- Pagination: If category or blog archive pages use pagination, implement with <a href> links to /page/2/, /page/3/, etc. Infinite scroll must include crawlable pagination fallback URLs.
- Internal links within body content (cross-links between related pages, as defined in Section 6.2) should use descriptive anchor text matching target keywords where natural. Avoid "click here" or generic anchor text.
- No orphan pages: Every indexable page must be reachable within 3 clicks from the homepage through HTML links. The architecture in Sections 3–4 already ensures this — the developer must not break the link chain.

9.7 HTTPS & Security

- SSL/TLS certificate required on all pages. HTTPS is a confirmed Google ranking signal. No mixed content warnings (all assets — images, scripts, stylesheets — served over HTTPS).
- Force HTTPS via 301 redirect from all HTTP URLs. No HTTP versions should return 200 status.
- HSTS header: Enable HTTP Strict Transport Security with a minimum max-age of 1 year.
- Security headers: X-Content-Type-Options: nosniff, X-Frame-Options: SAMEORIGIN, Referrer-Policy: strict-origin-when-cross-origin.

9.8 Analytics & Tracking Setup

These must be configured before launch to establish baseline data from day one:

- Google Search Console: Verify the production domain (DNS verification preferred). Submit the XML sitemap. Request indexing of the homepage and top-tier pages.
- Google Analytics 4: Install via Google Tag Manager. Configure conversion events for: quote form submissions, phone clicks (click-to-call), email link clicks, configurator completion. Set up content groupings matching the site architecture (Products, Guides, Locations, Blog).
- Bing Webmaster Tools: Verify and submit sitemap. Bing drives ~6% of US search traffic in B2B verticals.
- Google Tag Manager: Load all tracking scripts through GTM (not hardcoded in page templates). This allows marketing to add/modify tags without developer involvement.

9.9 Phase 2 Technical Requirements (Month 1–6 Post-Launch)

As the site scales from ~57 pages to ~195 pages (per the build priority matrix in Section 7), the following technical requirements become relevant:

- Sitemap scaling: Ensure the XML sitemap auto-generates for new city pages, blog posts, and industry pages without manual intervention. Verify sub-sitemaps split correctly as page count grows.
- Crawl budget monitoring: Track crawl stats in Google Search Console. If crawl rate drops as pages are added, investigate server response times. Target <500ms average server response time (Time to First Byte).
- Template-based pages (city pages, industry pages): Ensure each page has enough unique content to avoid thin-content penalties. Minimum 300 words of unique body text per city page, beyond templated elements like navigation and sidebar.
- Blog infrastructure: Category/tag taxonomy matching the content calendar. Author pages with proper schema. Related posts module for internal linking. Social sharing metadata (Open Graph, Twitter Cards).
- Hreflang: Not required at launch (English US only). If the business expands to serve Canadian or other markets, implement hreflang at that point.
- Monitoring: Set up automated alerts for: pages returning 404/5xx errors, pages dropping from the index, Core Web Vitals regressions, and crawl anomalies. Tools: Google Search Console alerts + a monthly Screaming Frog crawl.

A standalone developer checklist based on these specifications is provided as a separate deliverable.

10. Domain Name Recommendations

The current domain (shopprivy.us) should be abandoned before launch. The .us TLD signals a country-code domain to search engines and reduces trust for nationwide e-commerce. The “Privy” brand conflicts with an established clothing company that owns privy.com. Since no brand equity exists yet, this is the ideal time to choose a clean .com.

10.1 Selection Criteria

Every domain on this list was evaluated against five criteria:

- Contains “partitions” or a close industry term — gives a relevance signal to Google and tells the visitor exactly what the business sells before they click.
- Is a .com — non-negotiable for e-commerce trust and click-through rate.
- Is short and easy to spell/say aloud — critical for word-of-mouth referrals, phone orders, and branded search.
- Does not conflict with existing brands in the partition industry — avoids trademark issues and search dilution.
- Conveys nationwide scale and professionalism — positions the business as a serious B2B supplier, not a local installer.

10.2 Top 15 Domain Recommendations

#	Domain	Why It Works
1	**CommercialPartitions.com**	Exact-match for the highest-CPC keyword cluster (A2). Immediately signals B2B positioning. Strong, authoritative, industry-standard naming.
2	**PartitionSystems.com**	“Systems” implies engineered solutions, not just products. Appeals to architects and facility managers. Professional without being generic.
3	**NationalPartitions.com**	Directly communicates nationwide shipping and service. Differentiates from local installers. Strong brand positioning.
4	**PartitionSolutions.com**	Broad enough to cover partitions + accessories + installation. “Solutions” is a proven B2B naming convention that signals full-service capability.
5	**PartitionSupply.com**	Clean e-commerce name. “Supply” signals inventory, fast shipping, and direct purchasing. Very natural for the drop-ship model.
6	**AmericanPartitions.com**	Geographic authority without limiting to a region. Strong trust signal for US buyers. May have trademark considerations to verify.
7	**PartitionGroup.com**	Implies a company with depth — multiple brands, full product lines. Good for an authorized multi-manufacturer distributor.
8	**PartitionSource.com**	Positions the site as the go-to origin for partitions. “Source” implies authority, inventory depth, and reliability.

9	**PartitionWorks.com**	Energetic, action-oriented. Suggests both products and services. Memorable and easy to say.
10	**AllPartitions.com**	Communicates comprehensive product range. Short and direct. "All" signals that any material or style can be found here.
11	**PremiumPartitions.com**	Positions at the higher end of the market. Good fit if the brand strategy emphasizes quality over lowest price.
12	**PartitionPros.com**	Informal, approachable. "Pros" implies expertise. Works well for content marketing and trust-building with smaller buyers.
13	**TotalPartitions.com**	Similar to AllPartitions — signals complete product coverage. Clean, professional, no ambiguity.
14	**PartitionsDirect.com**	Emphasizes direct-to-buyer model (no middleman). Strong for price-conscious facility managers. The "s" adds a slight spelling risk.
15	**PartitionExperts.com**	Authority-first name. Ideal for content-heavy SEO strategy where guides and expertise drive traffic.

Note: Domain availability must be verified at time of purchase. Some may require acquisition from current owners. Domains 1–5 are the strongest options for SEO and brand positioning. The final choice should consider: availability, acquisition cost, and alignment with the client's brand vision.

10.3 Why Not Keep "Privy" or "ShopPrivy"?

- "Privy" is owned by a clothing brand (privy.com) — any branded search equity leaks to their site.
- "Shop" prefix is associated with Shopify stores and low-cost dropshipping — undermines B2B positioning.
- The .us TLD is treated as a country-code domain by Google, potentially limiting visibility in US-focused but globally indexed results.
- None of these issues exist with a clean .com that includes an industry-relevant keyword.

11. Off-Page Authority & Link Building Framework

A new domain starts with zero authority. Google will not rank content pages — no matter how well-optimized — without external signals of trust. This section defines a structured backlink acquisition and authority-building plan that leverages the client's existing distributor relationships, the proposed installer directory, and manufacturer partnerships.

11.1 The Authority Problem

Competing sites like One Point Partitions and Partition King have years of accumulated backlinks. A brand-new .com domain has a Domain Rating (DR) of 0. Without a deliberate link-building strategy, even perfectly architected content will sit on page 3–5 for months. The goal is to accelerate authority growth in the first 12 months to reach DR 20–30, which is sufficient to compete for the KD 15–40 keywords that make up the majority of Tier A and Tier B clusters.

11.2 Manufacturer Link Strategy

As an authorized distributor, the client has a direct relationship with ASI Global, Hadrian, Bradley, Scranton Products, and potentially others. These manufacturers maintain "Where to Buy" or "Authorized Dealer" directories on their websites. Each listing typically includes a link back to the dealer's site.

- Action: Request inclusion in every manufacturer's dealer directory immediately after domain launch.
- Expected links: 4–10 high-authority, industry-relevant backlinks (manufacturer sites typically have DR 40–70).
- Timeline: Month 1 (pre-launch or launch week).
- Cost: Free — this is an existing business relationship.

These are among the most valuable links the site will ever receive. Manufacturer links carry strong topical relevance and high domain authority. They should be the first links secured.

11.3 Installer Partnership Model

Build hybrid city pages primarily optimized for transactional keywords such as "bathroom partitions [city]," with a strong focus on online purchasing (available materials, nationwide shipping, and a clear configurator CTA).

A secondary "bathroom partition installers in [city]" section is included to support users who also need installation and to enable contextual backlinks, without diluting the page's core commercial and supplier-focused intent.

Phase	Action	Expected Outcome
Month 1–3	Identify 2–3 installers per top 30 metro areas. Reach out with a partnership pitch: free featured listing on the site in exchange for a link back.	60–90 installer contacts; 30–50 agree to link exchange.

Month 4–6	Build city pages featuring partner installers. Provide each installer with a badge/widget for their site linking back.	30 live city pages with 30–50 backlinks from installer sites.
Month 7–12	Expand to the next 70 cities. Follow up with non-responding installers. Add new installers as referrals come in.	100 city pages; 80–150 total installer backlinks.

The installer partnership model is the primary link engine. It is scalable, defensible, and creates genuine value for both parties. Competitors cannot replicate this quickly because it requires real relationships with real businesses.

11.4 Content-Driven Link Acquisition

Several content pages in the architecture are designed to attract organic backlinks without active outreach:

- ADA Compliance Guide (4,660/mo) — Architects, contractors, and compliance consultants regularly link to authoritative ADA resources. A comprehensive, well-structured guide becomes a go-to reference.
- Bathroom Stall Dimensions Guide (1,000/mo) — Similar linkability: architects and builders reference dimension specs in their own content.
- Blog: "Why Do Bathroom Stalls Have Gaps?" (320/mo) — Viral potential. This is a commonly Googled curiosity question that gets shared on social media and linked from editorial content.
- Material Comparison content on the /partitions/ hub — Becomes a reference page for facility management blogs, purchasing decision guides, and trade publications.

11.5 Industry & Trade Outreach

- Submit the site to commercial construction directories (Thomas Register, Sweets/Dodge, etc.).
- Pitch guest articles to facility management publications (FacilitiesNet, Buildings.com, School Planning & Management).
- Sponsor or contribute content to industry associations (BOMA, IFMA, APPA) for backlinks from .org domains.
- Create downloadable spec sheets and CAD files that architects embed in their project documentation with attribution links.

11.6 Link Building Targets by Quarter

Quarter	Target Links	Est. DR	Primary Sources
Q1	10–20	5–10	Manufacturer directories, initial installer partnerships, construction directories
Q2	30–50	12–18	Installer link exchange (30 cities), guest posts, ADA guide organic links

Q3	40–60	18–25	Expanded installer network (70 cities), trade publication features, social shares
Q4	20–40	25–32	Ongoing maintenance, new installer additions, organic editorial links from content

Year 1 target: 100–170 total backlinks from relevant, quality sources. Expected Domain Rating by end of Year 1: 25–32. This is sufficient to compete for most Tier A and Tier B keywords (avg KD 15–40).

12. Platform Feasibility & Budget Risk Assessment

The proposed site architecture includes a hybrid configurator flow, structured quoting logic, 30–50+ SEO landing pages at launch, and a scalable content management system designed for long-term organic growth and nationwide targeting.

This scope exceeds that of a standard informational website or basic ecommerce setup. It requires careful alignment between platform capabilities, development complexity, and phased implementation to ensure technical stability, cost efficiency, and long-term scalability.

This section evaluates the feasibility of the architecture relative to typical development effort and outlines practical trade-offs that reduce long-term rebuild risk while preserving strategic flexibility.

12.1 Scope vs. Budget Reality

Component	Typical Market Cost	Feasibility in Lean Initial Build
Professional CMS website (core pages + templates)	$2,000–$5,000	Fully achievable
Standard ecommerce functionality	$3,000–$8,000	Achievable with structured product setup
Multi-step configurator (quote logic)	$5,000–$20,000	Requires simplification in Phase 1
Dynamic pricing database integration	$3,000–$10,000	Not recommended for initial build
30–50 SEO page architecture (templates + structure)	$2,000–$6,000 (development only)	Achievable if architecture is planned upfront
Full technical SEO implementation (schema, crawlability, performance)	$2,000–$5,000	Achievable if built according to specification

Key Insight: A configurator-driven B2B ecommerce platform with high product variation (materials, layouts, mounting styles, and quantities) is significantly more complex than a standard brochure or catalog website.

Attempting to implement full automation (dynamic pricing, advanced configurator logic, and complex UX systems) in the initial build phase typically results in increased costs, longer timelines, and higher technical limitations.

12.2 Recommended Phased Implementation Approach

To balance scalability, speed to market, and cost control, a phased build strategy is recommended rather than attempting to deploy the full configurator system at launch.

Phase 1 — Scalable Foundation (Lean Launch)

- CMS + ecommerce infrastructure
- SEO-ready templates for all content types (products, locations, guides, FAQs)
- Structured multi-step configurator form (requirements collection instead of real-time pricing)
- Quote-based workflow for complex configurations
- Core technical SEO setup (schema, sitemap, crawlability, performance)
- Conversion-focused UX (clear CTAs, simplified navigation, lead capture)

Objective: Launch a professional, scalable, and SEO-optimized platform capable of generating qualified leads and validating market demand without overengineering complex automation in the early stage.

Phase 2 — Configurator & Pricing Enhancements (Post-Launch Optimization)

- Interactive layout selector for common configurations
- Standardized pricing logic for repeatable product setups
- Structured supplier pricing database
- UX refinements based on real user behavior and conversion data

Objective: Reduce manual quoting workload while improving usability, efficiency, and conversion performance.

Phase 3 — Advanced Hybrid Configurator (Long-Term Scaling)

- Semi-automated pricing for standard configurations
- Save/share configuration functionality
- Visual configuration previews (if commercially justified)
- Advanced CRO testing and funnel optimization
- CRM and automation integrations

Objective: Transition from a quote-heavy workflow to a scalable, semi-automated ecommerce system aligned with industry complexity and growth.

12.3 Platform Considerations

The proposed architecture (configurator flow, structured quoting, and large-scale SEO content structure) requires a platform that supports:

- Flexible URL and content architecture
- Scalable CMS for 30–50+ landing pages and future expansion
- Customizable form and configurator logic
- Quote-based workflows alongside ecommerce functionality
- Long-term extensibility without requiring a full rebuild

Multiple platforms can technically support this scope, including flexible CMS frameworks, ecommerce platforms with customization, headless CMS solutions, or custom-built systems.

However, platforms optimized primarily for simple catalog ecommerce may introduce limitations when handling:

- Complex product configurations
- Conditional logic and multi-step configurators
- Structured quoting workflows
- Large-scale SEO content expansion

For this reason, the key decision factor should not be the platform brand itself, but whether the selected tech stack can:

- Support phased configurator development
- Scale SEO content efficiently
- Allow future pricing logic integration
- Maintain strong technical SEO control
- Avoid technical lock-in during later growth stages

Selecting a platform based solely on short-term simplicity may reduce initial development effort but can significantly increase redevelopment costs as configurator complexity and content scale expand.

Strategic Note: Establishing a scalable technical foundation at the initial build stage is significantly more cost-efficient than retrofitting configurator logic, SEO architecture, and automation systems onto a platform that was not designed to support them.