

Ex. 2

A114290039

2026-09-30

```
print(uuid::UUIDgenerate())
```

```
## [1] "8a12b01e-8f24-4763-bd5b-50481a889c58"
```

```
##1
```

```
commute <- c(18, 25, 32, 41, 27, 35, 22, 19, 45, 38, 29, 24,  
            31, 36, 40, 26, 33, 28, 21, 44, 30, 37, 23, 39)  
#(1)  
max(commute);min(commute)
```

```
## [1] 45
```

```
## [1] 18
```

```
#(2)  
table(cut(commute, 5))
```


```
##  
## (18,23.4] (23.4,28.8] (28.8,34.2] (34.2,39.6] (39.6,45]  
##          5          5          5          5          4
```

```
#(3)  
cumsum(table(cut(commute, 5)))
```

```
## (18,23.4] (23.4,28.8] (28.8,34.2] (34.2,39.6] (39.6,45]  
##          5          10          15          20          24
```

```
##2
```

```
library(ggplot2)  
  
ggplot(data.frame(commute), aes(x = commute)) +  
  geom_histogram(bins = 5) +  
  labs(title = "histogram", x = "commute", y = "count")
```



##3

```
b <- cumsum(table(cut(commute, 5)))  
  
ggplot(data.frame(b), aes(x = 1:5, y = b)) +  
  geom_line() +  
  geom_point() +  
  labs(title = "ogive", x = "class", y = "cumulative count")
```

