

ex3-A113290027

Nevina

2026-10-07

```
print(uuid::UUIDgenerate())
```

```
## [1] "a96b3df2-7900-4c29-a7f2-8978a93a856a"
```

```
##Q1
```

```
rent <- c(12500, 13800, 11200, 15000, 12500, 26000,  
          14300, 13100, 12500, 16700, 14900, 13600)  
mean(rent)
```

```
## [1] 14675
```

```
median(rent)
```

```
## [1] 13700
```

```
table(rent)
```

```
## rent
```

```
## 11200 12500 13100 13600 13800 14300 14900 15000 16700 26000
```

```
##      1      3      1      1      1      1      1      1      1      1
```

```
##Q2 1.
```

```
rent <- c(12500, 13800, 11200, 15000, 12500, 26000,  
          14300, 13100, 12500, 16700, 14900, 13600)  
rent2<-rent[rent!=26000]  
mean(rent2)
```

```
## [1] 13645.45
```

```
median(rent2)
```

```
## [1] 13600
```

2. Mean 14,675->13,645.45 Median 13,700->13,600 {Mean changes more}

3. The median better describes the typical rent because it is less affected by the unusually high rent of NT\$26,000.

```
##Q3
```

```
scores<-c(88,72,80)  
weights<-c(0.36,0.32,0.32)
```

```
final_grade<-sum(c(88,72,80)*c(0.36,0.32,0.32))  
final_grade
```

```
## [1] 80.32
```