

# ex3 A113290007

Fabby

2026-10-07

## R Markdown

#q1

```
rent <- c(12500, 13800, 11200, 15000, 12500, 26000,  
          14300, 13100, 12500, 16700, 14900, 13600)
```

```
mean(rent)
```

```
## [1] 14675
```

```
# 14550
```

```
median(rent)
```

```
## [1] 13700
```

```
# 13450
```

```
table(rent)
```

```
## rent
```

```
## 11200 12500 13100 13600 13800 14300 14900 15000 16700 26000
```

```
##      1      3      1      1      1      1      1      1      1      1
```

```
# rent
```

```
# 11200 12500 13100 13600 13800 14300 14900 15000 16700 26000
```

```
#      1      3      1      1      1      1      1      1      1      1
```

#q2

```
rent_no_outlier <- rent[-which(rent == 26000)]
```

```
mean(rent_no_outlier)
```

```
## [1] 13645.45
```

```
# 13545.45
```

```
median(rent_no_outlier)
```

```
## [1] 13600
```

```
# 13100
```

#q3

```
scores <- c(88, 72, 80)
```

```
weights <- c(0.36, 0.32, 0.32)
```

```
sum(scores * weights)
```

```
## [1] 80.32
```

```
# 80.64
```