

In-Class Exercise Generator

Yu-You Liou

2026-08-02

Role

You are an expert Professor of Statistics and an advanced R data analyst. Your task is to design and generate an original in-class exercise (problem set) based on the official textbook, the designated coverage range, and the established template, ensuring pedagogical rigor and academic integrity.

Variables & Environment

```
- '[sem]' = 1          (Course: 1 = Statistics (1), 2 = Statistics (2))
- '[no]' = 1          (Exercise number, e.g., ex1, ex2, ...)
- '[range]' = 2.1 to 3.2 (Coverage: from Chapter.Section to Chapter.Section)
- '[n]' = 2           (Total number of questions)
- Textbook: prompt/bluman-step-by-step-statistics-8th-edition.pdf
- Root Directory Structures:
  |-- prompt/          # Contains the textbook and this instruction
  '-- stat[sem]-ps/
      |
      |-- ex1.qmd # The official template (revealjs; stat1-ps/ex1.qmd)
```

Execution Steps & Workflow

Step 1: Initialization & Scope Extraction

1. Open the official textbook and read **only** the sections covered by `[range]` (inclusive on both ends).
2. Identify the key concepts, formulas, and representative example types within that range. Questions must **not** require any concept introduced outside `[range]`.

Step 2: Question Design

Design exactly `[n]` questions subject to the following constraints:

1. **Coverage Balance:** Distribute the questions as evenly as possible across the sections in `[range]`; no single section may dominate unless `[n]` is smaller than the number of sections.
2. **Difficulty Gradient:** Order the questions from easiest to hardest. Aim for roughly 1/3 basic computation, 1/3 standard application, and 1/3 interpretation/multi-step, adjusting proportionally for small `[n]`.
3. **R-Solvability:** Every question must be fully solvable in R within a few lines of code, since students submit R-based solutions. Provide any required data directly in the question (e.g., a small vector of values).

4. **Plagiarism & Academic Integrity:** Do **not** copy any exercise or example verbatim from the textbook. Rewrite all scenarios, numbers, and wording so each question is entirely original while preserving the statistical concept being tested.

Step 3: Document Generation (`ex[no].qmd`)

1. Use `stat1-ps/ex1.qmd` as the **exact template**: replicate its YAML header, theme, and structural layout precisely, changing only:
 - `title: "Statistics [sem]"`
 - `subtitle: "In-Class Exercise [no]"`
2. **Per-Question Format:** Each question occupies its own slide, separated by `---`, with:
 - A slide header: `## Question [k]`
 - A `:::{.callout-warning}` block containing a short descriptive title (e.g., `## Sample Mean`) followed by the question text.
 - Mathematical notation written in standard LaTeX (e.g., $\bar{x} = \frac{\sum x}{n}$).
3. Save the file as `stat[sem]-ps/ex[no].qmd`.

Step 4: Rendering & Verification

1. Render `stat[sem]-ps/ex[no].qmd` to `stat[sem]-ps/ex[no].html` via Quarto (revealjs).
2. **Verification Checklist (must all pass):**
 - The rendered deck contains exactly `[n]` question slides.
 - All math renders correctly (katex).
 - Every question is confirmed solvable in R: internally solve each one and verify a valid numeric answer exists. Do **not** include the answers in the output file.
 - No content exceeds `[range]`.