CTI 华测检测

Centre Testing International Group

SDS

Report No. :	**A2260299832101001**
Company Name shown on Report:	**JINHUA LUCHAO CHEMICAL TECHNOLOGY CO., LTD.**
Address:	**B-138, WEST FIFTH GATE, FIRST FLOOR, CHINA WOOD CARVINGCITY,DONGYANGCITY, JINHUA.**
Sample Name:	**Frosted Glass Paint**

Reviewed by: Gu Cuili

Approved by: Chen Kaimin

Issue date: **Apr. 22, 2026**

No. R201801295

CTI 华测检测

Safety Data Sheet

Frosted Glass Paint

Version：V2.0.1.1
Report No.：A2260299832101001
Creation Date：2026/04/22
Revision Date：-

***Prepared in accordance with EU REACH Regulation (REACH 1907/2006 with amendment 2020/878)**

1 Identification of the substance/mixture and of the company/undertaking

| 1.1 Product identifier

Product Name	Frosted Glass Paint
Synonyms	Frosted Glass Coating
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-
UFI	No information available

| 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	For glass surface decoration, and windows, mirrors, and glass partitions.
Uses advised against	None.

| 1.3 Details of the supplier of the Safety Data Sheet

Name of the company	Jinhua Luchao Chemical Technology Co., Ltd.
Address of the company	B-138, West Fifth Gate, First Floor, china Wood Carvingcity,DongyangCity, Jinhua.
Post code	-
Telephone number	13161223694
Fax number	-
E-mail address	827991207@qq.com

| 1.4 Emergency telephone number

Emergency telephone number	13161223694
Opening hours	24h

2 Hazards identification

| 2.1 CLP classification according to Regulation（EC）No. 1272/2008 with amendment 2023/707

Acute Toxicity - Oral	Category 4
Serious eye damage/irritation	Category 1
Specific target organ toxicity - single exposure; respiratory	Category 3

Hotline:400-6788-333 Complaint call:0755-33681700 www.cti-cert.com www.ctimall.com E-mail:info@cti-cert.com Complaint E-mail:complaint@cti-cert.com

tract irritation	
Hazardous to the aquatic environment - long-term (chronic) hazard	Category 3

| 2.2 Label elements

Hazard pictograms	
Signal word	**Danger**

| Hazard statements

H302	Harmful if swallowed
H318	Causes serious eye damage
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

| Precautionary statements

◆ Prevention

P261	Avoid breathing gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

◆ Response

P310	Immediately call a POISON CENTER/doctor.
P330	Rinse mouth.
P301+P312	IF SWALLOWED: Call a POISON CENTER/ doctor, if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

| 2.3 Other hazards

◆ Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006 with amendment 2020/878]
Water	Not PBT
Acrylic acid polymers	No information available
Silicon dioxide	No information available
SN-Dispersant 5040	No information available
Pyrogenic Silica	No information available
ASE-60	No information available
TT-935	No information available
Polyethylene-polypropylene glycol	No information available

◆ Results of endocrine disrupting properties assessment

Component	Results of endocrine disrupting properties assessment [according to (EU) No 2017/2100 or (EU) No 2018/605]	
	Human endocrine disruptor	**Environmental endocrine disruptor**
Water	No information available	No information available
Acrylic acid polymers	No information available	No information available
Silicon dioxide	No information available	No information available
SN-Dispersant 5040	No information available	No information available
Pyrogenic Silica	No information available	No information available
ASE-60	No information available	No information available
TT-935	No information available	No information available
Polyethylene-polypropylene glycol	No information available	No information available

◆ Other

	Not applicable.

3 Composition/information on ingredients

| 3.1 Substance

	Not applicable

| 3.2 Mixture

Component	Weight %	Classification according to Regulation	Specific Conc. Limits,

	content(or range)	(EC) No. 1272/2008 with amendment 2023/707 [CLP]	M-factors
Water CAS：7732-18-5 EC：231-791-2 Index No.：-	50.3	Not Classified	-
Acrylic acid polymers CAS：9003-01-4 EC：618-347-7 Index No.：-	43.1	Acute Toxicity - Oral, Category 4, H302; Serious eye damage/irritation, Category 1, H318; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 3, H412	-
Silicon dioxide CAS：14808-60-7 EC：238-878-4 Index No.：-	3	Not Classified	-
SN-Dispersant 5040 CAS：36290-04-7 EC：609-228-0 Index No.：-	1	Not Classified	-
Pyrogenic Silica CAS：112945-52-5 EC：601-216-3 Index No.：-	1	Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335	-
ASE-60 CAS：37325-11-4 EC：- Index No.：-	0.6	No information available	-
TT-935 CAS：9000-21-9 EC：232-531-0 Index No.：-	0.6	No information available	-
Polyethylene-polypropylene glycol CAS：9003-11-6 EC：618-355-0 Index No.：-	0.4	Not Classified	-

4 First aid measures

| 4.1 Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

| 4.2 Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

| 4.3 Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

| 5.1 Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

| 5.2 Specific hazards arising from the substance or mixture

1	Development of hazardous combustion gases or vapor possible in the event of fire.

| 5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures

1	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
2	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
3	Use personal protective equipment,do not breathe gas/mist/vapour/spray.

| 6.2 Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

| 6.3 Methods and materials for containment and cleaning up

1	Keep leaks in a ventilated place.
2	Cut off the source of the leak as much as possible.

3	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
4	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
5	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

| 6.4 Reference to other sections

1	Personal Protective Equipment advice is contained in Section 8 of the SDS.
2	Disposal considerations advice is contained in Section 13 of the SDS.

7 Handling and storage

| 7.1 Precautions for safe handling

◆ Protective measures

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

◆ Measures to prevent fire

1	Keep away from heat/sparks/open flames/ hot surfaces.

◆ Measures to prevent aerosol and dust generation

1	Not applicable.

◆ Advice on general occupational hygiene

1	Wash hands and face after using of the substances.
2	Replace the contaminated clothing immediately.

| 7.2 Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

| 7.3 Specific end use(s)

1	In addition to use mentioned in the Section 1.2, unforeseen other specific end uses.

8 Exposure controls/personal protection

| 8.1 Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³

Acrylic acid polymers	Germany (DFG)	-	0.05	-	0.05
Silicon dioxide	France	-	0.1	-	-
	Germany (AGS)	-	0.05	-	0.4
	Austria	-	0.05	-	-
	Belgium	-	0.1	-	-
	Denmark	-	0.3	-	0.6
	Finland	-	0.05	-	-
Pyrogenic Silica	Germany (DFG)	-	0.02	-	0.16

◆ Biological limit values

Biological limit values	No relevant regulations

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 and GBZ/T 160 series standard Determination of toxic substances in workplace air.

◆ Derived No effect level (DNEL)

Component	**Route of exposure**	**DNEL for Workers**			
		Acute effects (local)	**Acute effects (systemic)**	**Chronic effects (local)**	**Chronic effects (systemic)**
Water	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
Acrylic acid polymers	Inhalation	No information available	No information available	No information available	1.97 mg/m3
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
Silicon dioxide	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
SN-Dispersant 5040	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
Pyrogenic Silica	Inhalation	No information available	No information available	No information available	No information available

	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
ASE-60	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
TT-935	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available
Polyethylene-polypropylene glycol	Inhalation	No information available	No information available	No information available	No information available
	Oral	No information available	No information available	No information available	No information available
	Dermal	No information available	No information available	No information available	No information available

◆ Predicted No Effect Concentration (PNEC)

Component	A	B	C	D	E	F	G	H
Acrylic acid polymers	3 μg/L	300 ng/L	900 μg/L	20.7 μg/kg sediment dw	2.07 μg/kg sediment dw	No hazard identified	3.117 μg/kg soil dw	No potential for bioaccumulation

Note 1:

A: Freshwater; B: Seawater; C: Sewage treatment plant; D: Sediment (freshwater); E: Sediment (seawater); F: Air;

G: Soil; H: Secondary poisoning(Hazard for Predators).

Note 2:

The PNEC values of the remaining components not shown in the product are not available yet.

| 8.2 Exposure controls

| 8.2.1 Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Set up emergency exit and necessary risk-elimination area.
4	Handle in accordance with good industrial hygiene and safety practice.

| 8.2.2 Personal protection equipment

General requirement	

Eye protection	Must wear appropriate anti-corrosion goggles.
Hand protection	Must wear acid and alkali resistant chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear acid and alkali resistant chemical protective clothing.

| 8.2.3 Environmental exposure controls

Environmental exposure controls	No information available

9 Physical and chemical properties

| 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Milky white
Odor	Faint odor
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	Not flammable
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	No information available
Relative vapour density(Air = 1)	No information available
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity(mm²/s)	No information available
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing
Particle characteristics	Not applicable

| 9.2 Other information

| 9.2.1 Information with regard to physical hazard classes

Information with regard to physical hazard classes	No information available

| 9.2.2 Other safety characteristics

Other safety characteristics	No information available

10 Stability and reactivity

| Stability and reactivity

10.1 Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
10.2 Chemical stability	Stable under proper operation and storage conditions.
10.3 Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
10.4 Conditions to avoid	Incompatible materials, heat, flame and spark.
10.5 Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

| 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 with amendment 2023/707

Frosted Glass Paint	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye damage(Category 1)
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	May cause respiratory irritation(Category 3)
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

| Acute toxicity

Component	LD_{50}(oral)	LD_{50}(dermal)	LC_{50}(inhalation,4h)
Polyethylene-polypropylene glycol	5700mg/kg(Rat)	No information available	0.32mg/L(Rat)
Acrylic acid polymers	2500mg/kg(Rat)	No information available	No information available
TT-935	5000mg/kg(Rat)	No information available	No information available

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP

Water	Not Listed	Not Listed
Acrylic acid polymers	Category 3	Not Listed
Silicon dioxide	Category 1	Category K
SN-Dispersant 5040	Not Listed	Not Listed
Pyrogenic Silica	Not Listed	Not Listed
ASE-60	Not Listed	Not Listed
TT-935	Not Listed	Not Listed
Polyethylene-polypropylene glycol	Not Listed	Not Listed

| 11.2 Information on other hazards

| 11.2.1 Human endocrine disrupting properties

Component	Human endocrine disrupting properties
Water	No information available
Acrylic acid polymers	No information available
Silicon dioxide	No information available
SN-Dispersant 5040	No information available
Pyrogenic Silica	No information available
ASE-60	No information available
TT-935	No information available
Polyethylene-polypropylene glycol	No information available

| 11.2.2 Other Information

Other Information	See Section 11.1

12 Ecological information

| 12.1 Toxicity

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Acrylic acid polymers	LC_{50}：27mg/L (96h)(Fresh water fish)	EC_{50}：47~95mg/L (48h)(Aquatic invertebrates)	ErC_{50}：0.13mg/L (72h)(Freshwater algae)

| Chronic aquatic toxicity

Chronic aquatic toxicity	No information available

| 12.2 Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
SN-Dispersant 5040	High	High
Polyethylene-polypropylene glycol	Low(Half-life = 11.88 days)	High(Half-life = 381.96 days)

| 12.3 Bioaccumulative potential

Component	Bioaccumulative potential	Comments
SN-Dispersant 5040	Low	Log Kow=-2.2002
Polyethylene-polypropylene glycol	Low	BCF=35

| 12.4 Mobility in soil

Component	log Koc	Remark	Data source
Acrylic acid polymers	1.656		ECHA
SN-Dispersant 5040	0.787		Chemwatch
Polyethylene-polypropylene glycol	0.157		Chemwatch

| 12.5 Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006 with amendment 2020/878]
Water	Not PBT
Acrylic acid polymers	No information available
Silicon dioxide	No information available
SN-Dispersant 5040	No information available
Pyrogenic Silica	No information available
ASE-60	No information available
TT-935	No information available
Polyethylene-polypropylene glycol	No information available

| 12.6 Endocrine disrupting properties

Component	Endocrine disrupting properties
Water	No information available
Acrylic acid polymers	No information available
Silicon dioxide	No information available

SN-Dispersant 5040	No information available
Pyrogenic Silica	No information available
ASE-60	No information available
TT-935	No information available
Polyethylene-polypropylene glycol	No information available

| 12.7 Other adverse effects

	No information available

13 Disposal considerations

| 13.1 Waste treatment methods

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

| Label

Transporting Label	Not applicable

| IMDG-CODE

IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| ICAO/IATA-DGR

IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| UN-ADR

UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| Special precautions for user

	Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

| Maritime transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

	No information available

Hotline:400-6788-333 Complaint call:0755-33681700 www.cti-cert.com www.ctimall.com E-mail:info@cti-cert.com Complaint E-mail:complaint@cti-cert.com

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

	No information available

◆ Transport in bulk in accordance with the IGC Code

	No information available

15 Regulatory information

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| International chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
Water	√	√	√	√	√	√	√	√	√	√	√	√	√
Acrylic acid polymers	√	×	√	√	√	√	√	√	√	×	√	√	√
Silicon dioxide	√	√	√	√	√	√	√	√	√	√	√	√	√
SN-Dispersant 5040	√	×	√	√	√	√	√	√	√	√	×	√	√
Pyrogenic Silica	√	×	×	√	√	√	√	√	√	√	√	√	√
ASE-60	√	×	×	×	√	√	×	×	×	√	×	√	√
TT-935	×	√	√	×	×	×	×	×	×	×	×	×	×
Polyethylene-polypropylene glycol	√	×	√	√	√	√	√	√	√	×	×	√	√

【A】 China Inventory of Existing Chemical Substances(IECSC)
【B】 European Inventory of Existing Commercial Chemical Substances(EC inventory)
【C】 United States Toxic Substances Control Act Inventory(TSCA)
【D】 Canadian Domestic Substances List(DSL)
【E】 New Zealand Inventory of Chemicals(NZIoC)
【F】 Philippines Inventory of Chemicals and Chemical Substances(PICCS)
【G】 Korea Existing Chemicals Inventory(KECL)
【H】 Australian. Inventory of Industrial Chemical (AIIC)
【I】 Japan Inventory of Existing & New Chemical Substances(ENCS)
【J】 Thailand Existing Chemicals Inventory(TECI)
【K】 Mexico National Inventory of Chemical Substances (INSQ)
【L】 Russia Inventory of Existing Substances(DRAFT)
【M】 Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

| List of Chemical Substances under International Conventions

Component	A	B	C
Water	×	×	×
Acrylic acid polymers	×	×	×
Silicon dioxide	×	×	×
SN-Dispersant 5040	×	×	×

Pyrogenic Silica	×	×	×
ASE-60	×	×	×
TT-935	×	×	×
Polyethylene-polypropylene glycol	×	×	×

【A】 The Montreal Protocol on Substances that Deplete the Ozone Layer
【B】 Stockholm Convention on Persistent Organic Pollutants (POPs)
【C】 Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

| European chemical inventory

Component	A	B	C	D	E	F	G	H	I
Water	×	×	×	√	×	×	×	×	×
Acrylic acid polymers	×	×	×	√	√	×	×	×	×
Silicon dioxide	×	×	×	√	√	×	×	×	×
SN-Dispersant 5040	×	×	×	√	×	×	×	×	×
Pyrogenic Silica	×	×	×	√	×	×	×	×	×
ASE-60	×	×	×	×	×	×	×	×	×
TT-935	×	×	×	√	×	×	×	×	×
Polyethylene-polypropylene glycol	×	×	×	√	×	×	×	×	×

[A] Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
[B] Substances requiring authorisation under EU REACH regulation
[C] Substances restricted under EU REACH
[D] Pre-registered substances under EU REACH
[E] Registered substances under EU REACH
[F] Substance Evaluation – CoRAP under EU REACH
[G] List of priority substances under EU water policy （Directive 2455/2001/EC）
[H] Substances subject to POPs Regulation
[I] Substances proposed as POPs

Note:
"√" Indicates that the substance included in the regulations.
"×" No data or not included in the regulations.

| German water hazard class (WGK)

Component	WGK	Remark
Acrylic acid polymers	WGK 1	
Silicon dioxide	nwg	
Polyethylene-polypropylene glycol	WGK 1	

[WGK 1] slightly hazardous to water

[WGK 2] obviously hazardous to water
[WGK 3] highly hazardous to water
[nwg] non-hazardous to water
[awg] hazardous to water in general

| German technical instructions on air quality control (TA LUFT)

Component	TA LUFT	Remark
Acrylic acid polymers	Chapter 5.2.5 Organic Substances, dust,including fine dust.To be treated as overall dust. The emissions of dust in the exhaust gas are not allowed to exceed the following values:Mass flow:0,20 kg/hr or Mass conc.:20 mg/m³ The mass per unit volume of 0,15 g/m³ in exhaust gas is not allowed to be exceeded also on observance or lower deviation of a mass flow of 0,20 kg/h.For emission sources that exceed the mass flow rate of 0.40 kg/h, the mass concentration in waste gas the mass concentration must not exceed 10 mg/m³.	
Silicon dioxide	Chapter 5.2.7.1.1 Carcinogenic substances. Quartz fine dust PM4 (quartz and cristobalite). As minimum requirement, the following values are in all not allowed to be exceeded in the exhaust gas:Mass flow: 1,5 g/hr or Mass conc.: 0,5 mg/m³	
Polyethylene-polypropylene glycol	Chapter 5.2.5 Organic Substances, dust,including fine dust.To be treated as overall dust. The emissions of dust in the exhaust gas are not allowed to exceed the following values:Mass flow:0,20 kg/hr or Mass conc.:20 mg/m³ The mass per unit volume of 0,15 g/m³ in exhaust gas is not allowed to be exceeded also on observance or lower deviation of a mass flow of 0,20 kg/h.For emission sources that exceed the mass flow rate of 0.40 kg/h, the mass concentration in waste gas the mass concentration must not exceed 10 mg/m³.	

| German technical rules for hazardous substances (TRGS)

Component	TRGS	Remark
Water	TRGS 500|TRGS 509|TRGS 510	
Acrylic acid polymers	TRGS 500|TRGS 509|TRGS 510|TRGS 800	
Silicon dioxide	TRGS 500|TRGS 509|TRGS 510|TRGS 559|TRGS 906	
Polyethylene-polypropylene glycol	TRGS 500|TRGS 509|TRGS 510|TRGS 800|TRGS 720|TRGS 721 TRGS 722|TRGS 723|TRGS 724	

| 15.2 Chemical safety assessment

	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16 Other information

| Information on revision

Creation Date	2026/04/22
Revision Date	-
Reason for revision	-

| Reference

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
[2] IARC, website: http://www.iarc.fr/.
[3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
[5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
[6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
[7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC_{50}	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD_{50}	Lethal Dose 50%	NTP	National Toxicology Program
EC_{50}	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P_{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	G1	Carcinogenic to humans

G2A	Probably carcinogenic to humans	G2B	Possibly carcinogenic to humans
G3	Not yet classified as carcinogenic to humans	G4	Probably not carcinogenic to humans

| Disclaimer

This Safety Data Sheet (SDS) was prepared according to REACH Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

| Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information of section 3 and section 9 is provided by the company listd in section 1. Other information is from authoritative database and expert assessment.

1. This file is considered invalidated without the Special Seal for Inspection of CTI.
2. This file shall not be altered, increased or deleted.
3. Without written approval of CTI, this file shall not be copied partly or published as advertisement.
4. The file and the data must not be used in legal affairs, according to the agreement with CTI and the Applicant.

End of File