

## Tabs documentation

<b>Class Name</b>	DescBoxData
<b>Description</b>	Data for a box data element
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	DescBoxList
<b>Description</b>	List of desc box data to be passed as an argument for a React component
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FolderItemData
<b>Description</b>	Data for a folder item to be passed into a React component
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	InventoryCategory
<b>Description</b>	Data for an inventory category
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	DescBox
<b>Description</b>	A rounded box with a gradient to display a description
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FolderSvg
<b>Description</b>	Folder-like container to be shown to the user
<b>Arguments</b>	data: The data to be shown in the container
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FloatingActionButton
<b>Description</b>	Action button with styling to look like it's floating
<b>Arguments</b>	myFunction: Callback when the button is pressed
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	AddFoodItemView
<b>Description</b>	Container view for the Add Food Item page
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FolderBackdropTextInputField
<b>Description</b>	Input text field styled to fit the theme of a folder backdrop
<b>Arguments</b>	title: Title of text field hint: Hint text for the text field
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FolderBackdropListFragment
<b>Description</b>	Folder backdrop element for the folder-like background
<b>Arguments</b>	None
<b>Return</b>	None
<b>Throws</b>	None

<b>Class Name</b>	FolderBackdropActionButton
<b>Description</b>	Button styled to fit the theme of a folder backdrop
<b>Arguments</b>	title: Text to display on the button
<b>Return</b>	None
<b>Throws</b>	None