## Logic

# **Temperature Analyzer**

Workshop 3 (worth 3% of your final grade)

In this workshop, you are to write a program that accepts the high and low temperatures for several days and performs some calculations on them.

#### **LEARNING OUTCOMES**

Upon successful completion of this workshop, you will have demonstrated the abilities:

- to create a simple interactive program
- to use a selection construct to code a decision
- to use an iteration construct to code repetitive logic
- to nest a logical block within another logical block
- to describe to your instructor what you have learned in completing this workshop

#### SUBMISSION POLICY

Your workshops are divided into two sections; in\_lab and at\_home.

The "in\_lab" section is to be completed **during your assigned lab section**. It is to be completed and submitted by the end of the workshop. If you do not attend the workshop, you can submit the "in\_lab" section along with your "at\_home" section, but there will be a reduction from 40% to 10% for the "in\_lab" portion. The "at\_home" portion of the lab is **due the day before your next scheduled workshop.** 

All your work (all the files you create or modify) must contain your name, Seneca email and student number.

You are responsible for regularly backing up your work.

## **IN-LAB: ITEM CLASS (50%)**

Download or clone workshop 3 from https://github.com/Seneca-144100/IPC-Workshop3

Code a program in temps.c that does the following:

- 1- Before the declaration of main define NUMS as 3: #define NUMS 3
- 2- Print the title of the application.

```
>---=== IPC Temperature Calculator ===---<
```

3-Using a for loop, prompt the user to enter the high and low values for each of NUMS days. The values entered must be between -40 and 40, and high must be greater than low.

Print the following messages:

- >Enter the high value for day 1: < (or day 2, or day 3)
- \* Read the high value.
- >Enter the low value for day 1: < (or day 2, or day 3)
- \* Read the low value.
- 3- Use a nested while (or do-while) loop to analyze the results, high must be greater than low, high must be less than 41, low must be greater than -41
  - \*If any entry is incorrect, prompt the user to enter again until the entries pass the tests:
  - Incorrect values, temperatures must be in the range -40 to 40, high must be greater than low.

Then prompt again for the high and low temperatures for the day.

- 4- When the user has correctly entered the high and low temperatures, add them to variables that will store the total high and total low temperatures for NUMS days.
- 5- When the loop finishes calculate the average (mean) temperature for NUMS days and display:
  - > The Average (mean) temperature was: -- <

Output Example

```
---== IPC Temperature Analyzer ===---
Enter the high value for day 1: 8
Enter the low value for day 1: -2
Enter the high value for day 2: 9
Enter the low value for day 2: -4
Enter the high value for day 3: 11
Enter the low value for day 3: 5
The average (mean) temperature was: 4.50
Output Example with Errors Handled (use this data for submission)
---== IPC Temperature Analyzer ===---
Enter the high value for day 1: 8
Enter the low value for day 1: -2
Enter the high value for day 2: 41
Enter the low value for day 2: -4
Incorrect values, temperatures must be in the range -40 to 40, high must be greater than
low.
Enter the high value for day 2: 9
Enter the low value for day 2: -4
Enter the high value for day 3: 5
Enter the low value for day 3: 11
Incorrect values, temperatures must be in the range -40 to 40, high must be greater than
low.
Enter the high value for day 3: 11
Enter the low value for day 3: 5
The average (mean) temperature was: 4.50
```

#### IN LAB SUBMISSION:

To test and demonstrate execution of your program use the same data as the output example above.

If not on matrix already, upload your temps.c to your matrix account. Compile and run your code and make sure everything works properly.

Then run the following script from your account: (replace profname.proflastname with your professors Seneca userid)

```
~profname.proflastname/submit 144_w3_lab <ENTER>
```

and follow the instructions.

Please note that a successful submission does not guarantee full credit for this workshop.

If the professor is not satisfied with your implementation, your professor may ask you to resubmit. Resubmissions will attract a penalty.

## **AT\_HOME: (40%)**

After completing the in\_lab section, upgrade temps.c to

- process a 4-day period using a single change to your in\_lab code
- display the highest temperature, and on which day it occurred
- display the lowest temperature, and on which day it occurred
- calculate and display the mean temperature for the 4-day period.

#### **Output Example**

```
---=== IPC Temperature Analyzer ===---
Enter the high value for day 1: 8
Enter the low value for day 1: -2
Enter the high value for day 2: 9
Enter the low value for day 2: -4
```

```
Enter the high value for day 3: 11

Enter the low value for day 3: 5

Enter the high value for day 4: 10

Enter the low value for day 4: 3

The average (mean) temperature was: 5.00

The highest temperature was 11, on day 3

The lowest temperature was -4, on day 2
```

### **AT-HOME REFLECTION (10%)**

Please provide brief answers to the following questions in a text file named reflect.txt.

- 1) Name all the iteration constructs?
- 2) Explain the difference between a "do while" and a "while" loop?
- 3) What is a conditional expression?

#### AT HOME SUBMISSION:

Submission is currently closed, please check this page later again.

To test and demonstrate execution of your program use the same data as the output example above... (8, -2, 9, -4, 11, 5, 10, 3)

If not on matrix already, upload your temps.c and reflect.txt to your matrix account. Compile and run your code and make sure everything works properly.

Then run the following script from your account: (replace profname.proflastname with your professors Seneca userid)

~profname.proflastname/submit ipc w3 home <ENTER>

and follow the instructions.

Please note that a successful submission does not guarantee full credit for this workshop.

If the professor is not satisfied with your implementation, your professor may ask you to resubmit. Resubmissions will attract a penalty.