

Semax

Semax COA summary

PRODUCT FORMS	LABELED STRENGTHS	SOURCE RECORDS
Raw material and vial	10 mg / raw	2 reports / 2 files

01 Sample and source results

LAB / SOURCE	LOT / LABELED FILL	PURITY	CONTENT	IDENTITY
[1] Freedom Diagnostics 05 Nov 2025	LREGENSX03 10 mg	99.127%	12.62 mg	Mass ID
[2] Raw-material COA 14 Feb 2025	LREGENSX03 Raw material	99.03%	88.61% peptide	MS conforms

02 Source highlights

[1] Freedom Diagnostics: 99.127% purity; 12.62 mg.	[2] Raw-material COA: 99.03% purity; 88.61% peptide.
--	--

03 Regen | Testing coverage

Coverage in the COAs compiled for this report

Mass & purity analysis	DOCUMENTED
Purity and content or assay values are reported in the supplied COAs.	
LC-MS impurity ID & quantity	DOCUMENTED
Documented in the supplied analytical records.	
MS identity confirmation	DOCUMENTED
Documented in the supplied analytical records.	
Heavy-metal screening	DOCUMENTED
Documented in the supplied analytical records.	
Endotoxin testing	DOCUMENTED
Documented in the supplied analytical records.	

Original analytical graphs

Freedom Diagnostics / Lot LREGENSX03

Reference 05672 / 05 Nov 2025

