



NANYANG TECHNOLOGICAL UNIVERSITY

EE6407 Genetic Algorithms & Machine Learning

Assignment 1 & 2 Report

MSc in Electrical and Electronic Engineering

Yan Ziming

G2507084J

October 9, 2025

Contents

1	Introduction	2
2	Assignment 1	2
2.1	Handling Missing Values and Outliers	2
2.1.1	Missing values	2
2.1.2	Outliers	2
2.2	Design a Naïve Bayes classifier	3
2.3	Prediction and Analysis	4
3	Assignment 2	5
4	Conclusion	5

1 Introduction

2 Assignment 1

2.1 Handling Missing Values and Outliers

2.1.1 Missing values

Detection:

Handling:

2.1.2 Outliers

Detection:

Handling:

2.2 Design a Naïve Bayes classifier

```
class GNB_Classifier:
    def __init__(self):
        pass

    def fit(self,X,y):
        self.classes=np.unique(y)
        self.means=[]
        self.vars=[]
        self.priors=[]
        for w in self.classes:
            X_w=X[y==w]
            prior_w=X_w.shape[0]/X.shape[0]
            mean_w=np.mean(X_w,axis=0)

# cov_w=np.cov(X_w,rowvar=False)+1e-6*np.eye
(X.shape[1])
            var_w = np.var(X_w, axis=0)
            self.priors.append(prior_w)
            self.means.append(mean_w)
            # self.vars.append(cov_w)
            self.vars.append(var_w)

        self.priors = np.array(self.priors)
        self.means = np.array(self.means)
        self.vars = np.array(self.vars)

    def ConditionPwithGaussian(self,x,mean,
var):
        eps = 1e-6
        coeff = 1.0 / np.sqrt(2 * np.pi *
var + eps)
        exponent = - (x - mean) ** 2 / 2 *
var + eps)
        return coeff * np.exp(exponent)
```

```

def predict(self, X):
    X = np.array(X)
    y_pred = []

    for x in X:
        posteriors = []
        for i, c in enumerate(self.classes):
            prior_log = np.log(self.priors[i])

            likelihood_log = np.sum(np.log(
self.ConditionPwithGaussian(x, self.means[i]
], self.vars[i])))
            posteriors.append(prior_log +
likelihood_log)
            y_pred.append(self.classes[np.argmax
(posterior)])

        return np.array(y_pred)

def evaluate(self, X, y):
    y = np.array(y)
    y_pred = self.predict(X)
    accuracy = np.mean(y_pred == y)
    return accuracy

```

Figure 1: Code of Classifier Establishment

2.3 Prediction and Analysis

Table 1: Results of Gaussian Naive Bayes Classifier

Metric	Value
Training Accuracy	0.958
Predicted Labels	[1 1 1 1 1 1 1 1 1 3 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3]

3 Assignment 2

4 Conclusion