


Accessibility



Pareto 80% effect, 20% cause

Affordance

- physical prop suggest actions

Hicks law

decision time $\uparrow$ options $\uparrow$
nondecision time

$$RT = a + b \log_2 \left(\frac{\text{proc time}}{\text{options}} \right)$$

respon time

Fitts Law

time to move depends on distance and size of target

$$\text{movement} = a + b \log_2 \left(\frac{\text{distance}}{s_{\text{size}}} + 1 \right)$$

0.230 0.166

make imp = bigger closer to pointer finger

golden ratio ϕ 0.618


$\frac{\text{Smaller}}{\text{Larger}} = \frac{\text{Larger}}{\text{more}}$

$$\frac{\sqrt{5}-1}{2} = 0.618$$

$$1 + 0.618 = 1.618 \text{ phi}$$

Fibonacci approximates golden ratio

rule of thirds



place main element
at the 4
intersections

Signal to noise
ratio of relevant to irrelevant

EMOTIONS

Emoji feedback box
homeless donation Ad

we should consider design and
Context.

① Automatic emotions
- fast, fade quickly

② Conscious emotions
- slow, longer

Norman Style Three Levels

① Visual

looks, feel, sound, first imp

② Behavioural

use, function

③ Reflective

meaning, value

Plutchik's emotions

① anger ② disgust ③ fear

④ sad ⑤ anticipation

⑥ joy ⑦ surprise ⑧ trust

⑨ contempt

Affective computing

uses comp to recognize emotions

GSR sweat, expression,
movement, gestures

Emotional AI

infer feeling from text face voice

Anthropomorphism

giving human like qualities to
non human things