

**Psychiatrická společnost České lékařské společnosti J. E. Purkyně (PSCLS,
Psychiatric Society of the Czech Medical Society)**

Czech Republic

The Czech Psychiatric Society is a civil association that closely cooperates with the Psychiatric Society of the Czech Republic JEP, whose aim is to develop the field of psychiatry and whose main objectives and activities include the publication and co-publication of professional printed materials, publications, and journals

<https://www.psychiatrie.cz/>

Link to recommendations: <https://postupy-pece.psychiatrie.cz/specialni-psychiatrie/f3-depresivni-poruchy/deprese-u-dospelych/psychoterapie-depresivni-poruchy-u-dospelych>

Table

Recommended treatments by PSCLS according to their empirical support

Strong	Behavioural activation (Individual or Group formats, Guided self-help) ^{1, 3+, 5+} , Cognitive-behavioural therapy (Individual or Group formats, Guided self-help or other specific programs) ^{1, 3+, 5+, 6, 7, 8+} , Guided self-help ^{c, d, 6, 6+} , Interpersonal psychotherapy (Individual or Group format, Long and short version) ^{1, 3+, 5+, 6, 7, 8+} , Mindfulness-based cognitive therapy (Mainly group program) ^{1, 3+, 5+, 6, 7, 8+} , Non-directive supportive psychotherapy/Counselling ^{c, d, 1, 6, 7, 8+} , Problem-solving therapy (Individual or Group formats, Guided self-help) ^{1, 6, 7, 8+} , Short-term psychodynamic therapy (usually Individual) ^{1, 6, 7, 8+}
Moderated	-
Weak/Controversial	-
Insufficient	Non-directive supportive psychotherapy/Counseling ³⁺ , Problem-solving therapy ³⁺ , Short-term psychodynamic therapy ³⁺
No evidence assessment	-
First line	-