

6

5

4

3

2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

Date _____

Change Note

2022-08-03

release

D

D

C

[

B

3

A

A

DRAWN: Peng DATED: 2022-08-03 CHECKED: Wang DATED: 2022-08-03 QUALITY CONTROL: Wang DATED: 2022-08-03 RELEASED: Wang DATED: 2022-08-03		COMPANY: Fibocom			
		TITLE: ADP-L610-Arduino V3.0 μ Í Å ä ° æ			
		CODE:	SIZE:	DRAWING NO:	REV:
		< Code >	A2	1	3.0
		SCALE: < Scale >		SHEET: 1 OF 4	

6

5

4


3

2


1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


电 源 切 换




DC-DC



VBAT转 3.3



测 试 点




COMPANY: Fibocom			
TITLE: ADP-L610-Arduino V3.0低 配 版			
CODE:	SIZE:	DRAWING NO:	REV:
< Code >	A2	1	3.0
SCALE: < Scale >			SHEET:2 OF 4

DRAWN: Peng	DATED: 2022-08-03
CHECKED: Wang	DATED: 2022-08-03
QUALITY CONTROL: Wang	DATED: 2022-08-03
RELEASED: Wang	DATED: 2022-08-03


L610

ADP-L610-CN-00-00




ADP-L610-CN-00-00


下载软件时, 需进入 DL 模式
拉高 BOOT 管脚到 1.8V




通信模组供电



RF



RESET




LED 指示


电源




通信模组状态




SIM卡座




DEBUG



上电自动开机



BOOT




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

COMPANY: Fibocom			
TITLE: ADP-L610-Arduino V3.0低配版			
CODE:	SIZE:	DRAWING NO:	REV:
< Code >	A2	1	3.0
SCALE: < Scale >			SHEET: 3 OF 4


DRAWN:	Peng	DATED:	2022-08-03
CHECKED:	Wang	DATED:	2022-08-03
QUALITY CONTROL:	Wang	DATED:	2022-08-03
RELEASED:	Wang	DATED:	2022-08-03

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


Arduino接 口




Arduino串 口 选 择



串 口 端 子




串 口 电 平 转 换 与 串 口 监 控 电 路



串 口 监 控

USB TYPE-C



COMPANY: Fibocom			
TITLE: ADP-L610-Arduino V3.0低 配 版			
CODE:	SIZE:	DRAWING NO:	REV:
< Code >	A2	1	3.0
SCALE: < Scale >			SHEET:4 OF 4

DRAWN: Peng	DATED: 2022-08-03
CHECKED: Wang	DATED: 2022-08-03
QUALITY CONTROL: Wang	DATED: 2022-08-03
RELEASED: Wang	DATED: 2022-08-03