# ← Project review - SQL1 Bootcamp. Day00

Type of project Individual

## Git project

ssh://git@repos-ssh.21-school.ru:2289/students/SQL_beg... Copy link Open

## Student

hadesdom@student.21-school.ru level 8

## About

### Introduction

School 21 methodology only makes sense if peer-to-peer reviews are taken seriously. Please read all the guidelines carefully before starting the review.

- Please remain courteous, polite, respectful, and constructive in all communications during this review.

- Point out possible flaws in the person's work and take the time to discuss and debate them.
- Keep in mind that sometimes there may be differences in interpretation of tasks and scope of functionality. Please remain open to each other's vision.

### Guidelines

- Evaluate only the files located in the src folder of the student's or group's GIT repository.
- Double check that the GIT repository is the one corresponding to the student or group.
- Carefully check that nothing malicious has been used to fool you.
- If you have not finished the project yet, it is compulsory to read the entire instruction before starting the review.
- Ensure to start reviewing a group project only when the team is present in full.
- Use special flags in the checklist to report, for example, "empty work" if the repository does not contain the student's (or group's) work in the src folder of the develop branch, or "cheat" in the case of cheating, or if the student (or group) is unable to explain their work at any time during the review, or if any of the items below are not met. However, except in cases of cheating, you are encouraged to continue reviewing the project to identify the problems that caused the situation so that they can be avoided in the next review.
- In controversial cases, remember that the checklist determines only the general order of the check. The final decision on project evaluation remains with the reviewer.

## Main part

### Exercise 00

Checks for the file day00_ex00.sql

- The SQL script looks like below.

```
select name,age from person where address = 'Kazan'
```

- The result is below (raw ordering should be the same like on a screen below)

```
"Kate"  "33"
"Denis" "13"
"Elvira"        "45"
```

✓ Yes No

### Exercise 01

Checks for the file day00_ex01.sql

- The SQL script looks like below.

```
select name,age from person where address = 'Kazan' and gender = 'female
```

- The result is below (raw ordering should be the same like below)

```
"Elvira"        "45"
"Kate"  "33"
```

✓ Yes No

### Exercise 02

Checks for the file day00_ex02.sql

- The SQL script looks like below.

```
select name, rating from pizzeria where rating >= 3.5 and rating <= 5 or
```

The result is below (raw ordering should be the same like below)

```
"DinoPizza"   "4.2"
"Dominos"     "4.3"
"Pizza Hut"   "4.6"
"Papa Johns"  "4.9"
```

- The SQL script looks like below (to use BETWEEN keyword).

```
select name, rating from pizzeria where rating between 3.5 and 5 order b
```

The result is below (raw ordering should be the same like on a screen below)

```
"DinoPizza"   "4.2"
"Dominos"     "4.3"
"Pizza Hut"   "4.6"
"Papa Johns"  "4.9"
```

✓ Yes No

### Exercise 03

Checks for the file day00_ex03.sql

- The SQL script looks like below.

```
select  distinct person_id
from person_visits
where visit_date between '2022-01-06' and '2022-01-09'
or pizzeria_id = 2
order by person_id desc
```

- The result is below (raw ordering should be the same like below)

```
9
8
7
6
5
4
2
```

✓ Yes No

### Exercise 04

Checks for the file day00_ex04.sql

- The SQL script looks like below.

```
select name|| ' (age:'||age::varchar||',gender:'''||gender ||''',address
from person
order by person_information
```

- The 2nd case of the solution looks like below.

```
select concat(name, ' (age:',age::varchar,',gender:''',gender ,''',addre
from person
order by person_information
```

- The result is below (raw ordering should be the same like below)

```
Andrey (age:21,gender:'male',address:'Moscow')
Anna (age:16,gender:'female',address:'Moscow')
Denis (age:13,gender:'male',address:'Kazan')
Dmitriy (age:18,gender:'male',address:'Samara')
Elvira (age:45,gender:'female',address:'Kazan')
Irina (age:21,gender:'female',address:'Saint-Petersburg')
Kate (age:33,gender:'female',address:'Kazan')
Nataly (age:30,gender:'female',address:'Novosibirsk')
Peter (age:24,gender:'male',address:'Saint-Petersburg')
```

✓ Yes No

### Exercise 05

Checks for the file day00_ex05.sql

- The SQL script looks like below.

```
select (select name from person p where p.id = po.person_id) as name
from person_order po
where (menu_id = 13 or menu_id = 14 or menu_id = 18) and order_date = '
```

- The result is below (raw ordering should be the same like below)

```
"Denis"
"Nataly"
```

✓ Yes No

### Exercise 06

Checks for the file day00_ex06.sql

- The SQL script looks like below.

```
select (select name from person p where p.id = po.person_id) as name,
(select name from person p where p.id = po.person_id) = 'Denis' as che
from person_order po
where (menu_id = 13 or menu_id = 14 or menu_id = 18) and order_date =
```

- The result is below (raw ordering should be the same like below)

  Denis true Nataly false

✓ Yes No

### Exercise 07

Checks for the file day00_ex07.sql

- The SQL script looks like below.

```
select id,name,
   case
      when age between 10 and 20 then 'interval #1'
      when age > 20 and age < 24 then 'interval #2'
       else 'interval #3'
   end as interval_info
 from person
 order by 3
```

- The result is below (raw ordering should be the same like below)

```
"1"     "Anna"  "interval #1"
"4"     "Denis" "interval #1"
"9"     "Dmitriy"       "interval #1"
"6"     "Irina" "interval #2"
"2"     "Andrey"        "interval #2"
"8"     "Nataly"        "interval #3"
"5"     "Elvira"        "interval #3"
"7"     "Peter" "interval #3"
"3"     "Kate"  "interval #3"
```

✓ Yes No

### Exercise 08

Checks for the file day00_ex08.sql

- The SQL script looks like below.

```
select *
from person_order
where id % 2 =0
order by id;
```

- The result is below (raw ordering should be the same like below)

```
"2"     "1"     "2"     "2022-01-01"
"4"     "2"     "9"     "2022-01-01"
"6"     "4"     "16"    "2022-01-07"
```

```
"8"     "4"     "18"    "2022-01-07"
"10"    "4"     "7"     "2022-01-08"
"12"    "5"     "7"     "2022-01-09"
"14"    "7"     "3"     "2022-01-03"
"16"    "7"     "4"     "2022-01-05"
"18"    "8"     "14"    "2022-01-07"
"20"    "9"     "6"     "2022-01-10"
```

✓ Yes  No

### Exercise 09

Checks for the file day00_ex09.sql

- The SQL script looks like below.

```
select (select name from person p where p.id = pv.person_id) as person_n
   (select name from pizzeria p where p.id = pv.pizzeria_id) as pizzeria
from (select *
   from person_visits pv
    where visit_date between '2022-01-07' and '2022-01-09') as pv
order by 1 asc, 2 desc
```

- The result is below (raw ordering should be the same like below)

```
 "Denis"        "DinoPizza"
 "Denis"        "Best Pizza"
 "Dmitriy"      "Papa Johns"
 "Dmitriy"      "Best Pizza"
 "Elvira"       "Dominos"
 "Elvira"       "DinoPizza"
 "Irina"        "Dominos"
 "Nataly"       "Papa Johns"
```

✓ Yes  No

## Fails

## Record of the online-review

Student+Peer+Review+2024-09-09_203158.webm

## Comment

Leave a comment...

Review