

Acceso a la base de datos creada y con los datos ya ingresados.

The screenshot shows a MySQL database interface. On the left, a tree view displays the database structure. The 'tarea4' database is selected, showing four tables: 'compra' (32.0 KiB), 'detalle_compra' (48.0 KiB), 'pago' (16.0 KiB), and 'producto' (16.0 KiB). The main window displays a table named 'compra' with the following data:

Name	Rows	Size	Created	Updated	Engi...	Comme...	Type
compra	0	32...	2026-09-...		Inno...		Ta...
detalle...	0	48...	2026-09-...		Inno...		Ta...
pago	6	16.0...	2026-09-...		Inno...		Ta...
producto	8	16.0...	2026-09-...		Inno...		Ta...

The bottom status bar indicates: 'tarea4: 4 tables', 'Connected: 00:01', 'MySQL 8.4.11', 'Uptime: 00:01 h', and 'Server time: 02:59'.

Escenario 1

Transacción completada

Se aplicaron los 4 cambios y quedaron permanentes tras el COMMIT.

The screenshot shows a MySQL database interface with a transaction script being executed. The script is as follows:

```
1 START TRANSACTION;
2
3 INSERT INTO compra (id_pago) VALUES (NULL);
4 SET @id_compra_actual = LAST_INSERT_ID();
5
6 UPDATE producto
7 SET stock = stock - 2
8 WHERE id_producto = 3;
9
10 INSERT INTO detalle_compra (id_compra, id_producto, cantidad)
11 VALUES (@id_compra_actual, 3, 2);
12
13 INSERT INTO pago (monto, estatus)
14 VALUES (1798.00, 'COMPLETADO');
15 SET @id_pago_actual = LAST_INSERT_ID();
16
17 UPDATE compra
18 SET id_pago = @id_pago_actual
19 WHERE id_compra = @id_compra_actual;
20
21 COMMIT;
```

The bottom status bar indicates: 'Info: Rows matched: 1 Changed: 1 Warnings: 0', 'COMMIT', and 'Affected rows: 5 Found rows: 0 Warnings: 0 Duration for 9 queries: 0.007 sec.'.

File Edit Display Search Query Tools Go to Help

Database fil... Table filter Unnamed Database: tarea4 Table: compra Data

Unnamed

- information_s...
- mysql
- performance_...
- sys
- tarea4 112.0 KiB
 - compra 32.0 KiB
 - detalle_co... 48.0 KiB
 - pago 16.0 KiB
 - producto 16.0 KiB

```

1 SELECT * FROM compra;
2 SELECT * FROM detalle_compra;
3 SELECT * FROM pago;
4 SELECT * FROM producto WHERE id_producto = 3;

```

compra (7r x 2c)		detalle_compra (7r x 4c)		pago (7r x 3c)	
#	1 id_compra	2 id_pago			
1	5	(NULL)			
2	1	1			
3	2	2			
4	3	3			
5	4	4			
6	4	5			
7	7	7			

Escenario 2

MySQL arrojó “Check constraint 'producto_chk_1' is violated” y el ROLLBACK eliminó la compra sin dejar rastro.

File Edit Display Search Query Tools Go to Help

Database fil... Table filter Unnamed Database: tarea4 Table: compra Data Query*

```

1 START TRANSACTION;
2
3 INSERT INTO compra (id_pago) VALUES (NULL);
4 SET @id_compra_actual = LAST_INSERT_ID();
5
6 UPDATE producto
7 SET stock = stock - 50
8 WHERE id_producto = 6;
9
10 ROLLBACK;
11
12 SELECT * FROM compra WHERE id_compra = @id_compra_actual;

```

Filter ...

- Columns in compr
- SQL functions
- SQL keywords
- Snippets
- Query history
- Query profile
- Bind parameter

SQL Error (3819): Check constraint 'producto_chk_1' is violated.

OK

Filter: Regular expression

```

76 START TRANSACTION;
77 INSERT INTO compra (id_pago) VALUES (NULL);
78 SET @id_compra_actual = LAST_INSERT_ID();
79 UPDATE producto SET stock = stock - 50 WHERE id_producto = 6;
80 /* SQL Error (3819): Check constraint 'producto_chk_1' is violated. */

```

Escenario 3

MySQL arrojó Check constraint 'pago_chk_1' is violated y el ROLLBACK restauró el stock y eliminó el detalle.

The screenshot shows the MySQL Workbench interface. On the left, the 'Database: tarea4' is selected, showing tables: compra, detalle_co..., pago, and producto. The main query window contains the following SQL script:

```
7 SET stock = stock - 2
8 WHERE id_producto = 7;
9
10 INSERT INTO detalle_compra (id_compra, id_producto, cantidad)
11 VALUES (@id_compra_actual, 7, 2);
12
13 INSERT INTO pago (monto, estatus)
14 VALUES (0.00, 'RECHAZADO');
15
16 ROLLBACK;
17
18 SELECT stock FROM producto WHERE id_producto = 7;
19 SELECT * FROM detalle_compra WHERE id_compra = @id_compra_actual;
```

A dialog box with a red circle and minus sign icon displays the error: "SQL Error (3819): Check constraint 'pago_chk_1' is violated." with an "OK" button.

At the bottom, the status bar shows the following log output:

```
94 UPDATE producto SET stock = stock - 2 WHERE id_producto = 7;
95 /* Info: Rows matched: 1 Changed: 1 Warnings: 0 */
96 INSERT INTO detalle_compra (id_compra, id_producto, cantidad) VALUES (@id_compra_actual, 7, 2);
97 INSERT INTO pago (monto, estatus) VALUES (0.00, 'RECHAZADO');
98 /* SQL Error (3819): Check constraint 'pago_chk_1' is violated. */
```