TESTING · FINAL PROJECT

Cybersoft Movie Booking

Manual testing + a Playwright automation framework
for the epic “Đặt vé xem phim” on demo1.cybersoft.edu.vn

[Team / student name] · [Class] · 11/2026

AT A GLANCE

One epic, tested by hand and by code

9

User stories

Register → booking history

94

Test cases

21 sanity cases

18

Bugs found

3 Critical · 5 Major

82%


Automated

77 of 94 · target 40%

Why demo1: the richest flow of the five demos (forms, cascading dropdowns, a seat map, login, history) with nothing to configure first.


EPIC FLOW

Every path ends on one booking page



ROUND 1 · MANUAL + FIRST AUTOMATION RUN

73 of 94 cases run: 52 passed, 21 failed



1 case is blocked by BUG-18. Of the 20 not run, 11 are automated (full suite) and 9 stay manual.
Defects by severity: **3 Critical · 5 Major · 8 Minor · 2 Trivial**

TOP DEFECTS

The booking can lie to the customer

Bug	What happens	Severity	Priority
BUG-02	“Đặt vé thành công” shown even when the booking API fails	Critical	Highest
BUG-09	Customer profile form offers the “Quản Trị” (admin) role	Critical	Highest
BUG-08	“Nhớ tài khoản” stores the password in plain text	Critical	High
BUG-01	Booking page shows hour:month, e.g. 23:53 → 11:04	Major	High
BUG-05	Showtimes from 2019–2021 still listed and bookable	Major	High

All 18 bugs with steps, expected/actual and evidence: workbook, tab “Bugs”.

AUTOMATION · REQUIREMENTS

Every requirement has a concrete home

Requirement	How it is met
Playwright, Page Object Model	7 page objects + Header and SweetAlert components
Logging	Step logger → console + logs/run-<time>.log, attached per test
Reporting	HTML, JUnit, JSON, summary.md by TC ID; Allure optional
Screenshot on failure	Full-page PNG in screenshots/ + video and trace
≥ 40% automation	77 of 94 cases (82%) in 76 tests, 10 spec files

ARCHITECTURE

Four layers; tests never touch a locator

tests/ — 10 spec files, one TC ID per test

auth · home · movie · booking · account · api · tags @smoke, @bug

fixtures/ — what every test receives

page objects · logger · api · registeredUser · loggedIn · screenshot on failure

pages/ — Page Objects

Home · SignIn · SignUp · Detail · Purchase · Account + Header, SweetAlert

api/MovieApi

users, seat maps, free showtimes

Playwright + utils

browser & request contexts · env · logger · summary reporter · config (chromium, mobile)

WHAT A TEST LOOKS LIKE

Tests read like the test case

```
// tests/booking/booking.spec.ts
test('TC_BOOK_09 @smoke Booking a seat succeeds',
  async ({ api, purchasePage, loggedIn }) => {
  const map = await api.findShowtimeWithFreeSeats(5);
  const seat = firstFreeNormal(map);
  await purchasePage.openShowtime(map.id);
  await purchasePage.toggleSeat(seat.tenGhe);
  await purchasePage.clickBook();
  await purchasePage.alert.expectTitle('Đặt vé thành công');
  // verified in the API, not only in the UI
  expect(bookedBy(seat)).toBe(loggedIn.user.taiKhoan);
});
```

Title = TC ID + tag, so reports map back to the workbook.

Fixtures hand over a fresh logged-in account.

The result is checked at the source of truth.

KEY TECHNIQUES

Built for a shared, messy demo database

Own accounts per test

Registered through the API; the session is injected exactly as the app stores it. No shared passwords.

No hard-coded seats

Other students book seats all day, so a showtime with free seats is found at run time.

Network mocking

page.route() forces the booking API to fail and proves BUG-02, a state nobody can create by hand.

Bugs stay visible

@bug tests assert the correct behaviour: red today, green when fixed. CI runs them separately.

WHEN A TEST FAILS

Five pieces of evidence, automatically

Evidence	Where
Full-page screenshot	screenshots/<TC>_<project>_<time>.png
Video + Playwright trace	test-results/<test>/video.webm, trace.zip
Step log	logs/run-<time>.log + attached to the HTML report
Report rows by TC ID	reports/html, junit.xml, results.json, summary.md

```
[INFO ] [TC_HOME_13] STEP » Open /
[ERROR] [TC_HOME_13] FAILED - screenshot saved: screenshots/TC_HOME_13_chromium_….png
[INFO ] [TC_HOME_13] ═══ END: FAILED in 356 ms
```

COVERAGE

82% automated; manual cases are where code can’t reach

Story	Feature	Test cases	Automated	Share
US01	Register	12	10	83%
US02	Login / logout	13	12	92%
US03	Home & movies	14	11	79%
US04	Movie detail	10	6	60%
US05	Cinemas	4	3	75%
US06	Quick booking	8	7	88%
US07	Seats & booking	18	16	89%
US08	Account & history	9	7	78%
US09	Mobile search	6	5	83%
Total		94	77	82%

RUN IT

One command locally, two jobs in CI

```
npm install
npx playwright install chromium

npm test              # all 76 tests
npm run test:smoke    # 11 core-path tests
npm run test:stable   # without @bug
npm run report        # open HTML report
```

GitHub Actions

1. Stable suite must pass.
2. @bug suite runs with continue-on-error.
3. Reports, screenshots, logs uploaded as an artifact.

Repo: [public GitHub link]

RECOMMENDATION

Not ready to release.

Fix BUG-02, BUG-08, BUG-09, then BUG-01, BUG-05, BUG-18.
Round 2: full automation suite, 9 manual cases, retest every fix.

Questions?