Presentación

Tema: Hackerrank Retos # Day 2

Nombre: Junior Esteba Cedeño Paredes
Técnico: CiberSeguridad
Módulo: Introducción a la Programación y Diagrama De Flujo Inicio
Facilitador: Kevin Feliz Henríquez
Centro: Dapiato Pro Salud

Link de Github:
https://github.com/zTHELF/Hackerrank-30-day-of-code

Python 3

```python
#!/bin/python3

import math
import os
import random
import re
import sys

#
# Complete the 'solve' function below.
#
# The function accepts following parameters:
#  1. DOUBLE meal_cost
#  2. INTEGER tip_percent
#  3. INTEGER tax_percent
#

def solve(meal_cost, tip_percent, tax_percent):
    tip = meal_cost * (tip_percent / 100)
    tax = meal_cost * (tax_percent / 100)
    total_cost = meal_cost + tip + tax
    print(round(total_cost))

if __name__ == '__main__':
    meal_cost = float(input().strip())

    tip_percent = int(input().strip())

    tax_percent = int(input().strip())

    solve(meal_cost, tip_percent, tax_percent)
```



C#

```
class Result
    /*
     * Complete the 'solve' function below.
     *
     * The function accepts following parameters:
     *  1. DOUBLE meal_cost
     *  2. INTEGER tip_percent
     *  3. INTEGER tax_percent
     */

    public static void solve(double meal_cost, int tip_percent, int tax_percent)
    {
        double tip = meal_cost * (tip_percent / 100.0);
        double tax = meal_cost * (tax_percent / 100.0);
        double total_cost = meal_cost + tip + tax;

        Console.WriteLine(Math.Round(total_cost));
    }

}

class Solution
{
    public static void Main(string[] args)
    {
        double meal_cost = Convert.ToDouble(Console.ReadLine().Trim());

        int tip_percent = Convert.ToInt32(Console.ReadLine().Trim());

        int tax_percent = Convert.ToInt32(Console.ReadLine().Trim());

        Result.solve(meal_cost, tip_percent, tax_percent);
```

Congratulations

You solved this challenge. Would you like to challenge your friends?
The next challenge in this tutorial will unlock in 13:04:12

Go to Dashboard | Try a Random Challenge

Test case 0
Test case 1
Test case 2
Test case 3

Compiler Message

```
Success
```

Input (stdin) Download

```
12.00
20
8
```

Expected Output Download

```
15
```

JavaScript

```javascript
'use strict';

process.stdin.resume();
process.stdin.setEncoding('utf-8');

let inputString = '';
let currentLine = 0;

process.stdin.on('data', function(inputStdin) {
    inputString += inputStdin;
});

process.stdin.on('end', function() {
    inputString = inputString.split('\n');

    main();
});

function readLine() {
    return inputString[currentLine++];
}

/*
 * Complete the 'solve' function below.
 *
 * The function accepts following parameters:
 *  1. DOUBLE meal_cost
 *  2. INTEGER tip_percent
 *  3. INTEGER tax_percent
 */

function solve(meal_cost, tip_percent, tax_percent) {
```

Congratulations

You solved this challenge. Would you like to challenge your friends?
The next challenge in this tutorial will unlock in 13:02:54

Go to Dashboard

Test case 0
Test case 1
Test case 2
Test case 3

Compiler Message

```
Success
```

Input (stdin)

```
12.00
20
8
```

Expected Output

```
15
```