

Python3

```
14 arr = list(map(int, input().rstrip().split()))
15
16 print(' '.join(map(str, reversed(arr))))
17
```

Upload Code as File

☐ Test against custom input

30

Days of Code
**

You have earned 30.00 points!

You are now 7 challenges away from the 3rd star for your 30 days of code badge.

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

JavaScript

```
25 ✓ function main() {
26     const n = parseInt(readLine().trim(), 10);
27
28     const arr = readLine().replace(/\s+$/g, '').split(' ').map(arrTemp => parseInt(arrTemp, 10));
29
30     console.log(arr.reverse().join(' '));
31 }
32
```

Upload Code as File

☐ Test against custom input

30

Days of Code
**

You have earned 30.00 points!

You are now 7 challenges away from the 3rd star for your 30 days of code badge.

13%

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

C#

```
19 public static void Main(string[] args)
20 {
21     int n = Convert.ToInt32(Console.ReadLine().Trim());
22
23     List<int> arr = Console.ReadLine().TrimEnd().Split(' ').ToList().Select(arrTemp => Convert.ToInt32(arrTemp)).ToList();
24
25     arr.Reverse();
26     Console.WriteLine(string.Join(" ", arr));
27 }
28
29
```

Line

Upload Code as File ☐ Test against custom input Run Code

30
Days of Code

You have earned 30.00 points!

You are now 7 challenges away from the 3rd star for your 30 days of code badge.

13%

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

Next