

Python3

```
2
3  import math
4  import os
5  import random
6  import re
7  import sys
8
9  if __name__ == '__main__':
10     N = int(input().strip())
11
12     if N % 2 == 1:
13         print("Weird")
14     elif N % 2 == 0 and 2 <= N <= 5:
15         print("Not Weird")
16     elif N % 2 == 0 and 6 <= N <= 20:
17         print("Weird")
18     else:
19         print("Not Weird")
20
```

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

✔ Test case 0

✔ Test case 1

✔ Test case 2

✔ Test case 3

✔ Test case 4

✔ Test case 5

✔ Test case 6

Compiler Message

Success

Input (stdin)

1	3
---	---

Expected Output

1	Weird
---	-------

C#

```

class Solution
{
    public static void Main(string[] args)
    {
        int N = Convert.ToInt32(Console.ReadLine().Trim());

        if (N % 2 == 1)
        {
            Console.WriteLine("Weird");
        }
        else if (N % 2 == 0 && N >= 2 && N <= 5)
        {
            Console.WriteLine("Not Weird");
        }
        else if (N % 2 == 0 && N >= 6 && N <= 20)
        {
            Console.WriteLine("Weird");
        }
        else
        {
            Console.WriteLine("Not Weird");
        }
    }
}

```

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

✓ Test case 0

✓ Test case 1

✓ Test case 2 

✓ Test case 3 

✓ Test case 4 

✓ Test case 5 

✓ Test case 6 

Compiler Message

Success

Input (stdin)

1 3

Expected Output

1 Weird

JavaScript

```
12
13 ✓ process.stdin.on('end', function() {
14     |   inputString = inputString.split('\n');
15     |
16     |   main();
17   });
18
19 ✓ function readLine() {
20     |   return inputString[currentLine++];
21   }
22
23 ✓ function main() {
24     |   const N = parseInt(readLine().trim(), 10);
25     |
26   ✓   if (N % 2 === 1) {
27     |     console.log("Weird");
28   ✓   } else if (N % 2 === 0 && N >= 2 && N <= 5) {
29     |     console.log("Not Weird");
30   ✓   } else if (N % 2 === 0 && N >= 6 && N <= 20) {
31     |     console.log("Weird");
32   ✓   } else {
33     |     console.log("Not Weird");
34     |   }
35   }
36
```

Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

✓ Test case 0

✓ Test case 1

✓ Test case 2 

✓ Test case 3 

✓ Test case 4 

✓ Test case 5 

✓ Test case 6 

Compiler Message

Success

Input (stdin)

1 3

Expected Output

1 Weird