

Python3

```
class Person:
    def __init__(self, initialAge):
        # Add some more code to run some checks on initialAge
        if initialAge < 0:
            print("Age is not valid, setting age to 0.")
            self.age = 0
        else:
            self.age = initialAge

    def amIOld(self):
        # Do some computations in here and print out the correct statement to the console
        if self.age < 13:
            print("You are young.")
        elif self.age < 18:
            print("You are a teenager.")
        else:
            print("You are old.")

    def yearPasses(self):
        # Increment the age of the person in here
        self.age += 1

> t = int(input()) ...
```

✓ Test case 0

✓ Test case 1 

✓ Test case 2 

Compiler Message

Success

Input (stdin)

1	4
2	-1
3	10
4	16
5	18

Expected Output

1	Age is not valid, setting age to 0.
2	You are young.

C#

```
4
5 class Person {
6     public int age;
7     public Person(int initialAge) {
8         // Add some more code to run some checks on initialAge
9         if (initialAge < 0) {
10             Console.WriteLine("Age is not valid, setting age to 0.");
11             age = 0;
12         } else {
13             age = initialAge;
14         }
15     }
16     public void amIOld() {
17         // Do some computations in here and print out the correct statement to the console
18         if (age < 13) {
19             Console.WriteLine("You are young.");
20         } else if (age < 18) {
21             Console.WriteLine("You are a teenager.");
22         } else {
23             Console.WriteLine("You are old.");
24         }
25     }
26     public void yearPasses() {
27         // Increment the age of the person in here
28         age++;
29     }
30 }
31
32 > static void Main(String[] args) { ...
```

⌚ Test case 1

Input (stdin)

✓ Test case 0

1 2

2 -5

✓ Test case 2 

3 30

Expected Output

1 Age is not valid, setting age to 0.

2 You are young.

3 You are young.

4

5 You are old.

6 You are old.

JavaScript

```
process.stdin.resume();...
```

```
function Person(initialAge){
    this.age = initialAge;

    if (initialAge < 0) {
        console.log("Age is not valid, setting age to 0.");
        this.age = 0;
    }

    this.amIOld = function(){
        if (this.age < 13) {
            console.log("You are young.");
        } else if (this.age >= 13 && this.age < 18) {
            console.log("You are a teenager.");
        } else {
            console.log("You are old.");
        }
    };

    this.yearPasses = function(){
        this.age += 1;
    };
}
```

```
function main() {...
```

✓ Test case 0

✓ Test case 1 

✓ Test case 2 

Compiler Message

Success

Input (stdin)

1	4
2	-1
3	10
4	16
5	18

Expected Output

1	Age is not valid, setting age to 0.
2	You are young.