

WebSecScan Security Report


Comprehensive Security Analysis

RISK: CRITICAL

Target URL: http://127.0.0.1:3000

Scan Date: 2025-11-19 11:07:56

Total Findings: 42



Identified Vulnerabilities — Categories

Category	High	Medium	Low	Total
Directory/File Exposure	12	15	0	27
Security Headers	2	0	7	9
SSL/TLS	1	0	0	1
CORS	0	2	0	2
HTTP Methods	0	1	0	1
Path Traversal	0	1	0	1
Server Information	0	0	1	1

Detailed Findings

Directory/File Exposure

12 High | 15 Medium | 0 Low

#1 — Path /.git/ returned HTTP 200.

Risk rating: **High**

Instances:

http://127.0.0.1:3000/.git/

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#2 — Path /.env returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/./env
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#3 — Path /config.php returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/config.php
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#4 — Path /config.php.bak returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/config.php.bak
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#5 — Path /config.bak returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/config.bak
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#6 — Path /backup.zip returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/backup.zip
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#7 — Path /wp-config.php returned HTTP 200.

Risk rating: High

Instances:

```
http://127.0.0.1:3000/wp-config.php
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#8 — Path /phpinfo.php returned HTTP 200.

Risk rating: **High**

Instances:

```
http://127.0.0.1:3000/phpinfo.php
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#9 — Path /.git/config returned HTTP 200.

Risk rating: **High**

Instances:

```
http://127.0.0.1:3000/.git/config
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#10 — Path /.gitignore returned HTTP 200.

Risk rating: **High**

Instances:

```
http://127.0.0.1:3000/.gitignore
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#11 — Path /.htpasswd returned HTTP 200.

Risk rating: **High**

Instances:

```
http://127.0.0.1:3000/.htpasswd
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#12 — Path /backup.tar.gz returned HTTP 200.

Risk rating: High

Instances:

`http://127.0.0.1:3000/backup.tar.gz`

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#13 — Path / returned HTTP 200.

Risk rating: Medium

Instances:

`http://127.0.0.1:3000/`

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#14 — Path /robots.txt returned HTTP 200.

Risk rating: Medium

Instances:

`http://127.0.0.1:3000/robots.txt`

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#15 — Path /sitemap.xml returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/sitemap.xml
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#16 — Path /.htaccess returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/.htaccess
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#17 — Path /admin/ returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/admin/
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#18 — Path /admin/index.php returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/admin/index.php
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#19 — Path /server-status returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/server-status
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#20 — Path /.well-known/security.txt returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/.well-known/security.txt
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#21 — Path /.well-known/change-password returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/.well-known/change-password
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#22 — Path /.DS_Store returned HTTP 200.

Risk rating: **Medium**

Instances:

```
http://127.0.0.1:3000/./DS_Store
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#23 — Path /logs/ returned HTTP 200.

Risk rating: **Medium**

Instances:

```
http://127.0.0.1:3000/logs/
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#24 — Path /error_log returned HTTP 200.

Risk rating: **Medium**

Instances:

```
http://127.0.0.1:3000/error_log
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#25 — Path /README returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/README
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#26 — Path /readme.html returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/readme.html
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#27 — Path /readme.txt returned HTTP 200.

Risk rating: Medium

Instances:

```
http://127.0.0.1:3000/readme.txt
```

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

#28 — Add a CSP header to control sources of scripts, styles, and media.

Risk rating: **High**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Add a CSP header to control sources of scripts, styles, and media.

#29 — Enable HSTS (Strict-Transport-Security) to enforce HTTPS and prevent downgrade attacks.

Risk rating: **High**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Enable HSTS (Strict-Transport-Security) to enforce HTTPS and prevent downgrade attacks.

#30 — X-XSS-Protection is largely deprecated in modern browsers. If supporting legacy browsers, consider '1; mode=block'.

Risk rating: **Low**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

X-XSS-Protection is largely deprecated in modern browsers. If supporting legacy browsers, consider '1; mode=block'.

#31 — Configured correctly.

Risk rating: **Low**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Configured correctly.

```
nosniff
```

#32 — Add Referrer-Policy (recommended: strict-origin-when-cross-origin or no-referrer).

Risk rating: **Low**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Add Referrer-Policy (recommended: strict-origin-when-cross-origin or no-referrer).

#33 — Review Permissions-Policy to ensure only required features are allowed.

Risk rating: **Low**

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Review Permissions-Policy to ensure only required features are allowed.

```
payment 'self'
```

#34 — Consider adding Cross-Origin-Embedder-Policy (e.g., 'require-corp') if using cross-origin isolation.

Risk rating: Low

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Consider adding Cross-Origin-Embedder-Policy (e.g., 'require-corp') if using cross-origin isolation.

#35 — Consider adding Cross-Origin-Opener-Policy: same-origin to improve isolation against side-channel attacks.

Risk rating: Low

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Consider adding Cross-Origin-Opener-Policy: same-origin to improve isolation against side-channel attacks.

#36 — Consider Cross-Origin-Resource-Policy to restrict which origins can load resources.

Risk rating: Low

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Consider Cross-Origin-Resource-Policy to restrict which origins can load resources.

SSL/TLS

1 High | 0 Medium | 0 Low

#37 — SSL/TLS error: Connection refused — likely not supporting HTTPS on port 443.

Risk rating: High

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

No recommendation provided.

CORS

0 High | 2 Medium | 0 Low

#38 — Access-Control-Allow-Origin: * (wildcard) observed in response.

Risk rating: Medium

Instances:

N/A

Page Affected / Context:

Probe / Original responses

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Avoid wildcard origins; use an explicit whitelist.

#39 — Unsafe HTTP methods exposed via CORS/preflight: DELETE, PATCH, PUT

Risk rating: Medium

Instances:

N/A

Page Affected / Context:

Probe preflight or original OPTIONS

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Restrict unsafe HTTP methods or require authentication.

HTTP Methods

0 High | 1 Medium | 0 Low

#40 — Server did not advertise allowed methods. Try an OPTIONS request or manual testing.

Risk rating: Medium

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Server did not advertise allowed methods. Try an OPTIONS request or manual testing.

Path Traversal

0 High | 1 Medium | 0 Low

#41 — Server response changed a lot when traversal sequences were included.

Risk rating: Medium

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

1) Validate and canonicalize incoming paths (resolve and enforce an allowlist). 2) Never use user-controlled input directly for file reads; use fixed base directories and safe APIs. 3) Log/monitor failed file-read attempts and return generic errors (avoid leaking file contents).

#42 — Ensure content types are correctly set; avoid serving sensitive data with permissive types.

Risk rating: Low

Instances:

N/A

Page Affected / Context:

N/A

Impact/Consequence:

Exploitation of this issue may allow unauthorized access, data leakage, or system compromise depending on the nature of the vulnerability.

Remediation:

Ensure content types are correctly set; avoid serving sensitive data with permissive types.

```
text/html; charset=UTF-8
```