Search tests | All 57 | Passed 31 | Failed 26 | Flaky 0 | Skipped 0

14/10/2026, 16:56:37 Total time: 13.3s

## pet-create.spec.ts

- POST /pet - negative @negative › N01 rejects a body without name [negative] 944ms
  pet-create.spec.ts:105
- POST /pet - negative @negative › N02 rejects a body without photoUrls [negative] 941ms
  pet-create.spec.ts:110
- POST /pet - negative @negative › N03 rejects an invalid status value [negative] 960ms
  pet-create.spec.ts:115
- POST /pet - negative @negative › N04 rejects id sent as a string [negative] 962ms
  pet-create.spec.ts:120
- POST /pet - negative @negative › N05 rejects name sent as a number [negative] 934ms
  pet-create.spec.ts:125
- POST /pet - negative @negative › N06 rejects photoUrls sent as a string [negative] 910ms
  pet-create.spec.ts:130
- POST /pet - negative @negative › N07 rejects tags sent as an object [negative] 911ms
  pet-create.spec.ts:135
- POST /pet - negative @negative › N08 rejects malformed JSON [negative] 908ms
  pet-create.spec.ts:140
- POST /pet - empty and null @empty › E01 rejects an empty JSON object [empty] 977ms
  pet-create.spec.ts:147
- POST /pet - empty and null @empty › E02 rejects an empty body [empty] 931ms
  pet-create.spec.ts:151
- POST /pet - empty and null @empty › E03 rejects null name [empty] 956ms
  pet-create.spec.ts:155
- POST /pet - empty and null @empty › E04 rejects null photoUrls [empty] 960ms
  pet-create.spec.ts:160
- POST /pet - empty and null @empty › E05 rejects an empty status string [empty] 962ms
  pet-create.spec.ts:165
- POST /pet - positive › P01 creates a pet with the full body 1.3s
  pet-create.spec.ts:10

✓ POST /pet - positive › P02 creates a pet with required fields only 1.3s
pet-create.spec.ts:22

✓ POST /pet - positive › P03 creates a pet with status "available" 1.3s
pet-create.spec.ts:33

✓ POST /pet - positive › P03 creates a pet with status "pending" 1.3s
pet-create.spec.ts:33

✓ POST /pet - positive › P03 creates a pet with status "sold" 1.3s
pet-create.spec.ts:33

✓ POST /pet - positive › P04 creates a pet with multiple photoUrls and tags 1.3s
pet-create.spec.ts:44

✓ POST /pet - positive › P05 generates an id when none is sent 1.1s
pet-create.spec.ts:63

✓ POST /pet - positive › P06 keeps special characters in name 1.1s
pet-create.spec.ts:74

✓ POST /pet - positive › P07 persists the pet (create, then it is found by status) 1.6s
pet-create.spec.ts:84

✓ POST /pet - positive › P08 accepts an empty tags array and an empty category object 1.2s
pet-create.spec.ts:94

pet-find-by-status.spec.ts

✗ GET /pet/findByStatus - negative @negative › N01 rejects an unknown status value 913ms
negative
pet-find-by-status.spec.ts:98

✗ GET /pet/findByStatus - negative @negative › N02 rejects a status with the wrong case negative 939ms
pet-find-by-status.spec.ts:102

✗ GET /pet/findByStatus - negative @negative › N03 rejects a numeric status 911ms
negative
pet-find-by-status.spec.ts:106

✗ GET /pet/findByStatus - negative @negative › N04 rejects a mix of valid and invalid statuses negative 1.4s

pet-find-by-status.spec.ts:110

✕ GET /pet/findByStatus - empty and missing @empty › E01 rejects a missing status parameter empty 954ms
pet-find-by-status.spec.ts:116

✕ GET /pet/findByStatus - empty and missing @empty › E02 rejects an empty status value empty 929ms
pet-find-by-status.spec.ts:120

✕ GET /pet/findByStatus - empty and missing @empty › E03 rejects a whitespace-only status value empty 937ms
pet-find-by-status.spec.ts:124

✕ GET /pet/findByStatus - empty and missing @empty › E04 rejects a "null" status value empty 916ms
pet-find-by-status.spec.ts:128

✓ GET /pet/findByStatus - positive › P01 returns only "available" pets 1.5s
pet-find-by-status.spec.ts:14

✓ GET /pet/findByStatus - positive › P01 returns only "pending" pets 937ms
pet-find-by-status.spec.ts:14

✓ GET /pet/findByStatus - positive › P01 returns only "sold" pets 1.2s
pet-find-by-status.spec.ts:14

✓ GET /pet/findByStatus - positive › P02 returns pets of either status for two comma-separated statuses 1.4s
pet-find-by-status.spec.ts:26

✓ GET /pet/findByStatus - positive › P03 accepts all three statuses together 1.5s
pet-find-by-status.spec.ts:37

✓ GET /pet/findByStatus - positive › P04 a newly created pet appears in the results for its status 1.4s
pet-find-by-status.spec.ts:48

✓ GET /pet/findByStatus - positive › P05 a status change moves the pet between result lists 2.3s
pet-find-by-status.spec.ts:63

✓ GET /pet/findByStatus - positive › P06 a deleted pet no longer appears in the results 1.8s
pet-find-by-status.spec.ts:76

✓ GET /pet/findByStatus - positive › P07 a pet appears only once when several statuses are requested 1.8s
pet-find-by-status.spec.ts:86

pet-delete.spec.ts

✗ DELETE /pet/{petId} - negative @negative › N03 returns 400 for a non-numeric id (per docs) negative 936ms
pet-delete.spec.ts:89

✗ DELETE /pet/{petId} - negative @negative › N04 returns 400 for a decimal id (per docs) negative 915ms
pet-delete.spec.ts:93

✗ DELETE /pet/{petId} - negative @negative › N05 returns 400 for special characters in the id (per docs) negative 934ms
pet-delete.spec.ts:97

✗ DELETE /pet/{petId} - empty and null @empty › E01 returns 400 for a "null" id (per docs) empty 956ms
pet-delete.spec.ts:103

✗ DELETE /pet/{petId} - empty and null @empty › E02 returns 400 for a whitespace-only id (per docs) empty 959ms
pet-delete.spec.ts:107

✓ DELETE /pet/{petId} - positive › P01 deletes an existing pet 1.2s
pet-delete.spec.ts:5

✓ DELETE /pet/{petId} - positive › P02 pet is gone after delete (not found by status) 1.7s
pet-delete.spec.ts:14

✓ DELETE /pet/{petId} - positive › P03 deletes with an api_key header 1.2s
pet-delete.spec.ts:22

✓ DELETE /pet/{petId} - positive › P04 deletes without an api_key header (header is optional) 1.2s
pet-delete.spec.ts:31

- ✓ DELETE /pet/{petId} - positive › P05 deletes a pet with status "available" 1.2s
  pet-delete.spec.ts:41
- ✓ DELETE /pet/{petId} - positive › P05 deletes a pet with status "pending" 1.2s
  pet-delete.spec.ts:41
- ✓ DELETE /pet/{petId} - positive › P05 deletes a pet with status "sold" 1.2s
  pet-delete.spec.ts:41
- ✓ DELETE /pet/{petId} - positive › P06 deleting one pet does not affect another 2.5s
  pet-delete.spec.ts:49
- ✓ DELETE /pet/{petId} - positive › P07 a pet can be recreated with the same id after delete 2.0s
  pet-delete.spec.ts:63
- ✓ DELETE /pet/{petId} - negative @negative › N01 returns 404 for a non-existent id 934ms
  negative
  pet-delete.spec.ts:77
- ✓ DELETE /pet/{petId} - negative @negative › N02 returns 404 when deleting the same pet twice negative 1.4s
  pet-delete.spec.ts:81
- ✓ DELETE /pet/{petId} - empty and null @empty › E03 deletes a pet when api_key header is empty empty 1.2s
  pet-delete.spec.ts:111